



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Aerospace Engineering

### Course code & Name (Theory)

- 01) 17AE24-Mechanics of Composites
- 02) 17AE25-Computational Fluid Dynamics
- 03) 17AE26-Instrumentation, Measurements and Experiments in Fluids
- 04) AE-PE3- (P.Elec.-III) Introduction to Space Technology(17AE28)
- 05) AE-PE4- (P.Elec.-IV) Theory of Vibrations(17AE33)
- 06) AE-OE2- (O.Elec.-II) Satellite Technology(17EC80)

### Course code & Name (Lab)

- 1) 17AE66-Aircraft Component Modeling and Analysis Lab
- 2) 17AE67-Aircraft Design Lab
- 3) 17PD09-Internship
- 4) 17PD10-Extra-curricular/Co-curricular Activities

| S.No. | H.T.No.    | 17AE24 | 17AE25 | 17AE26 | AE-PE3       | AE-PE4       | AE-OE2       | 17AE66 | 17AE67 | 17PD09 | 17PD10 | SGPA |
|-------|------------|--------|--------|--------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 1     | 19761A2101 | A      | B      | A      | A<br>17AE28  | A<br>17AE33  | B+<br>17EC80 | A+     | A+     | A+     | SA     | 7.77 |
| 2     | 19761A2102 | B+     | B+     | A      | B+<br>17AE28 | B+<br>17AE33 | A<br>17EC80  | A+     | A      | O      | SA     | 7.68 |
| 3     | 19761A2103 | P      | C      | B+     | B<br>17AE28  | B+<br>17AE33 | B<br>17EC80  | B+     | B+     | A      | SA     | 6.14 |
| 4     | 19761A2104 | C      | F      | C      | C<br>17AE28  | F<br>17AE33  | B<br>17EC80  | B+     | B      | A      | SA     | 4.18 |
| 5     | 19761A2105 | B+     | C      | B+     | B+<br>17AE28 | C<br>17AE33  | B<br>17EC80  | B+     | B      | A      | SA     | 6.36 |
| 6     | 19761A2106 | B+     | B      | B+     | B+<br>17AE28 | A<br>17AE33  | B+<br>17EC80 | A      | B      | A      | SA     | 7.09 |
| 7     | 19761A2108 | C      | C      | B      | B<br>17AE28  | B+<br>17AE33 | B<br>17EC80  | B+     | B      | A      | SA     | 6.09 |
| 8     | 19761A2109 | B+     | F      | B      | B+<br>17AE28 | P<br>17AE33  | B<br>17EC80  | A      | A      | A+     | SA     | 5.64 |
| 9     | 19761A2110 | B+     | B+     | A      | B+<br>17AE28 | A+<br>17AE33 | B+<br>17EC80 | O      | A      | O      | SA     | 7.86 |
| 10    | 19761A2111 | A      | B+     | A+     | A<br>17AE28  | A<br>17AE33  | A+<br>17EC80 | O      | A+     | A+     | SA     | 8.36 |
| 11    | 19761A2113 | B+     | C      | B      | C<br>17AE28  | P<br>17AE33  | B<br>17EC80  | A      | B      | A      | SA     | 5.86 |

Date : 4 JAN 2023

Verified by 1: K. K. Prasad 2: K. Pavani

CONTROLLER OF EXAMINATIONS

PRINCIPAL

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Aerospace Engineering

Exam Month & Year : Dec 2022

|    |            | 17AE24 | 17AE25 | 17AE26 | AE-PE3       | AE-PE4       | AE-OE2       | 17AE66 | 17AE67 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 12 | 19761A2114 | A+     | A+     | A+     | O<br>17AE28  | A+<br>17AE33 | A+<br>17EC80 | O      | O      | O      | SA     | 9.32 |
| 13 | 19761A2115 | B+     | B+     | A      | B<br>17AE28  | B+<br>17AE33 | A<br>17EC80  | A      | C      | A+     | SA     | 7.27 |
| 14 | 19761A2116 | B+     | C      | A      | B<br>17AE28  | B<br>17AE33  | B+<br>17EC80 | A+     | B+     | A+     | SA     | 6.86 |
| 15 | 19761A2117 | B+     | B      | B+     | B+<br>17AE28 | B<br>17AE33  | B+<br>17EC80 | A      | C      | A      | SA     | 6.77 |
| 16 | 19761A2118 | B      | C      | B      | B+<br>17AE28 | P<br>17AE33  | A<br>17EC80  | B+     | B      | A      | SA     | 6.23 |
| 17 | 19761A2119 | B+     | C      | B      | B<br>17AE28  | C<br>17AE33  | A<br>17EC80  | B+     | B      | A      | SA     | 6.36 |
| 18 | 19761A2120 | A      | B      | A      | A<br>17AE28  | B+<br>17AE33 | A+<br>17EC80 | A+     | B+     | A      | SA     | 7.73 |
| 19 | 19761A2121 | B+     | P      | B      | B<br>17AE28  | C<br>17AE33  | B<br>17EC80  | B+     | C      | A      | SA     | 5.91 |
| 20 | 19761A2122 | B      | C      | B      | C<br>17AE28  | C<br>17AE33  | B+<br>17EC80 | B+     | B      | A      | SA     | 5.95 |
| 21 | 19761A2123 | B      | B      | B+     | B<br>17AE28  | B+<br>17AE33 | B+<br>17EC80 | B+     | C      | A      | SA     | 6.59 |
| 22 | 19761A2124 | B+     | B+     | A      | A<br>17AE28  | A<br>17AE33  | A<br>17EC80  | A      | B+     | A+     | SA     | 7.77 |
| 23 | 19761A2125 | B      | P      | B      | C<br>17AE28  | C<br>17AE33  | B+<br>17EC80 | A      | B+     | A+     | SA     | 6.00 |
| 24 | 19761A2126 | B+     | B+     | B+     | B+<br>17AE28 | A<br>17AE33  | A<br>17EC80  | A+     | A+     | A+     | SA     | 7.64 |
| 25 | 19761A2127 | B+     | B      | B+     | B+<br>17AE28 | B<br>17AE33  | A<br>17EC80  | A      | B      | A      | SA     | 6.95 |
| 26 | 19761A2128 | B      | B      | B      | C<br>17AE28  | B<br>17AE33  | B+<br>17EC80 | A      | C      | A      | SA     | 6.23 |
| 27 | 19761A2129 | B      | B+     | B      | B<br>17AE28  | B+<br>17AE33 | B<br>17EC80  | B+     | B+     | A+     | SA     | 6.64 |

Date : 4 JAN 2023 Verified by 1: K. Saravaram 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Saravaram*  
CONTROLLER OF EXAMINATIONS

*K. Pavani*  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Aerospace Engineering

Exam Month & Year : Dec 2022

|    |            | 17AE24 | 17AE25 | 17AE26 | AE-PE3       | AE-PE4       | AE-OE2       | 17AE66 | 17AE67 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 28 | 19761A2130 | B      | B      | B      | B+<br>17AE28 | C<br>17AE33  | B<br>17EC80  | A      | B      | A+     | SA     | 6.36 |
| 29 | 19761A2131 | A      | B      | B      | C<br>17AE28  | B<br>17AE33  | A<br>17EC80  | A      | B      | A+     | SA     | 6.77 |
| 30 | 19761A2132 | B+     | B      | B+     | B+<br>17AE28 | B+<br>17AE33 | O<br>17EC80  | A      | B+     | A      | SA     | 7.41 |
| 31 | 19761A2133 | B      | B      | B+     | B+<br>17AE28 | B<br>17AE33  | B+<br>17EC80 | A+     | B+     | A+     | SA     | 6.86 |
| 32 | 19761A2134 | A      | B+     | A      | B+<br>17AE28 | B<br>17AE33  | B<br>17EC80  | B+     | B+     | A+     | SA     | 7.18 |
| 33 | 19761A2135 | A      | A      | A      | B+<br>17AE28 | B+<br>17AE33 | B+<br>17EC80 | A      | C      | A      | SA     | 7.45 |
| 34 | 19761A2136 | B+     | B+     | A+     | B+<br>17AE28 | A<br>17AE33  | A<br>17EC80  | A+     | A      | A      | SA     | 7.77 |
| 35 | 19761A2137 | A      | B+     | A      | A<br>17AE28  | A<br>17AE33  | B<br>17EC80  | A      | B+     | A+     | SA     | 7.64 |
| 36 | 19761A2138 | B+     | B      | B      | C<br>17AE28  | C<br>17AE33  | B<br>17EC80  | A      | B+     | A      | SA     | 6.18 |
| 37 | 19761A2139 | A      | B+     | B+     | B+<br>17AE28 | B+<br>17AE33 | B<br>17EC80  | B+     | B      | A      | SA     | 7.05 |
| 38 | 19761A2140 | A      | B      | B+     | A<br>17AE28  | A<br>17AE33  | A<br>17EC80  | O      | A      | A+     | SA     | 7.77 |
| 39 | 19761A2141 | B+     | B      | A      | B<br>17AE28  | B+<br>17AE33 | B+<br>17EC80 | A      | B+     | A      | SA     | 7.00 |
| 40 | 19761A2143 | F      | F      | B      | F<br>17AE28  | C<br>17AE33  | B<br>17EC80  | B+     | B+     | A      | SA     | 3.68 |
| 41 | 19761A2144 | B      | B      | A      | B<br>17AE28  | B<br>17AE33  | A<br>17EC80  | A      | B+     | A+     | SA     | 6.95 |
| 42 | 19761A2146 | F      | F      | F      | F<br>17AE28  | F<br>17AE33  | C<br>17EC80  | B+     | B      | A      | SA     | 2.00 |
| 43 | 19761A2147 | B+     | B      | A      | B+<br>17AE28 | A<br>17AE33  | A+<br>17EC80 | A      | A+     | A+     | SA     | 7.73 |

Date : 4 JAN 2023  
Verified by 1: K. Saravani 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Saravani*  
CONTROLLER OF EXAMINATIONS

*K. Saravani*  
PRINCIPAL



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Aerospace Engineering

Exam Month & Year : Dec 2022

|    |            | 17AE24 | 17AE25 | 17AE26 | AE-PE3       | AE-PE4       | AE-OE2       | 17AE66 | 17AE67 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 44 | 19761A2148 | A      | B+     | A      | B+<br>17AE28 | A<br>17AE33  | A+<br>17EC80 | A      | B      | A      | SA     | 7.77 |
| 45 | 19761A2149 | A      | F      | A      | B+<br>17AE28 | B+<br>17AE33 | B+<br>17EC80 | O      | O      | O      | SA     | 6.86 |
| 46 | 20765A2101 | B+     | B+     | A      | A<br>17AE28  | B+<br>17AE33 | A+<br>17EC80 | A+     | B+     | A+     | SA     | 7.82 |
| 47 | 20765A2102 | B+     | B      | A      | B+<br>17AE28 | B+<br>17AE33 | B+<br>17EC80 | A      | B+     | A+     | SA     | 7.23 |
| 48 | 20765A2103 | B      | B      | A      | A<br>17AE28  | A<br>17AE33  | A+<br>17EC80 | A      | B+     | A      | SA     | 7.55 |
| 49 | 20765A2104 | B+     | B      | B      | B<br>17AE28  | B+<br>17AE33 | B+<br>17EC80 | A+     | A      | A      | SA     | 6.82 |
| 50 | 20765A2105 | A      | B+     | A      | B<br>17AE28  | B<br>17AE33  | A<br>17EC80  | A+     | A      | A+     | SA     | 7.45 |
| 51 | 20765A2106 | B+     | B+     | A      | B+<br>17AE28 | B<br>17AE33  | A<br>17EC80  | B+     | B+     | A      | SA     | 7.23 |
| 52 | 20765A2107 | B+     | B      | B+     | B+<br>17AE28 | P<br>17AE33  | B+<br>17EC80 | B+     | B      | B+     | SA     | 6.41 |
| 53 | 20765A2108 | A      | A      | A      | A<br>17AE28  | A<br>17AE33  | O<br>17EC80  | A      | B+     | A+     | SA     | 8.32 |

Date: 4 JAN 2023

Verified by 1: *K. Karan* 2: *K. Pavani*

*K. Karan*  
CONTROLLER OF EXAMINATIONS

*K. Karan*  
PRINCIPAL

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.





LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

Result Sheet (Re-admitted Student)

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Aerospace Engineering

Course code & Name (Theory)

- 01) 17AE24-Mechanics of Composites
- 02) 17AE25-Computational Fluid Dynamics
- 03) 17AE26-Instrumentation, Measurements and Experiments in Fluids
- 04) AE-PE3- (P.Elec.-III) Introduction to Space Technology(17AE28)
- 05) AE-PE4- (P.Elec.-IV) Theory of Vibrations(17AE33)
- 06) AE-OE2- (O.Elec.-II) Satellite Technology(17EC80)

Course code & Name (Lab)

- 1) 17AE66-Aircraft Component Modeling and Analysis Lab
- 2) 17AE67-Aircraft Design Lab
- 3) 17PD09-Internship
- 4) 17PD10-Extra-curricular/Co-curricular Activities

| S.No. | H.T.No.    | 17AE24 | 17AE25 | 17AE26 | AE-PE3       | AE-PE4      | AE-OE2       | 17AE66 | 17AE67 | 17PD09 | 17PD10 | SGPA |
|-------|------------|--------|--------|--------|--------------|-------------|--------------|--------|--------|--------|--------|------|
| 1     | 18761A2145 | B+     | B      | B+     | B+<br>17AE28 | A<br>17AE33 | B+<br>17EC80 | A+     | B      | A      | SA     | 7.14 |

Date : 4 JAN 2023

Verified by 1: K. Srinivasulu 2: K. Pavani

*K. Srinivasulu*  
CONTROLLER OF EXAMINATIONS

*K. Pavani*  
PRINCIPAL

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Civil Engineering

Exam Month & Year : Dec 2022

### Course code & Name (Theory)

- 01) 17CE28-Estimation and Quantity Surveying
- 02) 17CE29-Remote Sensing and GIS Applications
- 03) 17CE30-Design of Reinforced Concrete Structures-II
- 04) CE-PE3- (P.Elec.-III) Pre-stressed Concrete(17CE31)
- 05) CE-PE4- (P.Elec.-IV) Environmental Engineering(17CE35)
- 06) CE-OE2- (O.Elec.-II) Utilization of Electrical Energy(17EE81)
- 07) CE-AC3- (Add on course-3) Environmental Sanitation(17CE92)

### Course code & Name (Lab)

- 1) 17CE73-GIS and Computer Applications in Civil Engineering Lab
- 2) 17CE74-Quantity Estimation and Project Management Lab
- 3) 17PD09-Internship
- 4) 17PD10-Extra-curricular/Co-curricular Activities

| S.No. | H.T.No.    | 17CE28 | 17CE29 | 17CE30 | CE-PE3       | CE-PE4       | CE-OE2       | CE-AC3       | 17CE73 | 17CE74 | 17PD09 | 17PD10 | SGPA |
|-------|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 1     | 19761A0101 | A      | A+     | A      | B<br>17CE31  | A<br>17CE35  | B<br>17EE81  | A<br>17CE92  | A+     | A+     | A      | SA     | 7.72 |
| 2     | 19761A0102 | F      | B      | P      | C<br>17CE31  | C<br>17CE35  | B<br>17EE81  | F<br>17CE92  | A      | B+     | A      | SA     | 4.36 |
| 3     | 19761A0103 | B      | B+     | A      | B<br>17CE31  | F<br>17CE35  | B<br>17EE81  | B<br>17CE92  | A      | A+     | A      | SA     | 6.00 |
| 4     | 19761A0104 | B+     | A      | A+     | A<br>17CE31  | B+<br>17CE35 | A<br>17EE81  | B+<br>17CE92 | A+     | A      | A      | SA     | 7.80 |
| 5     | 19761A0105 | C      | A      | B+     | B+<br>17CE31 | C<br>17CE35  | B+<br>17EE81 | B<br>17CE92  | A      | A+     | A      | SA     | 6.72 |
| 6     | 19761A0106 | A      | O      | O      | A+<br>17CE31 | A<br>17CE35  | B+<br>17EE81 | A<br>17CE92  | O      | O      | A+     | SA     | 8.72 |
| 7     | 19761A0107 | A      | A+     | B+     | A<br>17CE31  | B<br>17CE35  | A<br>17EE81  | A<br>17CE92  | A+     | O      | A      | SA     | 7.88 |
| 8     | 19761A0108 | B+     | A      | B+     | B+<br>17CE31 | B<br>17CE35  | B+<br>17EE81 | B<br>17CE92  | A+     | A      | A+     | SA     | 7.16 |
| 9     | 19761A0109 | F      | B      | F      | F<br>17CE31  | F<br>17CE35  | F<br>17EE81  | F<br>17CE92  | B      | B      | C      | SA     | 1.60 |
| 10    | 19761A0110 | C      | B+     | A      | B<br>17CE31  | P<br>17CE35  | F<br>17EE81  | F<br>17CE92  | A      | A+     | A+     | SA     | 5.00 |
| 11    | 19761A0111 | B      | A      | A      | B+<br>17CE31 | C<br>17CE35  | B<br>17EE81  | B<br>17CE92  | A+     | O      | A+     | SA     | 7.00 |

Date : 4 JAN 2023 Verified by 1: K. Narayana 2: K. Pavani

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Narayana*  
CONTROLLER OF EXAMINATIONS

*K. Pavani*  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Civil Engineering

Exam Month & Year : Dec 2022

|    |            | 17CE28 | 17CE29 | 17CE30 | CE-PE3       | CE-PE4       | CE-OE2       | CE-AC3       | 17CE73 | 17CE74 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 12 | 19761A0112 | B      | A+     | B      | B<br>17CE31  | B<br>17CE35  | B<br>17EE81  | B<br>17CE92  | B+     | A+     | A      | SA     | 6.68 |
| 13 | 19761A0113 | B+     | A      | A      | B<br>17CE31  | F<br>17CE35  | B+<br>17EE81 | B<br>17CE92  | A+     | A+     | A      | SA     | 6.40 |
| 14 | 19761A0115 | F      | C      | F      | F<br>17CE31  | F<br>17CE35  | F<br>17EE81  | F<br>17CE92  | A      | B+     | P      | US     | 1.52 |
| 15 | 19761A0116 | B      | A+     | B+     | B+<br>17CE31 | B+<br>17CE35 | B+<br>17EE81 | B<br>17CE92  | A+     | A+     | A      | SA     | 7.24 |
| 16 | 19761A0118 | B      | A+     | B      | B<br>17CE31  | B+<br>17CE35 | B<br>17EE81  | B<br>17CE92  | A      | A      | B+     | SA     | 6.72 |
| 17 | 19761A0119 | F      | C      | C      | P<br>17CE31  | C<br>17CE35  | C<br>17EE81  | F<br>17CE92  | A      | B+     | B+     | SA     | 4.04 |
| 18 | 19761A0120 | B      | B      | C      | B<br>17CE31  | P<br>17CE35  | C<br>17EE81  | C<br>17CE92  | -Ab-   | -Ab-   | B      | SA     | 4.92 |
| 19 | 19761A0121 | A      | A+     | A      | A+<br>17CE31 | B+<br>17CE35 | B+<br>17EE81 | A<br>17CE92  | A+     | O      | A+     | SA     | 8.20 |
| 20 | 19761A0122 | C      | A      | B      | B+<br>17CE31 | C<br>17CE35  | B<br>17EE81  | B<br>17CE92  | A+     | A+     | A      | SA     | 6.52 |
| 21 | 19761A0123 | B      | A      | B      | B<br>17CE31  | B<br>17CE35  | B<br>17EE81  | B+<br>17CE92 | A+     | A      | A+     | SA     | 6.80 |
| 22 | 19761A0124 | C      | A      | B      | B+<br>17CE31 | B<br>17CE35  | B<br>17EE81  | B<br>17CE92  | A      | A      | A      | SA     | 6.56 |
| 23 | 19761A0125 | A      | O      | A+     | A+<br>17CE31 | A+<br>17CE35 | A<br>17EE81  | A+<br>17CE92 | O      | O      | O      | SA     | 9.04 |
| 24 | 19761A0126 | F      | B      | B      | F<br>17CE31  | C<br>17CE35  | F<br>17EE81  | F<br>17CE92  | A+     | A+     | B+     | SA     | 3.32 |
| 25 | 19761A0127 | B      | A+     | A+     | A<br>17CE31  | B+<br>17CE35 | B+<br>17EE81 | A<br>17CE92  | A+     | A+     | A+     | SA     | 7.92 |
| 26 | 19761A0128 | B      | B+     | B      | B+<br>17CE31 | B<br>17CE35  | C<br>17EE81  | B<br>17CE92  | A+     | A+     | O      | SA     | 6.68 |
| 27 | 19761A0129 | B+     | A+     | O      | A+<br>17CE31 | A<br>17CE35  | B+<br>17EE81 | B+<br>17CE92 | O      | O      | A+     | SA     | 8.36 |

Date : 4 JAN 2023  
Verified by 1: K. Saranya 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Saranya*  
CONTROLLER OF EXAMINATIONS

*K. Saranya*  
PRINCIPAL



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Civil Engineering

|    |            | 17CE28 | 17CE29 | 17CE30 | CE-PE3       | CE-PE4       | CE-OE2       | CE-AC3       | 17CE73 | 17CE74 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 28 | 19761A0130 | B      | A      | B+     | F<br>17CE31  | P<br>17CE35  | B+<br>17EE81 | A<br>17CE92  | A+     | A+     | A      | SA     | 6.16 |
| 29 | 19761A0131 | B+     | B+     | B+     | B+<br>17CE31 | B<br>17CE35  | B+<br>17EE81 | B<br>17CE92  | A      | A+     | A      | SA     | 6.96 |
| 30 | 19761A0132 | C      | B+     | C      | P<br>17CE31  | F<br>17CE35  | C<br>17EE81  | C<br>17CE92  | B+     | B+     | A      | SA     | 4.92 |
| 31 | 19761A0133 | A+     | O      | O      | A+<br>17CE31 | A+<br>17CE35 | A<br>17EE81  | A+<br>17CE92 | O      | O      | O      | SA     | 9.28 |
| 32 | 19761A0134 | C      | A      | B      | B<br>17CE31  | B<br>17CE35  | P<br>17EE81  | B<br>17CE92  | A+     | A      | A      | SA     | 6.24 |
| 33 | 19761A0135 | P      | B+     | F      | B<br>17CE31  | C<br>17CE35  | F<br>17EE81  | B<br>17CE92  | A+     | A      | B+     | SA     | 4.60 |
| 34 | 19761A0136 | B+     | O      | A+     | B+<br>17CE31 | A<br>17CE35  | A<br>17EE81  | A+<br>17CE92 | A+     | O      | A+     | SA     | 8.44 |
| 35 | 19761A0137 | B      | A+     | B+     | A<br>17CE31  | B<br>17CE35  | B+<br>17EE81 | A<br>17CE92  | A+     | A      | B      | SA     | 7.28 |
| 36 | 19761A0138 | P      | A      | C      | B<br>17CE31  | B+<br>17CE35 | B<br>17EE81  | B+<br>17CE92 | A+     | A+     | A      | SA     | 6.52 |
| 37 | 19761A0139 | P      | B+     | F      | F<br>17CE31  | F<br>17CE35  | F<br>17EE81  | F<br>17CE92  | A      | B+     | B+     | SA     | 2.48 |
| 38 | 19761A0140 | B      | A      | B      | A<br>17CE31  | B<br>17CE35  | B<br>17EE81  | B+<br>17CE92 | A+     | B+     | A      | SA     | 6.92 |
| 39 | 19761A0141 | P      | B      | C      | P<br>17CE31  | P<br>17CE35  | C<br>17EE81  | F<br>17CE92  | A      | A      | A      | SA     | 4.64 |
| 40 | 19761A0142 | B      | A      | B      | B<br>17CE31  | B<br>17CE35  | B<br>17EE81  | C<br>17CE92  | B+     | A      | A      | SA     | 6.40 |
| 41 | 19761A0143 | B      | A      | B+     | B<br>17CE31  | B<br>17CE35  | B<br>17EE81  | C<br>17CE92  | A      | A+     | A      | SA     | 6.60 |
| 42 | 19761A0144 | P      | B      | B      | P<br>17CE31  | C<br>17CE35  | C<br>17EE81  | B<br>17CE92  | B+     | A      | B+     | SA     | 5.48 |
| 43 | 19761A0145 | B      | A+     | B      | B<br>17CE31  | B<br>17CE35  | B<br>17EE81  | B<br>17CE92  | A+     | A+     | A+     | SA     | 6.84 |

Date: 4 JAN 2023 Verified by 1: K. Saranya 2: K. Pavani

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*Handwritten signature*  
CONTROLLER OF EXAMINATIONS

*Handwritten signature*  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Civil Engineering

Exam Month & Year : Dec 2022

|    |            | 17CE28 | 17CE29 | 17CE30 | CE-PE3         | CE-PE4         | CE-OE2       | CE-AC3       | 17CE73 | 17CE74 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|----------------|----------------|--------------|--------------|--------|--------|--------|--------|------|
| 44 | 19761A0146 | C      | B      | F      | -Ab-<br>17CE31 | -Ab-<br>17CE35 | F<br>17EE81  | F<br>17CE92  | A      | B+     | B+     | SA     | 2.48 |
| 45 | 19761A0147 | C      | A+     | F      | B<br>17CE31    | B<br>17CE35    | B<br>17EE81  | B<br>17CE92  | A      | B+     | B      | SA     | 5.64 |
| 46 | 19761A0149 | B+     | A+     | B+     | A<br>17CE31    | B<br>17CE35    | B<br>17EE81  | B+<br>17CE92 | O      | A+     | A+     | SA     | 7.48 |
| 47 | 19761A0150 | C      | A      | P      | B<br>17CE31    | P<br>17CE35    | C<br>17EE81  | B<br>17CE92  | A      | A      | A      | SA     | 5.84 |
| 48 | 19761A0151 | C      | A      | B+     | B<br>17CE31    | B<br>17CE35    | C<br>17EE81  | B<br>17CE92  | A+     | A+     | B+     | SA     | 6.44 |
| 49 | 19761A0152 | B      | B+     | B+     | B+<br>17CE31   | C<br>17CE35    | B<br>17EE81  | C<br>17CE92  | A      | A+     | B+     | SA     | 6.40 |
| 50 | 19761A0153 | C      | B+     | B+     | C<br>17CE31    | P<br>17CE35    | C<br>17EE81  | B<br>17CE92  | A+     | A      | B+     | SA     | 5.92 |
| 51 | 19761A0154 | B      | B+     | B      | C<br>17CE31    | B<br>17CE35    | B<br>17EE81  | C<br>17CE92  | A      | B+     | A      | SA     | 6.16 |
| 52 | 19761A0155 | B+     | A+     | B+     | A<br>17CE31    | A<br>17CE35    | A<br>17EE81  | B+<br>17CE92 | A+     | A+     | B+     | SA     | 7.76 |
| 53 | 19761A0156 | B      | A      | A+     | B+<br>17CE31   | B+<br>17CE35   | B+<br>17EE81 | B+<br>17CE92 | A+     | A+     | A+     | SA     | 7.56 |
| 54 | 19761A0157 | A      | A+     | A      | A<br>17CE31    | A<br>17CE35    | A<br>17EE81  | A<br>17CE92  | O      | A+     | A      | SA     | 8.24 |
| 55 | 19761A0158 | A      | O      | O      | A+<br>17CE31   | O<br>17CE35    | A<br>17EE81  | O<br>17CE92  | O      | O      | O      | SA     | 9.40 |
| 56 | 19761A0159 | B+     | O      | A+     | A+<br>17CE31   | A<br>17CE35    | A<br>17EE81  | O<br>17CE92  | A+     | A+     | A+     | SA     | 8.76 |
| 57 | 19761A0160 | B      | A      | A      | B+<br>17CE31   | B<br>17CE35    | B+<br>17EE81 | B+<br>17CE92 | A+     | A      | A      | SA     | 7.20 |
| 58 | 19761A0161 | P      | B      | B      | C<br>17CE31    | C<br>17CE35    | P<br>17EE81  | B<br>17CE92  | A      | A      | B+     | SA     | 5.52 |
| 59 | 19761A0162 | B      | B+     | B      | A<br>17CE31    | C<br>17CE35    | B<br>17EE81  | A<br>17CE92  | A      | A      | A      | SA     | 6.80 |

Date : 4 JAN 2023 Verified by 1: K. Subrahmanyam 2: K. Pavani

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Subrahmanyam*  
CONTROLLER OF EXAMINATIONS

*K. Pavani*  
PRINCIPAL



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Civil Engineering

Exam Month & Year : Dec 2022

|    |            | 17CE28 | 17CE29 | 17CE30 | CE-PE3       | CE-PE4       | CE-OE2       | CE-AC3       | 17CE73 | 17CE74 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 60 | 20765A0101 | B+     | A+     | A+     | A+<br>17CE31 | B+<br>17CE35 | B+<br>17EE81 | A<br>17CE92  | A+     | O      | A+     | SA     | 8.20 |
| 61 | 20765A0102 | B+     | B+     | A+     | B+<br>17CE31 | B<br>17CE35  | B<br>17EE81  | B+<br>17CE92 | A+     | A      | A      | SA     | 7.20 |
| 62 | 20765A0103 | B+     | A+     | A      | A<br>17CE31  | B+<br>17CE35 | B<br>17EE81  | B+<br>17CE92 | O      | A      | A      | SA     | 7.60 |
| 63 | 20765A0104 | B+     | A+     | A+     | A<br>17CE31  | A+<br>17CE35 | B+<br>17EE81 | A<br>17CE92  | A+     | A+     | A+     | SA     | 8.28 |
| 64 | 20765A0105 | B+     | A+     | O      | A<br>17CE31  | A<br>17CE35  | A<br>17EE81  | A+<br>17CE92 | A+     | A      | A      | SA     | 8.40 |
| 65 | 20765A0106 | B+     | A      | B+     | A<br>17CE31  | B+<br>17CE35 | B<br>17EE81  | B+<br>17CE92 | A+     | A      | A      | SA     | 7.32 |
| 66 | 20765A0107 | B+     | A      | A+     | A<br>17CE31  | B+<br>17CE35 | B+<br>17EE81 | A<br>17CE92  | A+     | A      | B+     | SA     | 7.72 |

Date: **4 JAN 2023** Verified by 1: *K. Srinivasan* 2: *K. Pavani*

Note: Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Srinivasan*  
CONTROLLER OF EXAMINATIONS

*K. Pavani*  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Computer Science and Engineering

### Course code & Name (Theory)

- 01) 17CI18-Big Data Analytics
- 02) 17CI19-Internet of Things
- 03) 17CI20-Information Security
- 04) CS-PE3- (P.Elec.-III) Artificial Intelligence(17CI23)
- 05) CS-PE4- (P.Elec.-IV) Pattern Recognition(17CI26)
- 06) CS-OE2- (O.Elec.-II) An Introduction to Programming through C++(17NP01)
- 07) CS-OE2- (O.Elec.-II) Basic Civil Engineering(17CE80)
- 08) CS-OE2- (O.Elec.-II) Data Analytics with Python(17NP14)

### Course code & Name (Theory)

- 09) CS-OE2- (O.Elec.-II) Ethical Hacking(17NP03)
- 10) CS-OE2- (O.Elec.-II) Social Networks(17NP22)
- 11) CS-OE2- (O.Elec.-II) The Joy of Computing using Python(17NP13)
- 12) CS-AC3- (Add on course-3) Information Retrieval Systems(17CS92)

### Course code & Name (Lab)

- 1) 17CI68-Big Data with HADOOP Lab
- 2) 17CI69-Internet of Things Lab
- 3) 17PD09-Internship
- 4) 17PD10-Extra-curricular/Co-curricular Activities

| S.No. | H.T.No.    | 17CI18 | 17CI19 | 17CI20 | CS-PE3       | CS-PE4       | CS-OE2       | CS-AC3       | 17CI68 | 17CI69 | 17PD09 | 17PD10 | SGPA |
|-------|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 1     | 19761A0501 | B+     | B+     | B+     | B<br>17CI23  | B<br>17CI26  | B<br>17NP14  | B<br>17CS92  | B+     | A      | A+     | SA     | 6.72 |
| 2     | 19761A0502 | A      | A+     | A      | B+<br>17CI23 | A<br>17CI26  | B+<br>17NP14 | A<br>17CS92  | A+     | O      | O      | SA     | 8.16 |
| 3     | 19761A0503 | F      | B+     | B      | B<br>17CI23  | B<br>17CI26  | B+<br>17CE80 | B+<br>17CS92 | C      | A      | A+     | SA     | 5.92 |
| 4     | 19761A0504 | A      | A      | B+     | A<br>17CI23  | A+<br>17CI26 | B+<br>17NP14 | A<br>17CS92  | A+     | O      | O      | SA     | 8.16 |
| 5     | 19761A0505 | A      | A+     | B+     | B+<br>17CI23 | A+<br>17CI26 | B<br>17NP14  | B+<br>17CS92 | A+     | O      | O      | SA     | 7.92 |
| 6     | 19761A0506 | A      | A+     | A      | B+<br>17CI23 | A+<br>17CI26 | B<br>17NP14  | B+<br>17CS92 | O      | A+     | O      | SA     | 8.04 |
| 7     | 19761A0507 | B      | A      | F      | B+<br>17CI23 | A<br>17CI26  | B+<br>17NP14 | B+<br>17CS92 | A+     | O      | O      | SA     | 6.72 |
| 8     | 19761A0508 | A+     | A+     | A      | A<br>17CI23  | O<br>17CI26  | B<br>17NP14  | A<br>17CS92  | O      | O      | O      | SA     | 8.56 |
| 9     | 19761A0509 | B+     | A+     | A      | B+<br>17CI23 | A+<br>17CI26 | B<br>17NP14  | A<br>17CS92  | O      | O      | O      | SA     | 8.08 |
| 10    | 19761A0510 | B+     | A+     | A      | A<br>17CI23  | A+<br>17CI26 | B+<br>17NP14 | A<br>17CS92  | A+     | O      | O      | SA     | 8.28 |
| 11    | 19761A0511 | B+     | A+     | B+     | A<br>17CI23  | A+<br>17CI26 | A<br>17NP14  | A+<br>17CS92 | A+     | O      | O      | SA     | 8.40 |

Date : 4 JAN 2023

Verified by 1: K. Saranya

2: K. Pavani

CONTROLLER OF EXAMINATIONS

PRINCIPAL

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Computer Science and Engineering

Exam Month & Year : Dec 2022

|    |            | 17CI18 | 17CI19 | 17CI20 | CS-PE3       | CS-PE4       | CS-OE2       | CS-AC3       | 17CI68 | 17CI69 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 12 | 19761A0512 | A+     | A+     | B+     | A+<br>17CI23 | A<br>17CI26  | B+<br>17NP14 | A+<br>17CS92 | O      | O      | O      | SA     | 8.56 |
| 13 | 19761A0513 | A      | A      | B      | B+<br>17CI23 | A<br>17CI26  | B<br>17NP14  | A<br>17CS92  | A+     | O      | A+     | SA     | 7.60 |
| 14 | 19761A0514 | A      | B+     | B+     | A<br>17CI23  | A<br>17CI26  | A<br>17NP01  | A<br>17CS92  | A      | O      | O      | SA     | 8.00 |
| 15 | 19761A0515 | B+     | A      | B+     | B+<br>17CI23 | B+<br>17CI26 | B<br>17CE80  | A<br>17CS92  | B+     | A+     | A+     | SA     | 7.36 |
| 16 | 19761A0516 | B+     | B+     | B+     | B+<br>17CI23 | A<br>17CI26  | B+<br>17NP14 | B+<br>17CS92 | A+     | A+     | A+     | SA     | 7.44 |
| 17 | 19761A0517 | A      | B+     | B+     | B+<br>17CI23 | A<br>17CI26  | B+<br>17CE80 | B+<br>17CS92 | A      | A      | O      | SA     | 7.56 |
| 18 | 19761A0518 | A+     | A+     | A      | A<br>17CI23  | A<br>17CI26  | A<br>17NP14  | A<br>17CS92  | O      | O      | O      | SA     | 8.56 |
| 19 | 19761A0519 | A      | A+     | A      | A+<br>17CI23 | A<br>17CI26  | A<br>17CE80  | A+<br>17CS92 | A+     | O      | O      | SA     | 8.64 |
| 20 | 19761A0520 | B      | B+     | B+     | B<br>17CI23  | B+<br>17CI26 | B<br>17CE80  | B+<br>17CS92 | B+     | A      | A+     | SA     | 6.84 |
| 21 | 19761A0521 | B+     | B+     | B+     | B+<br>17CI23 | A<br>17CI26  | B+<br>17NP14 | B+<br>17CS92 | A      | O      | O      | SA     | 7.52 |
| 22 | 19761A0522 | B      | A      | A      | B+<br>17CI23 | B<br>17CI26  | B<br>17NP14  | B+<br>17CS92 | B+     | A+     | A+     | SA     | 7.12 |
| 23 | 19761A0523 | A+     | A+     | A      | A<br>17CI23  | A<br>17CI26  | A<br>17NP01  | A<br>17CS92  | A+     | O      | O      | SA     | 8.52 |
| 24 | 19761A0524 | A      | A      | A      | A<br>17CI23  | A<br>17CI26  | B+<br>17CE80 | B+<br>17CS92 | A+     | A+     | A+     | SA     | 7.92 |
| 25 | 19761A0525 | A      | A      | B+     | A+<br>17CI23 | A<br>17CI26  | A<br>17CE80  | A<br>17CS92  | A      | A+     | A+     | SA     | 8.12 |
| 26 | 19761A0526 | A      | A+     | A      | O<br>17CI23  | O<br>17CI26  | A+<br>17CE80 | A<br>17CS92  | A+     | O      | O      | SA     | 9.00 |
| 27 | 19761A0527 | A      | A      | B+     | A<br>17CI23  | A+<br>17CI26 | B+<br>17NP14 | B+<br>17CS92 | A+     | A+     | O      | SA     | 8.00 |

Date: **4 JAN 2023** Verified by 1: *K. Narayana* 2: *K. Pavani*  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*Lakireddy*  
CONTROLLER OF EXAMINATIONS

*Pr. S. S. S.*  
PRINCIPAL









# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Computer Science and Engineering

Exam Month & Year : Dec 2022

|    |            | 17CI18 | 17CI19 | 17CI20 | CS-PE3       | CS-PE4       | CS-OE2       | CS-AC3       | 17CI68 | 17CI69 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 44 | 19761A0544 | B      | A      | A+     | A<br>17CI23  | A<br>17CI26  | A<br>17NP14  | B<br>17CS92  | A      | O      | O      | SA     | 7.88 |
| 45 | 19761A0545 | B      | B+     | B      | F<br>17CI23  | F<br>17CI26  | B<br>17NP14  | F<br>17CS92  | B+     | A+     | A+     | SA     | 4.36 |
| 46 | 19761A0546 | A+     | A      | A+     | A<br>17CI23  | A<br>17CI26  | A<br>17CE80  | B+<br>17CS92 | A+     | O      | O      | SA     | 8.40 |
| 47 | 19761A0547 | B      | B+     | B      | C<br>17CI23  | B+<br>17CI26 | B<br>17NP14  | C<br>17CS92  | B+     | A      | A+     | SA     | 6.36 |
| 48 | 19761A0548 | A      | A      | A      | A<br>17CI23  | A+<br>17CI26 | B<br>17NP14  | B+<br>17CS92 | A      | O      | A+     | SA     | 7.92 |
| 49 | 19761A0549 | A      | A+     | O      | A+<br>17CI23 | A+<br>17CI26 | B+<br>17NP14 | A<br>17CS92  | A+     | O      | O      | SA     | 8.76 |
| 50 | 19761A0550 | B+     | A+     | B+     | A<br>17CI23  | B<br>17CI26  | B+<br>17NP14 | B+<br>17CS92 | A+     | A+     | O      | SA     | 7.64 |
| 51 | 19761A0551 | B+     | A+     | A      | A<br>17CI23  | O<br>17CI26  | B+<br>17NP14 | A+<br>17CS92 | A      | O      | O      | SA     | 8.48 |
| 52 | 19761A0552 | B+     | A+     | B+     | B+<br>17CI23 | A+<br>17CI26 | A<br>17CE80  | A<br>17CS92  | A+     | O      | O      | SA     | 8.16 |
| 53 | 19761A0553 | A+     | A      | A      | A+<br>17CI23 | A<br>17CI26  | A<br>17NP01  | A<br>17CS92  | O      | O      | O      | SA     | 8.56 |
| 54 | 19761A0554 | A      | A      | A      | A<br>17CI23  | A<br>17CI26  | A+<br>17NP01 | A<br>17CS92  | A+     | O      | O      | SA     | 8.40 |
| 55 | 19761A0555 | B+     | A      | A      | A<br>17CI23  | B+<br>17CI26 | A<br>17NP01  | A<br>17CS92  | A      | O      | O      | SA     | 8.00 |
| 56 | 19761A0556 | A      | A      | A      | A<br>17CI23  | B+<br>17CI26 | A+<br>17NP01 | B+<br>17CS92 | A+     | O      | O      | SA     | 8.16 |
| 57 | 19761A0557 | A      | A+     | A      | A<br>17CI23  | A<br>17CI26  | B+<br>17NP14 | A+<br>17CS92 | O      | O      | O      | SA     | 8.44 |
| 58 | 19761A0558 | A+     | A      | A      | A<br>17CI23  | B+<br>17CI26 | B+<br>17NP14 | A+<br>17CS92 | A+     | A+     | A+     | SA     | 8.16 |
| 59 | 19761A0559 | A+     | A+     | A      | A<br>17CI23  | A<br>17CI26  | B+<br>17NP14 | A<br>17CS92  | A+     | O      | O      | SA     | 8.40 |

Date : 4 JAN 2023 Verified by 1: K. Dorayana 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*Lakireddy*  
CONTROLLER OF EXAMINATIONS

*g. n. d.*  
PRINCIPAL



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Computer Science and Engineering

Exam Month & Year : Dec 2022

|    |            | 17CI18 | 17CI19 | 17CI20 | CS-PE3       | CS-PE4       | CS-OE2       | CS-AC3       | 17CI68 | 17CI69 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 60 | 19761A0560 | B+     | A+     | A      | B+<br>17CI23 | A<br>17CI26  | B<br>17NP14  | B+<br>17CS92 | A+     | O      | O      | SA     | 7.80 |
| 61 | 19761A0561 | P      | B+     | B      | B+<br>17CI23 | B<br>17CI26  | B+<br>17CE80 | B+<br>17CS92 | B+     | A      | A+     | SA     | 6.60 |
| 62 | 19761A0562 | B+     | A      | A      | A<br>17CI23  | A+<br>17CI26 | B+<br>17NP14 | A+<br>17CS92 | O      | O      | O      | SA     | 8.32 |
| 63 | 19761A0563 | B      | B+     | B+     | B+<br>17CI23 | B<br>17CI26  | B<br>17CE80  | B+<br>17CS92 | B+     | A+     | A+     | SA     | 6.88 |
| 64 | 19761A0564 | B+     | A      | A      | A<br>17CI23  | A<br>17CI26  | B+<br>17NP14 | A+<br>17CS92 | A+     | O      | O      | SA     | 8.16 |
| 65 | 19761A0565 | A      | O      | B+     | A<br>17CI23  | B+<br>17CI26 | B+<br>17NP14 | B+<br>17CS92 | A+     | O      | A+     | SA     | 7.96 |
| 66 | 19761A0566 | A+     | O      | O      | A<br>17CI23  | B+<br>17CI26 | A<br>17CE80  | A<br>17CS92  | A+     | O      | O      | SA     | 8.76 |
| 67 | 19761A0567 | A      | A+     | A      | B+<br>17CI23 | B+<br>17CI26 | B+<br>17NP14 | B+<br>17CS92 | A+     | A+     | O      | SA     | 7.88 |
| 68 | 19761A0568 | B+     | A+     | A+     | A<br>17CI23  | B+<br>17CI26 | A<br>17CE80  | B<br>17CS92  | A+     | A+     | O      | SA     | 8.00 |
| 69 | 19761A0569 | B+     | A+     | A      | A<br>17CI23  | A<br>17CI26  | B+<br>17NP14 | B<br>17CS92  | O      | A+     | O      | SA     | 7.92 |
| 70 | 19761A0570 | A+     | A+     | A+     | A+<br>17CI23 | B+<br>17CI26 | B<br>17NP14  | A<br>17CS92  | O      | A+     | O      | SA     | 8.40 |
| 71 | 19761A0571 | A      | B+     | A      | B<br>17CI23  | B+<br>17CI26 | B+<br>17NP14 | B+<br>17CS92 | A      | A+     | O      | SA     | 7.48 |
| 72 | 19761A0572 | A      | A      | B+     | A<br>17CI23  | A<br>17CI26  | B<br>17CE80  | A<br>17CS92  | A+     | O      | O      | SA     | 7.92 |
| 73 | 19761A0573 | B      | B+     | B+     | B+<br>17CI23 | B+<br>17CI26 | B<br>17NP14  | C<br>17CS92  | A+     | A+     | A+     | SA     | 6.84 |
| 74 | 19761A0574 | B      | B+     | B      | B+<br>17CI23 | B<br>17CI26  | B<br>17CE80  | P<br>17CS92  | B+     | A+     | O      | SA     | 6.48 |
| 75 | 19761A0575 | B      | B+     | B+     | A<br>17CI23  | A<br>17CI26  | B+<br>17NP14 | C<br>17CS92  | A+     | A+     | A+     | SA     | 7.20 |

Date : 4 JAN 2023 Verified by 1: K. K. Saranya 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. K. Saranya*  
CONTROLLER OF EXAMINATIONS

*K. Pavani*  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Computer Science and Engineering

|    |            | 17CI18 | 17CI19 | 17CI20 | CS-PE3       | CS-PE4       | CS-OE2       | CS-AC3       | 17CI68 | 17CI69 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 76 | 19761A0576 | B+     | A      | A      | A<br>17CI23  | A+<br>17CI26 | B+<br>17CE80 | C<br>17CS92  | A+     | A+     | A+     | SA     | 7.68 |
| 77 | 19761A0577 | B+     | A      | A      | A<br>17CI23  | A<br>17CI26  | B+<br>17CE80 | B<br>17CS92  | A+     | A+     | O      | SA     | 7.76 |
| 78 | 19761A0578 | A+     | A+     | A      | A+<br>17CI23 | A<br>17CI26  | B+<br>17NP14 | A<br>17CS92  | O      | O      | O      | SA     | 8.56 |
| 79 | 19761A0579 | B+     | A+     | A      | A+<br>17CI23 | B+<br>17CI26 | B<br>17NP14  | B+<br>17CS92 | A+     | O      | O      | SA     | 7.92 |
| 80 | 19761A0580 | A+     | A+     | A+     | A<br>17CI23  | A<br>17CI26  | A<br>17CE80  | A<br>17CS92  | A+     | O      | O      | SA     | 8.64 |
| 81 | 19761A0581 | A      | A      | A      | A+<br>17CI23 | A<br>17CI26  | B+<br>17CE80 | A<br>17CS92  | O      | O      | O      | SA     | 8.32 |
| 82 | 19761A0582 | B+     | A      | B+     | A<br>17CI23  | C<br>17CI26  | B+<br>17NP14 | B<br>17CS92  | A      | A+     | A+     | SA     | 7.16 |
| 83 | 19761A0583 | C      | B      | B      | B<br>17CI23  | B<br>17CI26  | B+<br>17CE80 | F<br>17CS92  | A      | A+     | A+     | SA     | 5.72 |
| 84 | 19761A0584 | F      | B      | F      | B<br>17CI23  | C<br>17CI26  | C<br>17CE80  | C<br>17CS92  | O      | A+     | A+     | SA     | 4.72 |
| 85 | 19761A0585 | C      | B+     | B+     | B+<br>17CI23 | B<br>17CI26  | B<br>17NP14  | C<br>17CS92  | A      | A+     | A+     | SA     | 6.56 |
| 86 | 19761A0586 | B+     | A      | B+     | A<br>17CI23  | B+<br>17CI26 | A<br>17NP14  | B+<br>17CS92 | A      | A+     | A+     | SA     | 7.64 |
| 87 | 19761A0587 | F      | B      | B      | B<br>17CI23  | B<br>17CI26  | B<br>17NP14  | B<br>17CS92  | B+     | A      | A+     | SA     | 5.64 |
| 88 | 19761A0588 | B      | B+     | B+     | A<br>17CI23  | B+<br>17CI26 | B<br>17NP22  | B<br>17CS92  | A+     | O      | O      | SA     | 7.20 |
| 89 | 19761A0589 | B+     | A      | A      | A<br>17CI23  | B+<br>17CI26 | B<br>17NP22  | B+<br>17CS92 | A+     | A+     | O      | SA     | 7.64 |
| 90 | 19761A0590 | A      | A+     | B+     | A<br>17CI23  | B+<br>17CI26 | B<br>17NP22  | B+<br>17CS92 | A+     | O      | O      | SA     | 7.80 |
| 91 | 19761A0591 | A      | A+     | A      | A+<br>17CI23 | A+<br>17CI26 | A+<br>17CE80 | A<br>17CS92  | O      | O      | O      | SA     | 8.80 |

Date : 4 JAN 2023 Verified by 1: Kolavaram 2: K. Pavani

CONTROLLER OF EXAMINATIONS

PRINCIPAL

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Computer Science and Engineering

|     |            | 17CI18 | 17CI19 | 17CI20 | CS-PE3       | CS-PE4       | CS-OE2       | CS-AC3       | 17CI68 | 17CI69 | 17PD09 | 17PD10 | SGPA |
|-----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 92  | 19761A0592 | A      | A      | A      | A<br>17CI23  | B+<br>17CI26 | B+<br>17NP14 | A+<br>17CS92 | A      | A+     | A+     | SA     | 8.00 |
| 93  | 19761A0593 | A      | A      | A      | A<br>17CI23  | B+<br>17CI26 | B+<br>17CE80 | A<br>17CS92  | A      | A+     | A+     | SA     | 7.88 |
| 94  | 19761A0594 | A      | A      | A      | A<br>17CI23  | B+<br>17CI26 | B+<br>17CE80 | B+<br>17CS92 | O      | O      | O      | SA     | 7.96 |
| 95  | 19761A0595 | B      | A      | B+     | A<br>17CI23  | B<br>17CI26  | A<br>17CE80  | B+<br>17CS92 | A+     | O      | O      | SA     | 7.56 |
| 96  | 19761A0596 | B+     | A      | A      | B+<br>17CI23 | B<br>17CI26  | B<br>17NP14  | B+<br>17CS92 | A+     | A+     | O      | SA     | 7.40 |
| 97  | 19761A0597 | B+     | A+     | A      | A<br>17CI23  | A<br>17CI26  | B+<br>17NP14 | A+<br>17CS92 | A+     | O      | O      | SA     | 8.28 |
| 98  | 19761A0598 | B+     | A+     | B+     | B+<br>17CI23 | B+<br>17CI26 | B+<br>17NP22 | A<br>17CS92  | O      | O      | O      | SA     | 7.84 |
| 99  | 19761A0599 | B+     | A      | B+     | A<br>17CI23  | B+<br>17CI26 | A<br>17NP22  | B+<br>17CS92 | O      | A+     | A+     | SA     | 7.72 |
| 100 | 19761A05A0 | A      | A+     | A      | B+<br>17CI23 | A<br>17CI26  | A<br>17CE80  | A<br>17CS92  | A+     | O      | O      | SA     | 8.28 |
| 101 | 19761A05A1 | B      | A      | B      | B+<br>17CI23 | C<br>17CI26  | B<br>17NP14  | C<br>17CS92  | A+     | A+     | O      | SA     | 6.68 |
| 102 | 19761A05A2 | B+     | A+     | A      | A<br>17CI23  | B+<br>17CI26 | B<br>17NP22  | B+<br>17CS92 | A+     | O      | O      | SA     | 7.80 |
| 103 | 19761A05A3 | A+     | A+     | A      | A<br>17CI23  | A<br>17CI26  | B+<br>17NP22 | A<br>17CS92  | O      | A+     | O      | SA     | 8.40 |
| 104 | 19761A05A4 | A      | A      | B+     | A<br>17CI23  | B<br>17CI26  | B+<br>17NP14 | B+<br>17CS92 | O      | O      | O      | SA     | 7.72 |
| 105 | 19761A05A5 | A+     | A+     | A      | A+<br>17CI23 | B+<br>17CI26 | B+<br>17NP14 | A<br>17CS92  | A+     | O      | O      | SA     | 8.40 |
| 106 | 19761A05A7 | B      | B+     | F      | B+<br>17CI23 | C<br>17CI26  | B<br>17NP14  | B<br>17CS92  | A+     | A+     | A+     | SA     | 5.88 |
| 107 | 19761A05A8 | A      | A+     | B+     | A<br>17CI23  | B<br>17CI26  | B+<br>17CE80 | A+<br>17CS92 | O      | A+     | A+     | SA     | 7.96 |

Date : 4 JAN 2023 Verified by 1: K. Saranya 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Saranya*  
CONTROLLER OF EXAMINATIONS

*K. Saranya*  
PRINCIPAL



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Computer Science and Engineering

|     |            | 17CI18 | 17CI19 | 17CI20 | CS-PE3       | CS-PE4       | CS-OE2       | CS-AC3       | 17CI68 | 17CI69 | 17PD09 | 17PD10 | SGPA |
|-----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 108 | 19761A05A9 | B+     | B+     | B+     | B+<br>17CI23 | B+<br>17CI26 | B+<br>17NP14 | B+<br>17CS92 | A+     | A+     | A+     | SA     | 7.32 |
| 109 | 19761A05B0 | A      | A      | B+     | A<br>17CI23  | A<br>17CI26  | A<br>17NP14  | B+<br>17CS92 | A+     | A+     | O      | SA     | 8.00 |
| 110 | 19761A05B1 | A      | A+     | B+     | A+<br>17CI23 | A+<br>17CI26 | B+<br>17NP14 | B+<br>17CS92 | O      | O      | O      | SA     | 8.32 |
| 111 | 19761A05B2 | B      | A      | F      | A<br>17CI23  | C<br>17CI26  | B+<br>17CE80 | B+<br>17CS92 | A+     | A+     | A+     | SA     | 6.36 |
| 112 | 19761A05B3 | A+     | A+     | A+     | A+<br>17CI23 | O<br>17CI26  | A<br>17CE80  | A<br>17CS92  | O      | O      | O      | SA     | 9.04 |
| 113 | 19761A05B4 | B      | A      | B      | B<br>17CI23  | B+<br>17CI26 | B+<br>17NP14 | C<br>17CS92  | A      | A+     | O      | SA     | 6.88 |
| 114 | 19761A05B5 | A+     | A+     | A      | A+<br>17CI23 | A+<br>17CI26 | A<br>17NP14  | A<br>17CS92  | O      | O      | O      | SA     | 8.80 |
| 115 | 19761A05B6 | A      | A      | A      | A<br>17CI23  | A<br>17CI26  | A<br>17CE80  | A<br>17CS92  | O      | O      | O      | SA     | 8.32 |
| 116 | 19761A05B7 | B+     | A      | B+     | A<br>17CI23  | B+<br>17CI26 | B+<br>17NP14 | B+<br>17CS92 | A+     | A+     | O      | SA     | 7.64 |
| 117 | 19761A05B8 | B      | B+     | B      | A<br>17CI23  | B+<br>17CI26 | B+<br>17CE80 | B<br>17CS92  | A      | A      | A+     | SA     | 7.00 |
| 118 | 19761A05B9 | B+     | A      | B+     | A<br>17CI23  | A<br>17CI26  | B+<br>17NP14 | A<br>17CS92  | A+     | O      | O      | SA     | 7.92 |
| 119 | 19761A05C0 | B      | A      | B+     | B+<br>17CI23 | A<br>17CI26  | B+<br>17NP14 | B+<br>17CS92 | A      | A+     | A+     | SA     | 7.40 |
| 120 | 19761A05C1 | C      | B+     | B      | A<br>17CI23  | B+<br>17CI26 | B+<br>17CE80 | B<br>17CS92  | B+     | A      | A+     | SA     | 6.84 |
| 121 | 19761A05C2 | A      | A+     | A      | A<br>17CI23  | A+<br>17CI26 | A<br>17CE80  | B+<br>17CS92 | O      | A+     | O      | SA     | 8.40 |
| 122 | 19761A05C3 | A      | A      | B+     | A<br>17CI23  | A<br>17CI26  | A+<br>17NP13 | B+<br>17CS92 | A+     | O      | O      | SA     | 8.16 |
| 123 | 19761A05C4 | A      | A      | B+     | B+<br>17CI23 | A<br>17CI26  | B+<br>17NP14 | B+<br>17CS92 | A      | A+     | A+     | SA     | 7.64 |

Date: 4 JAN 2023 Verified by 1: K. Saranya 2: K. Pavani

Note: Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Saranya*  
CONTROLLER OF EXAMINATIONS

*K. Saranya*  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Computer Science and Engineering

Exam Month & Year : Dec 2022

|     |            | 17CI18 | 17CI19 | 17CI20 | CS-PE3       | CS-PE4       | CS-OE2       | CS-AC3       | 17CI68 | 17CI69 | 17PD09 | 17PD10 | SGPA |
|-----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 124 | 19761A05C5 | A      | A      | A+     | A+<br>17CI23 | A<br>17CI26  | A<br>17CE80  | A<br>17CS92  | A+     | O      | O      | SA     | 8.52 |
| 125 | 19761A05C6 | B+     | A      | A      | A<br>17CI23  | A<br>17CI26  | A<br>17CE80  | B+<br>17CS92 | A      | O      | O      | SA     | 8.00 |
| 126 | 19761A05C7 | B+     | A      | A      | B+<br>17CI23 | B+<br>17CI26 | B+<br>17CE80 | B<br>17CS92  | A+     | A+     | O      | SA     | 7.52 |
| 127 | 19761A05C8 | A+     | A+     | A+     | A<br>17CI23  | B+<br>17CI26 | A+<br>17CE80 | A<br>17CS92  | A      | O      | O      | SA     | 8.60 |
| 128 | 19761A05C9 | F      | B+     | B+     | B+<br>17CI23 | B<br>17CI26  | B+<br>17CE80 | B+<br>17CS92 | A+     | A+     | O      | SA     | 6.44 |
| 129 | 19761A05D0 | A      | A+     | A      | A<br>17CI23  | A<br>17CI26  | B<br>17NP22  | A+<br>17CS92 | A+     | A+     | O      | SA     | 8.24 |
| 130 | 19761A05D1 | A      | A      | A      | A<br>17CI23  | A<br>17CI26  | A<br>17CE80  | A<br>17CS92  | A+     | O      | O      | SA     | 8.28 |
| 131 | 19761A05D2 | A+     | A      | A      | A<br>17CI23  | B+<br>17CI26 | A<br>17CE80  | A<br>17CS92  | O      | B+     | A+     | SA     | 8.12 |
| 132 | 19761A05D3 | A      | A      | A      | A<br>17CI23  | A<br>17CI26  | A<br>17NP13  | B+<br>17CS92 | O      | A      | A+     | SA     | 8.04 |
| 133 | 19761A05D4 | A      | B+     | A      | B+<br>17CI23 | A<br>17CI26  | O<br>17NP13  | A<br>17CS92  | A+     | O      | A+     | SA     | 8.20 |
| 134 | 19761A05D5 | A      | A      | A      | A<br>17CI23  | A<br>17CI26  | B+<br>17NP22 | B+<br>17CS92 | A+     | A+     | A+     | SA     | 7.92 |
| 135 | 19761A05D6 | A      | A      | B+     | B+<br>17CI23 | A<br>17CI26  | B<br>17CE80  | B+<br>17CS92 | A+     | A+     | O      | SA     | 7.64 |
| 136 | 19761A05D7 | A      | A      | B+     | A<br>17CI23  | A<br>17CI26  | A<br>17NP14  | A<br>17CS92  | O      | A      | O      | SA     | 8.12 |
| 137 | 19761A05D8 | A      | A+     | B+     | A<br>17CI23  | A+<br>17CI26 | A+<br>17NP14 | A<br>17CS92  | O      | O      | A+     | SA     | 8.48 |
| 138 | 19761A05D9 | F      | B      | F      | F<br>17CI23  | F<br>17CI26  | P<br>17CE80  | F<br>17CS92  | B+     | A      | A+     | SA     | 2.52 |
| 139 | 19761A05E0 | B+     | A      | B+     | B+<br>17CI23 | B+<br>17CI26 | B+<br>17CE80 | B+<br>17CS92 | A      | A+     | A+     | SA     | 7.40 |

Date : 4 JAN 2023 Verified by 1: K. Saravane 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Saravane*  
CONTROLLER OF EXAMINATIONS

*K. Saravane*  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Computer Science and Engineering

|     |            | 17CI18 | 17CI19 | 17CI20 | CS-PE3       | CS-PE4       | CS-OE2       | CS-AC3       | 17CI68 | 17CI69 | 17PD09 | 17PD10 | SGPA |
|-----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 140 | 19761A05E1 | A+     | A+     | A      | A+<br>17CI23 | O<br>17CI26  | A<br>17CE80  | A+<br>17CS92 | O      | O      | O      | SA     | 9.04 |
| 141 | 19761A05E2 | B+     | A      | A      | A<br>17CI23  | A<br>17CI26  | B+<br>17NP22 | A<br>17CS92  | O      | O      | A+     | SA     | 8.00 |
| 142 | 19761A05E3 | A      | B+     | B+     | A<br>17CI23  | A<br>17CI26  | B<br>17NP22  | A<br>17CS92  | O      | A+     | A+     | SA     | 7.72 |
| 143 | 19761A05E4 | B+     | A      | A      | B+<br>17CI23 | A<br>17CI26  | B<br>17NP14  | A<br>17CS92  | A+     | A      | A+     | SA     | 7.64 |
| 144 | 19761A05E5 | A      | A      | A      | A<br>17CI23  | A+<br>17CI26 | B+<br>17CE80 | A<br>17CS92  | A+     | A+     | A+     | SA     | 8.16 |
| 145 | 19761A05E6 | B+     | A      | B+     | A<br>17CI23  | A<br>17CI26  | O<br>17NP13  | B+<br>17CS92 | A      | A      | A+     | SA     | 7.96 |
| 146 | 19761A05E7 | A      | A      | B+     | A<br>17CI23  | A+<br>17CI26 | B<br>17NP22  | B+<br>17CS92 | A+     | O      | A+     | SA     | 7.84 |
| 147 | 19761A05E8 | A      | A      | B+     | A<br>17CI23  | A+<br>17CI26 | A<br>17CE80  | A<br>17CS92  | A+     | A+     | O      | SA     | 8.24 |
| 148 | 19761A05E9 | B+     | A      | B      | B+<br>17CI23 | A<br>17CI26  | C<br>17CE80  | B+<br>17CS92 | A+     | A      | A+     | SA     | 7.16 |
| 149 | 19761A05F0 | C      | B+     | B+     | B<br>17CI23  | A<br>17CI26  | B+<br>17CE80 | B<br>17CS92  | A      | B+     | A+     | SA     | 6.84 |
| 150 | 19761A05F1 | B+     | A      | B+     | B+<br>17CI23 | A<br>17CI26  | C<br>17NP14  | B+<br>17CS92 | A      | A+     | A+     | SA     | 7.28 |
| 151 | 19761A05F2 | B+     | B+     | B+     | B<br>17CI23  | B<br>17CI26  | A+<br>17NP13 | B<br>17CS92  | A      | A+     | A+     | SA     | 7.16 |
| 152 | 19761A05F3 | B+     | B+     | B      | B<br>17CI23  | F<br>17CI26  | A+<br>17NP13 | B<br>17CS92  | A      | A+     | A+     | SA     | 6.32 |
| 153 | 19761A05F4 | B      | B+     | C      | B<br>17CI23  | B<br>17CI26  | B<br>17CE80  | F<br>17CS92  | A      | A      | A+     | SA     | 5.68 |
| 154 | 19761A05F5 | A+     | A+     | B+     | A+<br>17CI23 | A+<br>17CI26 | A+<br>17NP13 | B+<br>17CS92 | A+     | O      | O      | SA     | 8.64 |
| 155 | 19761A05F6 | A      | A      | A      | A+<br>17CI23 | A+<br>17CI26 | B+<br>17NP14 | B+<br>17CS92 | O      | O      | O      | SA     | 8.32 |

Date : 4 JAN 2023 Verified by 1: K. Karanayana 2: K. Pavani

*K. Karanayana*  
CONTROLLER OF EXAMINATIONS

*K. Pavani*  
PRINCIPAL

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Computer Science and Engineering

Exam Month & Year : Dec 2022

|     |            | 17CI18 | 17CI19 | 17CI20 | CS-PE3       | CS-PE4       | CS-OE2       | CS-AC3       | 17CI68 | 17CI69 | 17PD09 | 17PD10 | SGPA |
|-----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 156 | 19761A05F7 | B+     | B+     | A      | B+<br>17CI23 | B+<br>17CI26 | B+<br>17CE80 | B+<br>17CS92 | A      | B+     | A+     | SA     | 7.32 |
| 157 | 19761A05F8 | A+     | A      | A+     | A<br>17CI23  | B+<br>17CI26 | A<br>17NP14  | A<br>17CS92  | A      | A+     | A+     | SA     | 8.24 |
| 158 | 19761A05F9 | A      | A+     | A+     | A<br>17CI23  | A<br>17CI26  | A<br>17NP13  | B+<br>17CS92 | A      | A+     | O      | SA     | 8.32 |
| 159 | 19761A05G0 | A      | A      | A      | B+<br>17CI23 | B+<br>17CI26 | B<br>17CE80  | F<br>17CS92  | A+     | A      | A+     | SA     | 6.68 |
| 160 | 19761A05G1 | B+     | A      | B+     | B+<br>17CI23 | B+<br>17CI26 | B+<br>17CE80 | B<br>17CS92  | A+     | A+     | A+     | SA     | 7.32 |
| 161 | 19761A05G2 | B+     | A      | A      | A<br>17CI23  | A+<br>17CI26 | A<br>17NP13  | B+<br>17CS92 | A+     | O      | A+     | SA     | 8.08 |
| 162 | 19761A05G3 | B+     | A      | A      | A<br>17CI23  | A+<br>17CI26 | A+<br>17CE80 | A<br>17CS92  | A+     | O      | A+     | SA     | 8.32 |
| 163 | 19761A05G4 | B+     | A      | A      | A<br>17CI23  | A<br>17CI26  | B+<br>17CE80 | B+<br>17CS92 | A+     | A+     | A+     | SA     | 7.80 |
| 164 | 19761A05G5 | A+     | A+     | A      | A<br>17CI23  | A<br>17CI26  | A<br>17NP14  | A<br>17CS92  | A+     | A+     | A+     | SA     | 8.40 |
| 165 | 19761A05G6 | A      | A      | A      | B+<br>17CI23 | B+<br>17CI26 | A<br>17NP13  | B+<br>17CS92 | A      | A+     | A+     | SA     | 7.76 |
| 166 | 19761A05G7 | A      | A      | A      | A<br>17CI23  | A<br>17CI26  | B<br>17NP14  | A<br>17CS92  | A      | A      | O      | SA     | 7.92 |
| 167 | 19761A05G8 | A+     | A      | A      | A<br>17CI23  | A<br>17CI26  | B+<br>17NP03 | A<br>17CS92  | A+     | O      | A+     | SA     | 8.20 |
| 168 | 19761A05G9 | A      | B+     | B      | B+<br>17CI23 | B+<br>17CI26 | B+<br>17NP14 | B<br>17CS92  | B+     | O      | O      | SA     | 7.24 |
| 169 | 19761A05H0 | B      | B      | F      | B<br>17CI23  | B<br>17CI26  | B<br>17CE80  | B<br>17CS92  | A      | A+     | O      | SA     | 5.80 |
| 170 | 19761A05H1 | A      | A+     | A      | A<br>17CI23  | A<br>17CI26  | B<br>17NP22  | A<br>17CS92  | A+     | O      | O      | SA     | 8.16 |
| 171 | 19761A05H2 | A+     | A+     | A      | A<br>17CI23  | O<br>17CI26  | A<br>17CE80  | A+<br>17CS92 | O      | A+     | O      | SA     | 8.88 |

Date : 4 JAN 2023 Verified by 1: K. Dasirajam 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*Handwritten Signature*  
CONTROLLER OF EXAMINATIONS

*Handwritten Signature*  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Computer Science and Engineering

|     |            | 17CI18 | 17CI19 | 17CI20 | CS-PE3       | CS-PE4       | CS-OE2       | CS-AC3       | 17CI68 | 17CI69 | 17PD09 | 17PD10 | SGPA |
|-----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 172 | 19761A05H3 | B+     | A      | B+     | B+<br>17CI23 | B+<br>17CI26 | A<br>17CE80  | B+<br>17CS92 | A      | A+     | O      | SA     | 7.60 |
| 173 | 19761A05H4 | B+     | A      | B+     | B+<br>17CI23 | A<br>17CI26  | A<br>17NP13  | B+<br>17CS92 | A+     | B+     | A+     | SA     | 7.60 |
| 174 | 19761A05H5 | B+     | B+     | B+     | B+<br>17CI23 | A+<br>17CI26 | B+<br>17NP14 | B<br>17CS92  | A      | A+     | A+     | SA     | 7.40 |
| 175 | 19761A05H6 | B      | B      | B      | B+<br>17CI23 | B+<br>17CI26 | P<br>17CE80  | P<br>17CS92  | B+     | B+     | A+     | SA     | 6.08 |
| 176 | 19761A05H7 | A      | A+     | B+     | B+<br>17CI23 | B+<br>17CI26 | B<br>17NP22  | B+<br>17CS92 | A      | A+     | O      | SA     | 7.60 |
| 177 | 19761A05H8 | B+     | A+     | A      | B+<br>17CI23 | A+<br>17CI26 | A<br>17NP13  | B+<br>17CS92 | A      | A+     | O      | SA     | 8.08 |
| 178 | 19761A05H9 | B      | B+     | B      | B<br>17CI23  | B+<br>17CI26 | B<br>17CE80  | C<br>17CS92  | A+     | B+     | A+     | SA     | 6.52 |
| 179 | 19761A05I0 | A      | A      | B      | A<br>17CI23  | A+<br>17CI26 | O<br>17NP13  | A<br>17CS92  | O      | O      | O      | SA     | 8.44 |
| 180 | 19761A05I1 | A      | A      | A+     | A<br>17CI23  | A+<br>17CI26 | A+<br>17NP13 | B+<br>17CS92 | O      | A+     | A+     | SA     | 8.44 |
| 181 | 19761A05I2 | A+     | O      | A      | A<br>17CI23  | A+<br>17CI26 | A+<br>17NP13 | A<br>17CS92  | A+     | A+     | A+     | SA     | 8.76 |
| 182 | 19761A05I3 | A      | A+     | A      | A<br>17CI23  | A+<br>17CI26 | A<br>17CE80  | A+<br>17CS92 | A      | O      | A+     | SA     | 8.52 |
| 183 | 19761A05I4 | A      | A      | B+     | A<br>17CI23  | O<br>17CI26  | B<br>17NP14  | A+<br>17CS92 | A      | A+     | A+     | SA     | 8.12 |
| 184 | 19761A05I5 | A      | A+     | B+     | A<br>17CI23  | A+<br>17CI26 | B<br>17NP22  | B+<br>17CS92 | A      | A+     | A+     | SA     | 7.88 |
| 185 | 19761A05I6 | B+     | B+     | B+     | B<br>17CI23  | B+<br>17CI26 | B+<br>17NP14 | C<br>17CS92  | A      | O      | A+     | SA     | 6.96 |
| 186 | 19761A05I7 | A+     | A+     | B+     | A<br>17CI23  | A+<br>17CI26 | B+<br>17NP14 | A<br>17CS92  | A      | O      | O      | SA     | 8.36 |
| 187 | 19761A05I8 | B+     | A      | B+     | A<br>17CI23  | A<br>17CI26  | B+<br>17CE80 | B<br>17CS92  | A+     | A+     | O      | SA     | 7.64 |

Date: 4 JAN 2023 Verified by 1: K. Saravane 2: K. Pavani  
Note: Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*Handwritten Signature*  
CONTROLLER OF EXAMINATIONS

*Handwritten Signature*  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Computer Science and Engineering

|     |            | 17CI18 | 17CI19 | 17CI20 | CS-PE3       | CS-PE4       | CS-OE2       | CS-AC3       | 17CI68 | 17CI69 | 17PD09 | 17PD10 | SGPA |
|-----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 188 | 19761A05I9 | B+     | B+     | B      | B+<br>17CI23 | B<br>17CI26  | A<br>17NP14  | B<br>17CS92  | A      | A+     | A+     | SA     | 7.04 |
| 189 | 19761A05J0 | B+     | A      | B+     | B+<br>17CI23 | B+<br>17CI26 | A<br>17NP13  | B+<br>17CS92 | O      | O      | A+     | SA     | 7.64 |
| 190 | 19761A05J1 | A      | A+     | B+     | A<br>17CI23  | A+<br>17CI26 | B+<br>17NP14 | A<br>17CS92  | A+     | A+     | O      | SA     | 8.24 |
| 191 | 19761A05J2 | B      | A      | B      | B+<br>17CI23 | B+<br>17CI26 | B<br>17NP14  | B+<br>17CS92 | A      | B+     | O      | SA     | 7.04 |
| 192 | 19761A05J3 | A      | A+     | A+     | A<br>17CI23  | A<br>17CI26  | A<br>17NP14  | A<br>17CS92  | A+     | A      | O      | SA     | 8.44 |
| 193 | 20765A0501 | B+     | A+     | B      | A+<br>17CI23 | A+<br>17CI26 | B+<br>17CE80 | A<br>17CS92  | A+     | O      | O      | SA     | 8.16 |
| 194 | 20765A0502 | B+     | A      | B+     | A<br>17CI23  | A<br>17CI26  | B<br>17NP14  | B+<br>17CS92 | A      | A+     | A+     | SA     | 7.52 |
| 195 | 20765A0503 | B+     | A+     | B+     | A+<br>17CI23 | A<br>17CI26  | B+<br>17CE80 | A<br>17CS92  | A      | A+     | A+     | SA     | 8.00 |
| 196 | 20765A0504 | B+     | B+     | A      | B+<br>17CI23 | B+<br>17CI26 | B<br>17NP14  | B+<br>17CS92 | A+     | A+     | A+     | SA     | 7.32 |
| 197 | 20765A0505 | B      | A      | B+     | B+<br>17CI23 | B<br>17CI26  | B<br>17CE80  | B<br>17CS92  | A      | A+     | A+     | SA     | 6.92 |
| 198 | 20765A0506 | B      | A      | B+     | B+<br>17CI23 | A<br>17CI26  | B+<br>17NP14 | B+<br>17CS92 | A      | A+     | A+     | SA     | 7.40 |
| 199 | 20765A0507 | C      | B+     | B+     | B+<br>17CI23 | F<br>17CI26  | B+<br>17CE80 | B<br>17CS92  | A      | A+     | A+     | SA     | 6.08 |
| 200 | 20765A0508 | B+     | A      | A      | B+<br>17CI23 | B+<br>17CI26 | A<br>17NP13  | A<br>17CS92  | A+     | O      | O      | SA     | 7.92 |
| 201 | 20765A0509 | B      | A      | B      | B+<br>17CI23 | B<br>17CI26  | A<br>17NP13  | B<br>17CS92  | A      | O      | O      | SA     | 7.16 |
| 202 | 20765A0510 | A      | A      | A      | A+<br>17CI23 | A<br>17CI26  | A<br>17CE80  | A<br>17CS92  | A+     | O      | O      | SA     | 8.40 |
| 203 | 20765A0511 | B+     | A      | B      | A+<br>17CI23 | A<br>17CI26  | A<br>17CE80  | B+<br>17CS92 | A+     | A+     | A+     | SA     | 7.80 |

Date : 4 JAN 2023 Verified by 1: k. narayana 2: K. Pavani

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*Prasanna*  
CONTROLLER OF EXAMINATIONS

*g. r. k.*  
PRINCIPAL



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Computer Science and Engineering

|     |            | 17CI18 | 17CI19 | 17CI20 | CS-PE3       | CS-PE4       | CS-OE2       | CS-AC3       | 17CI68 | 17CI69 | 17PD09 | 17PD10 | SGPA |
|-----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 204 | 20765A0512 | B+     | A      | A      | B+<br>17CI23 | A+<br>17CI26 | A+<br>17CE80 | A<br>17CS92  | A+     | O      | A+     | SA     | 8.20 |
| 205 | 20765A0513 | F      | B+     | B+     | B<br>17CI23  | B<br>17CI26  | B<br>17CE80  | C<br>17CS92  | A+     | A      | A+     | SA     | 5.84 |
| 206 | 20765A0514 | A      | A+     | A      | A<br>17CI23  | A<br>17CI26  | A<br>17CE80  | B+<br>17CS92 | A      | A+     | A+     | SA     | 8.12 |
| 207 | 20765A0515 | B+     | B+     | A      | B+<br>17CI23 | A<br>17CI26  | B<br>17NP14  | B<br>17CS92  | A      | A+     | O      | SA     | 7.36 |
| 208 | 20765A0517 | A      | A+     | B+     | A<br>17CI23  | A+<br>17CI26 | A<br>17NP13  | B+<br>17CS92 | A      | A      | A+     | SA     | 8.08 |
| 209 | 20765A0518 | B      | B+     | B+     | A<br>17CI23  | B+<br>17CI26 | B<br>17CE80  | B<br>17CS92  | A      | B+     | A+     | SA     | 6.96 |

Date : 4 JAN 2023 Verified by 1: Kiranaranyane 2: K.Pavan

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. S. Chand*  
CONTROLLER OF EXAMINATIONS

*K. S. Chand*  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Result Sheet (Re-admitted Student)

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Computer Science and Engineering

### Course code & Name (Theory)

- 01) 17CI18-Big Data Analytics
- 02) 17CI19-Internet of Things
- 03) 17CI20-Information Security
- 04) CS-PE3- (P.Elec.-III) Artificial Intelligence(17CI23)
- 05) CS-PE4- (P.Elec.-IV) Pattern Recognition(17CI26)
- 06) CS-OE2- (O.Elec.-II) Data Analytics with Python(17NP14)
- 07) CS-AC3- (Add on course-3) Information Retrieval Systems(17CS92)

### Course code & Name (Lab)

- 1) 17CI68-Big Data with HADOOP Lab
- 2) 17CI69-Internet of Things Lab
- 3) 17PD09-Internship
- 4) 17PD10-Extra-curricular/Co-curricular Activities

| S.No. | H.T.No.    | 17CI18 | 17CI19 | 17CI20 | CS-PE3      | CS-PE4       | CS-OE2      | CS-AC3      | 17CI68 | 17CI69 | 17PD09 | 17PD10 | SGPA |
|-------|------------|--------|--------|--------|-------------|--------------|-------------|-------------|--------|--------|--------|--------|------|
| 1     | 17761A0594 | A+     | A+     | A      | A<br>17CI23 | B+<br>17CI26 | B<br>17NP14 | B<br>17CS92 | A+     | O      | O      | SA     | 7.92 |

Date : 4 JAN 2023 Verified by 1: *K. Vasanth Kumar* 2: *K. Pavani*

*K. Vasanth Kumar*  
CONTROLLER OF EXAMINATIONS

*K. Vasanth Kumar*  
PRINCIPAL

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Electronics and Communication Engineering

Exam Month & Year : Dec 2022

### Course code & Name (Theory)

- 01) 17EC27-Microwave Engineering
- 02) 17EC28-Optical Communications
- 03) 17EC29-Embedded System Design
- 04) EC-PE3- (P.Elec.-III) Digital Image Processing(17EC33)
- 05) EC-PE3- (P.Elec.-III) Satellite Communications(17EC32)
- 06) EC-PE4- (P.Elec.-IV) Advanced Microcontrollers(17EC35)
- 07) EC-PE4- (P.Elec.-IV) Medical Electronics(17EC34)
- 08) EC-PE4- (P.Elec.-IV) Mobile Computing(17EC36)

### Course code & Name (Theory)

- 09) EC-OE2- (O.Elec.-II) Introduction to Database(17IT80)
- 10) EC-OE2- (O.Elec.-II) The Joy of Computing using Python(17NP13)
- 11) EC-AC3- (Add on course-3) Communication Networks(17EC92)

### Course code & Name (Lab)

- 1) 17EC71-Microwave and Optical Communications Lab
- 2) 17EC72-Embedded System Design Lab
- 3) 17PD09-Internship
- 4) 17PD10-Extra-curricular/Co-curricular Activities

| S.No. | H.T.No.    | 17EC27 | 17EC28 | 17EC29 | EC-PE3       | EC-PE4       | EC-OE2       | EC-AC3       | 17EC71 | 17EC72 | 17PD09 | 17PD10 | SGPA |
|-------|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 1     | 19761A0401 | A+     | A+     | A      | A+<br>17EC32 | A<br>17EC34  | A<br>17NP13  | B+<br>17EC92 | O      | O      | A+     | SA     | 8.48 |
| 2     | 19761A0402 | A+     | A      | A      | A+<br>17EC32 | B+<br>17EC34 | A+<br>17NP13 | A<br>17EC92  | O      | O      | A+     | SA     | 8.48 |
| 3     | 19761A0403 | B+     | B      | B      | B<br>17EC32  | B<br>17EC34  | B<br>17IT80  | C<br>17EC92  | A      | A      | A+     | SA     | 6.40 |
| 4     | 19761A0404 | B+     | B+     | A      | A<br>17EC32  | B<br>17EC34  | A<br>17NP13  | A<br>17EC92  | O      | A+     | A+     | SA     | 7.72 |
| 5     | 19761A0405 | F      | F      | B+     | B<br>17EC32  | B<br>17EC34  | F<br>17IT80  | F<br>17EC92  | A      | A+     | A      | SA     | 3.60 |
| 6     | 19761A0406 | A+     | A      | A+     | A+<br>17EC32 | A+<br>17EC34 | A<br>17NP13  | A<br>17EC92  | O      | A+     | A+     | SA     | 8.68 |
| 7     | 19761A0407 | A+     | A      | A+     | A+<br>17EC32 | A<br>17EC34  | A<br>17IT80  | A<br>17EC92  | A+     | A+     | A+     | SA     | 8.52 |
| 8     | 19761A0408 | A      | A      | A+     | A+<br>17EC32 | A<br>17EC34  | A<br>17IT80  | B+<br>17EC92 | A+     | A+     | A      | SA     | 8.20 |
| 9     | 19761A0409 | A+     | A+     | B+     | A+<br>17EC32 | A<br>17EC34  | B+<br>17IT80 | B<br>17EC92  | A+     | O      | A+     | SA     | 8.08 |
| 10    | 19761A0410 | A+     | B+     | A      | A<br>17EC32  | B+<br>17EC34 | A<br>17IT80  | B<br>17EC92  | O      | A+     | A+     | SA     | 7.84 |
| 11    | 19761A0411 | A      | B+     | A      | A<br>17EC32  | B+<br>17EC34 | A<br>17NP13  | B<br>17EC92  | O      | A+     | A      | SA     | 7.64 |

Date **4 JAN 2023** Verified by 1: *K. Saranya* 2: *K. Pavani*  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*H. Venkatesh*  
CONTROLLER OF EXAMINATIONS

*P. Ravi*  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Electronics and Communication Engineering

Exam Month & Year : Dec 2022

|    |            | 17EC27 | 17EC28 | 17EC29 | EC-PE3       | EC-PE4       | EC-OE2       | EC-AC3       | 17EC71 | 17EC72 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 12 | 19761A0412 | B+     | A      | A      | A<br>17EC32  | B+<br>17EC34 | A<br>17NP13  | B<br>17EC92  | O      | O      | O      | SA     | 7.84 |
| 13 | 19761A0413 | F      | B      | B+     | B+<br>17EC32 | B<br>17EC34  | B<br>17IT80  | C<br>17EC92  | A      | A      | A+     | SA     | 5.80 |
| 14 | 19761A0414 | A      | B+     | A      | B+<br>17EC32 | B+<br>17EC34 | B+<br>17IT80 | B+<br>17EC92 | O      | A+     | A+     | SA     | 7.60 |
| 15 | 19761A0415 | F      | B      | B+     | F<br>17EC32  | A<br>17EC34  | C<br>17IT80  | P<br>17EC92  | A+     | A      | A+     | SA     | 5.00 |
| 16 | 19761A0416 | O      | A      | A      | A+<br>17EC32 | A<br>17EC34  | A+<br>17IT80 | B+<br>17EC92 | O      | O      | O      | SA     | 8.68 |
| 17 | 19761A0417 | B+     | B+     | B+     | A<br>17EC32  | A<br>17EC34  | A<br>17NP13  | B<br>17EC92  | O      | O      | O      | SA     | 7.72 |
| 18 | 19761A0418 | A+     | O      | O      | A+<br>17EC32 | A+<br>17EC34 | O<br>17IT80  | A<br>17EC92  | O      | O      | O      | SA     | 9.40 |
| 19 | 19761A0419 | A      | O      | A      | A<br>17EC32  | A<br>17EC34  | A<br>17NP13  | A<br>17EC92  | O      | O      | O      | SA     | 8.56 |
| 20 | 19761A0420 | A+     | O      | O      | A+<br>17EC32 | A+<br>17EC34 | A<br>17NP13  | B+<br>17EC92 | O      | O      | O      | SA     | 9.04 |
| 21 | 19761A0421 | A+     | B+     | B+     | A+<br>17EC32 | A<br>17EC34  | B+<br>17NP13 | B+<br>17EC92 | O      | O      | A+     | SA     | 8.00 |
| 22 | 19761A0422 | A+     | A+     | O      | A+<br>17EC32 | A<br>17EC34  | A<br>17NP13  | A+<br>17EC92 | O      | O      | O      | SA     | 9.04 |
| 23 | 19761A0423 | A+     | A+     | A+     | A+<br>17EC32 | A<br>17EC34  | A<br>17NP13  | B+<br>17EC92 | O      | A+     | A+     | SA     | 8.56 |
| 24 | 19761A0424 | A      | B+     | B+     | A<br>17EC32  | B+<br>17EC34 | B+<br>17IT80 | B<br>17EC92  | O      | O      | A+     | SA     | 7.52 |
| 25 | 19761A0425 | A+     | A+     | O      | A+<br>17EC32 | A+<br>17EC34 | A<br>17NP13  | B+<br>17EC92 | O      | O      | A+     | SA     | 8.84 |
| 26 | 19761A0426 | A      | F      | A      | A<br>17EC32  | B+<br>17EC34 | A<br>17IT80  | B+<br>17EC92 | O      | O      | A+     | SA     | 7.04 |
| 27 | 19761A0427 | B+     | F      | B      | B+<br>17EC32 | B<br>17EC34  | F<br>17IT80  | B<br>17EC92  | O      | A+     | A+     | SA     | 5.32 |

Date : 4 JAN 2023 Verified by 1: K. Saravareddy 2: K. Pavani

*Uthamani*  
CONTROLLER OF EXAMINATIONS

*Q. N. V.*  
PRINCIPAL

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Electronics and Communication Engineering

Exam Month & Year : Dec 2022

|    |            | 17EC27 | 17EC28 | 17EC29 | EC-PE3       | EC-PE4       | EC-OE2       | EC-AC3       | 17EC71 | 17EC72 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 28 | 19761A0428 | A      | B      | B      | B<br>17EC32  | B+<br>17EC34 | B<br>17IT80  | C<br>17EC92  | A+     | A      | A+     | SA     | 6.68 |
| 29 | 19761A0429 | A      | B+     | B      | B+<br>17EC32 | B+<br>17EC34 | B+<br>17NP13 | C<br>17EC92  | O      | O      | A+     | SA     | 7.16 |
| 30 | 19761A0430 | O      | O      | A      | A<br>17EC32  | A+<br>17EC34 | A<br>17NP13  | A<br>17EC92  | O      | O      | A+     | SA     | 8.84 |
| 31 | 19761A0431 | A      | A+     | A      | A+<br>17EC32 | B<br>17EC34  | A<br>17IT80  | B+<br>17EC92 | A+     | A+     | A+     | SA     | 8.04 |
| 32 | 19761A0432 | A      | A      | A      | A<br>17EC32  | B+<br>17EC34 | A<br>17NP13  | B+<br>17EC92 | O      | O      | O      | SA     | 8.08 |
| 33 | 19761A0433 | A      | B+     | B+     | B+<br>17EC32 | B<br>17EC34  | B<br>17IT80  | B<br>17EC92  | O      | A+     | A+     | SA     | 7.12 |
| 34 | 19761A0434 | A+     | B+     | B+     | A<br>17EC32  | B+<br>17EC34 | B+<br>17NP13 | P<br>17EC92  | O      | A+     | A+     | SA     | 7.36 |
| 35 | 19761A0435 | A+     | A      | A      | A<br>17EC32  | B+<br>17EC34 | A<br>17IT80  | A+<br>17EC92 | O      | O      | O      | SA     | 8.44 |
| 36 | 19761A0436 | O      | A+     | O      | A+<br>17EC32 | A<br>17EC34  | A<br>17NP13  | A+<br>17EC92 | O      | O      | O      | SA     | 9.16 |
| 37 | 19761A0437 | A+     | A+     | A+     | A+<br>17EC32 | A<br>17EC34  | A<br>17NP13  | A+<br>17EC92 | O      | O      | A+     | SA     | 8.84 |
| 38 | 19761A0438 | A      | A      | B+     | A+<br>17EC32 | B<br>17EC34  | A<br>17NP13  | F<br>17EC92  | A+     | A+     | A+     | SA     | 6.96 |
| 39 | 19761A0439 | A      | B+     | A      | A<br>17EC32  | B+<br>17EC34 | B+<br>17NP13 | B+<br>17EC92 | O      | A+     | A+     | SA     | 7.72 |
| 40 | 19761A0440 | A      | B+     | B+     | F<br>17EC32  | F<br>17EC34  | A<br>17NP13  | C<br>17EC92  | O      | A+     | A+     | SA     | 5.68 |
| 41 | 19761A0441 | B      | C      | B      | B+<br>17EC32 | P<br>17EC34  | B<br>17IT80  | C<br>17EC92  | A      | A      | A+     | SA     | 6.04 |
| 42 | 19761A0442 | A+     | A      | A      | A<br>17EC32  | A<br>17EC34  | A<br>17IT80  | A<br>17EC92  | A+     | O      | O      | SA     | 8.40 |
| 43 | 19761A0443 | O      | O      | A+     | A+<br>17EC32 | A<br>17EC34  | A<br>17NP13  | A<br>17EC92  | O      | O      | A      | SA     | 8.88 |

Date : 4 JAN 2023 Verified by 1: K. Srinivasulu Reddy 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Srinivasulu Reddy*  
CONTROLLER OF EXAMINATIONS

*K. Srinivasulu Reddy*  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Electronics and Communication Engineering

Exam Month & Year : Dec 2022

|    |            | 17EC27 | 17EC28 | 17EC29 | EC-PE3       | EC-PE4       | EC-OE2       | EC-AC3       | 17EC71 | 17EC72 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 44 | 19761A0444 | A+     | A+     | A      | A+<br>17EC32 | A<br>17EC34  | A+<br>17NP13 | B+<br>17EC92 | O      | O      | O      | SA     | 8.68 |
| 45 | 19761A0445 | F      | B      | B+     | B<br>17EC32  | B<br>17EC34  | B<br>17IT80  | P<br>17EC92  | A+     | A+     | A      | SA     | 5.56 |
| 46 | 19761A0446 | A      | A      | B+     | B+<br>17EC32 | B+<br>17EC34 | A<br>17IT80  | B<br>17EC92  | A+     | A+     | B      | SA     | 7.32 |
| 47 | 19761A0447 | A+     | B+     | A      | A<br>17EC32  | A<br>17EC34  | A<br>17NP13  | B<br>17EC92  | O      | O      | A+     | SA     | 8.00 |
| 48 | 19761A0448 | A+     | A+     | A      | O<br>17EC32  | A<br>17EC34  | A<br>17NP13  | B+<br>17EC92 | A+     | O      | A      | SA     | 8.48 |
| 49 | 19761A0449 | A      | A      | A+     | A+<br>17EC32 | A<br>17EC34  | A<br>17NP13  | A<br>17EC92  | O      | O      | A+     | SA     | 8.48 |
| 50 | 19761A0450 | A+     | A      | A+     | A+<br>17EC32 | A<br>17EC34  | A+<br>17IT80 | A<br>17EC92  | O      | A+     | A+     | SA     | 8.68 |
| 51 | 19761A0451 | A      | A+     | A+     | A<br>17EC32  | B+<br>17EC34 | A<br>17NP13  | B+<br>17EC92 | A+     | O      | A+     | SA     | 8.20 |
| 52 | 19761A0452 | A+     | A+     | B+     | A<br>17EC32  | A<br>17EC34  | A<br>17NP13  | A<br>17EC92  | O      | O      | A      | SA     | 8.28 |
| 53 | 19761A0453 | A      | A+     | A+     | A<br>17EC32  | A<br>17EC34  | B+<br>17NP13 | A<br>17EC92  | O      | O      | A+     | SA     | 8.36 |
| 54 | 19761A0454 | A      | A      | A      | A<br>17EC32  | B+<br>17EC34 | B+<br>17NP13 | B+<br>17EC92 | A+     | A+     | A+     | SA     | 7.80 |
| 55 | 19761A0455 | B+     | B+     | B+     | B+<br>17EC32 | B+<br>17EC34 | B+<br>17IT80 | B<br>17EC92  | A+     | A+     | B+     | SA     | 7.04 |
| 56 | 19761A0456 | B+     | B+     | A      | B+<br>17EC32 | B+<br>17EC34 | B+<br>17NP13 | B<br>17EC92  | A+     | A+     | A+     | SA     | 7.32 |
| 57 | 19761A0457 | B+     | C      | B      | B+<br>17EC32 | B+<br>17EC34 | B+<br>17IT80 | B<br>17EC92  | A      | A      | A+     | SA     | 6.76 |
| 58 | 19761A0458 | A+     | A      | A      | A<br>17EC32  | B+<br>17EC34 | B+<br>17NP13 | B+<br>17EC92 | A+     | O      | A+     | SA     | 7.96 |
| 59 | 19761A0459 | A      | B+     | A+     | A+<br>17EC32 | B+<br>17EC34 | B+<br>17NP13 | A<br>17EC92  | A+     | A+     | A+     | SA     | 8.04 |

Date : 4 JAN 2023 Verified by 1: K. Narayana 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Narayana*  
CONTROLLER OF EXAMINATIONS

*K. Pavani*  
PRINCIPAL



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Electronics and Communication Engineering

Exam Month & Year : Dec 2022

|    |            | 17EC27 | 17EC28 | 17EC29 | EC-PE3       | EC-PE4       | EC-OE2       | EC-AC3       | 17EC71 | 17EC72 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 60 | 19761A0460 | A+     | A+     | A+     | A+<br>17EC32 | A+<br>17EC34 | A<br>17NP13  | A<br>17EC92  | O      | A+     | O      | SA     | 8.88 |
| 61 | 19761A0461 | O      | A      | A      | A+<br>17EC32 | B+<br>17EC34 | A<br>17NP13  | A+<br>17EC92 | A+     | O      | O      | SA     | 8.64 |
| 62 | 19761A0462 | A      | B+     | A      | A<br>17EC32  | B<br>17EC34  | A<br>17NP13  | B<br>17EC92  | A+     | A      | A+     | SA     | 7.52 |
| 63 | 19761A0463 | A+     | A+     | A+     | A+<br>17EC32 | A<br>17EC34  | A+<br>17IT80 | A+<br>17EC92 | O      | O      | O      | SA     | 9.04 |
| 64 | 19761A0464 | A+     | A      | A+     | A+<br>17EC32 | B+<br>17EC34 | A+<br>17NP13 | B+<br>17EC92 | O      | O      | A+     | SA     | 8.48 |
| 65 | 19761A0465 | A+     | A      | A      | A<br>17EC32  | A<br>17EC36  | A<br>17NP13  | A<br>17EC92  | A+     | A+     | A      | SA     | 8.20 |
| 66 | 19761A0466 | A+     | B+     | B      | B+<br>17EC32 | B+<br>17EC36 | A<br>17IT80  | B<br>17EC92  | B+     | A      | B+     | SA     | 7.16 |
| 67 | 19761A0467 | A      | B+     | B+     | A<br>17EC32  | B<br>17EC36  | A<br>17IT80  | B+<br>17EC92 | A+     | A+     | A+     | SA     | 7.56 |
| 68 | 19761A0468 | A+     | A+     | A      | A+<br>17EC32 | A<br>17EC36  | B+<br>17IT80 | A<br>17EC92  | A+     | A+     | O      | SA     | 8.48 |
| 69 | 19761A0469 | A      | B      | A      | A<br>17EC32  | B+<br>17EC36 | B<br>17IT80  | B+<br>17EC92 | A+     | A      | A      | SA     | 7.32 |
| 70 | 19761A0470 | A      | F      | P      | B+<br>17EC32 | P<br>17EC36  | C<br>17IT80  | P<br>17EC92  | A+     | A+     | A+     | SA     | 5.28 |
| 71 | 19761A0471 | A+     | A      | A      | A<br>17EC32  | B+<br>17EC36 | B+<br>17NP13 | B+<br>17EC92 | A+     | O      | A+     | SA     | 7.96 |
| 72 | 19761A0472 | A+     | B+     | A+     | B+<br>17EC32 | A<br>17EC36  | B+<br>17IT80 | B+<br>17EC92 | A+     | O      | A      | SA     | 7.88 |
| 73 | 19761A0473 | A+     | B      | A      | A<br>17EC32  | A<br>17EC36  | B+<br>17IT80 | B<br>17EC92  | A+     | O      | A+     | SA     | 7.72 |
| 74 | 19761A0474 | A+     | A      | A+     | A+<br>17EC32 | B+<br>17EC36 | A<br>17IT80  | B+<br>17EC92 | A      | O      | A      | SA     | 8.20 |
| 75 | 19761A0475 | A      | A      | A      | A<br>17EC32  | B+<br>17EC36 | A<br>17NP13  | A<br>17EC92  | A+     | A+     | A+     | SA     | 8.04 |

Date: **4 JAN 2023**  
Verified by 1: *K. Narayana* 2: *K. Pavani*  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*Lakireddy*  
CONTROLLER OF EXAMINATIONS

*9.22*  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Electronics and Communication Engineering

Exam Month & Year : Dec 2022

|    |            | 17EC27 | 17EC28 | 17EC29 | EC-PE3       | EC-PE4       | EC-OE2       | EC-AC3       | 17EC71 | 17EC72 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 76 | 19761A0476 | B+     | A      | B+     | A<br>17EC32  | B<br>17EC36  | B+<br>17IT80 | B+<br>17EC92 | A      | A+     | A+     | SA     | 7.40 |
| 77 | 19761A0477 | A+     | A+     | A      | B+<br>17EC32 | A<br>17EC36  | B+<br>17IT80 | B+<br>17EC92 | A+     | O      | A+     | SA     | 8.08 |
| 78 | 19761A0478 | A      | A      | B+     | A<br>17EC32  | B<br>17EC36  | B+<br>17IT80 | B<br>17EC92  | O      | O      | A+     | SA     | 7.52 |
| 79 | 19761A0479 | A+     | O      | A+     | A<br>17EC32  | B+<br>17EC36 | B+<br>17IT80 | B+<br>17EC92 | O      | O      | O      | SA     | 8.44 |
| 80 | 19761A0480 | A      | O      | A+     | A<br>17EC32  | B+<br>17EC36 | A+<br>17IT80 | B+<br>17EC92 | A+     | O      | A      | SA     | 8.36 |
| 81 | 19761A0481 | A      | O      | A+     | A<br>17EC32  | A<br>17EC36  | B+<br>17NP13 | B+<br>17EC92 | A+     | O      | A+     | SA     | 8.32 |
| 82 | 19761A0482 | A      | A+     | A+     | B+<br>17EC32 | A<br>17EC36  | A+<br>17IT80 | B+<br>17EC92 | A+     | O      | A+     | SA     | 8.32 |
| 83 | 19761A0483 | A+     | O      | A+     | A+<br>17EC32 | A<br>17EC36  | B+<br>17NP13 | A+<br>17EC92 | A+     | O      | A+     | SA     | 8.80 |
| 84 | 19761A0484 | B+     | A+     | B+     | A<br>17EC32  | B+<br>17EC36 | B+<br>17IT80 | B+<br>17EC92 | A+     | A+     | A+     | SA     | 7.68 |
| 85 | 19761A0485 | A      | A      | B+     | A<br>17EC32  | B<br>17EC36  | A<br>17IT80  | B+<br>17EC92 | A      | A      | A+     | SA     | 7.60 |
| 86 | 19761A0486 | F      | F      | B      | F<br>17EC32  | C<br>17EC36  | F<br>17IT80  | F<br>17EC92  | B+     | A      | A      | SA     | 2.56 |
| 87 | 19761A0487 | B      | B      | B      | B<br>17EC32  | C<br>17EC36  | B+<br>17NP13 | C<br>17EC92  | A      | A+     | A+     | SA     | 6.32 |
| 88 | 19761A0488 | B      | A      | B+     | A<br>17EC32  | B<br>17EC36  | B+<br>17IT80 | B<br>17EC92  | A+     | A      | O      | SA     | 7.24 |
| 89 | 19761A0489 | A+     | A      | B+     | A<br>17EC32  | B+<br>17EC36 | A<br>17IT80  | A<br>17EC92  | A+     | A+     | O      | SA     | 8.12 |
| 90 | 19761A0490 | A      | B      | B+     | B<br>17EC32  | P<br>17EC36  | B+<br>17IT80 | C<br>17EC92  | A+     | A+     | A+     | SA     | 6.60 |
| 91 | 19761A0491 | B      | B+     | C      | B+<br>17EC32 | B<br>17EC36  | B<br>17IT80  | C<br>17EC92  | B+     | B+     | B+     | SA     | 6.16 |

Date : 4 JAN 2023 Verified by 1: K. Narayana 2: K. Pavani

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Narayana*  
CONTROLLER OF EXAMINATIONS

*K. Pavani*  
PRINCIPAL



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Electronics and Communication Engineering

Exam Month & Year : Dec 2022

|     |            | 17EC27 | 17EC28 | 17EC29 | EC-PE3       | EC-PE4       | EC-OE2       | EC-AC3       | 17EC71 | 17EC72 | 17PD09 | 17PD10 | SGPA |
|-----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 92  | 19761A0492 | A+     | A      | A+     | A<br>17EC32  | A<br>17EC36  | A+<br>17IT80 | B+<br>17EC92 | A+     | A+     | A+     | SA     | 8.40 |
| 93  | 19761A0493 | B      | B+     | B+     | B+<br>17EC32 | B+<br>17EC36 | B<br>17IT80  | P<br>17EC92  | A+     | A+     | A+     | SA     | 6.72 |
| 94  | 19761A0494 | B+     | B+     | B      | B+<br>17EC32 | B+<br>17EC36 | A<br>17NP13  | C<br>17EC92  | A      | A+     | A      | SA     | 6.96 |
| 95  | 19761A0495 | A+     | A+     | A+     | A<br>17EC32  | A<br>17EC36  | A<br>17IT80  | A<br>17EC92  | A+     | A+     | A+     | SA     | 8.52 |
| 96  | 19761A0496 | O      | O      | O      | O<br>17EC32  | A+<br>17EC36 | B+<br>17NP13 | O<br>17EC92  | O      | O      | A+     | SA     | 9.44 |
| 97  | 19761A0497 | A+     | A+     | A+     | A<br>17EC32  | B+<br>17EC36 | B+<br>17NP13 | A+<br>17EC92 | O      | O      | O      | SA     | 8.56 |
| 98  | 19761A0498 | A      | A+     | A+     | A<br>17EC32  | A+<br>17EC36 | A<br>17IT80  | B<br>17EC92  | A      | O      | A+     | SA     | 8.28 |
| 99  | 19761A0499 | A      | A      | A      | A<br>17EC32  | B<br>17EC36  | A<br>17NP13  | A<br>17EC92  | A+     | O      | A+     | SA     | 7.96 |
| 100 | 19761A04A0 | A      | A      | A      | B+<br>17EC32 | B+<br>17EC36 | B+<br>17IT80 | B+<br>17EC92 | A+     | A+     | B+     | SA     | 7.52 |
| 101 | 19761A04A1 | B+     | B+     | B      | A<br>17EC32  | B<br>17EC36  | B+<br>17IT80 | B<br>17EC92  | A+     | A+     | A+     | SA     | 7.08 |
| 102 | 19761A04A2 | O      | O      | O      | A+<br>17EC32 | A+<br>17EC36 | A+<br>17IT80 | B+<br>17EC92 | A+     | O      | A+     | SA     | 9.16 |
| 103 | 19761A04A3 | O      | A+     | A+     | A+<br>17EC32 | A<br>17EC36  | A<br>17IT80  | A<br>17EC92  | A+     | O      | A+     | SA     | 8.80 |
| 104 | 19761A04A4 | A      | A      | A+     | A+<br>17EC32 | A<br>17EC36  | A<br>17NP13  | B+<br>17EC92 | A+     | A+     | A+     | SA     | 8.28 |
| 105 | 19761A04A5 | A+     | A      | A      | A<br>17EC32  | B+<br>17EC36 | B+<br>17IT80 | B<br>17EC92  | A+     | A+     | A+     | SA     | 7.80 |
| 106 | 19761A04A6 | A+     | A      | A      | A<br>17EC32  | B+<br>17EC36 | B+<br>17NP13 | B+<br>17EC92 | A      | A+     | A+     | SA     | 7.88 |
| 107 | 19761A04A7 | A+     | A+     | A+     | A+<br>17EC32 | A<br>17EC36  | B+<br>17NP13 | A<br>17EC92  | A+     | A+     | A+     | SA     | 8.52 |

Date : 4 JAN 2023 Verified by 1: K. Saravanan 2: K. Pavani

*K. Saravanan*  
CONTROLLER OF EXAMINATIONS

*K. Saravanan*  
PRINCIPAL

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Electronics and Communication Engineering

Exam Month & Year : Dec 2022

|     |            | 17EC27 | 17EC28 | 17EC29 | EC-PE3       | EC-PE4       | EC-OE2       | EC-AC3       | 17EC71 | 17EC72 | 17PD09 | 17PD10 | SGPA |
|-----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 108 | 19761A04A8 | B+     | A      | B+     | A+<br>17EC32 | B+<br>17EC36 | B+<br>17IT80 | B<br>17EC92  | A      | A+     | A+     | SA     | 7.52 |
| 109 | 19761A04A9 | B      | A      | A      | A+<br>17EC32 | A<br>17EC36  | B+<br>17NP13 | B+<br>17EC92 | A+     | A+     | A      | SA     | 7.72 |
| 110 | 19761A04B0 | B+     | A      | B+     | B+<br>17EC32 | B<br>17EC36  | A<br>17NP13  | B<br>17EC92  | A+     | A+     | O      | SA     | 7.40 |
| 111 | 19761A04B1 | A+     | A+     | A+     | A<br>17EC32  | B+<br>17EC36 | A<br>17NP13  | A<br>17EC92  | A+     | A+     | A+     | SA     | 8.40 |
| 112 | 19761A04B2 | B+     | A      | B+     | A<br>17EC32  | A<br>17EC36  | B+<br>17NP13 | B+<br>17EC92 | O      | A+     | A+     | SA     | 7.72 |
| 113 | 19761A04B3 | A      | A      | B+     | A<br>17EC32  | B<br>17EC36  | A<br>17IT80  | B<br>17EC92  | A+     | A+     | A+     | SA     | 7.56 |
| 114 | 19761A04B4 | B+     | A      | B      | A<br>17EC32  | B+<br>17EC36 | A<br>17NP13  | B+<br>17EC92 | A+     | O      | A+     | SA     | 7.60 |
| 115 | 19761A04B5 | A      | A+     | A      | A<br>17EC32  | B+<br>17EC36 | A<br>17NP13  | B+<br>17EC92 | A+     | O      | A+     | SA     | 8.08 |
| 116 | 19761A04B6 | O      | O      | O      | A+<br>17EC32 | A+<br>17EC36 | A<br>17NP13  | A+<br>17EC92 | O      | O      | A+     | SA     | 9.32 |
| 117 | 19761A04B7 | A      | A+     | A+     | A<br>17EC32  | A<br>17EC36  | A<br>17NP13  | A<br>17EC92  | O      | O      | A+     | SA     | 8.48 |
| 118 | 19761A04B8 | B+     | A      | B      | A<br>17EC32  | B+<br>17EC36 | A<br>17NP13  | B<br>17EC92  | A+     | O      | A+     | SA     | 7.48 |
| 119 | 19761A04B9 | A+     | A+     | A+     | A+<br>17EC32 | A+<br>17EC36 | A+<br>17IT80 | A<br>17EC92  | O      | O      | O      | SA     | 9.04 |
| 120 | 19761A04C0 | A      | O      | A+     | A<br>17EC32  | A<br>17EC36  | B+<br>17NP13 | A<br>17EC92  | A+     | A+     | A+     | SA     | 8.40 |
| 121 | 19761A04C1 | A+     | A+     | A+     | A<br>17EC32  | A<br>17EC36  | A+<br>17IT80 | A<br>17EC92  | A+     | O      | A+     | SA     | 8.68 |
| 122 | 19761A04C2 | O      | O      | A+     | A<br>17EC32  | A+<br>17EC36 | A+<br>17IT80 | A+<br>17EC92 | A+     | O      | A+     | SA     | 9.16 |
| 123 | 19761A04C3 | A+     | O      | O      | B+<br>17EC32 | A<br>17EC36  | B+<br>17NP13 | B+<br>17EC92 | A+     | O      | A+     | SA     | 8.44 |

Date : 4 JAN 2023 Verified by 1: K. Jayaraman 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Jayaraman*  
CONTROLLER OF EXAMINATIONS

*K. Pavani*  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Electronics and Communication Engineering

Exam Month & Year : Dec 2022

|     |            | 17EC27 | 17EC28 | 17EC29 | EC-PE3       | EC-PE4       | EC-OE2       | EC-AC3       | 17EC71 | 17EC72 | 17PD09 | 17PD10 | SGPA |
|-----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 124 | 19761A04C4 | A      | A      | B+     | B+<br>17EC32 | B<br>17EC36  | B<br>17NP13  | B<br>17EC92  | A+     | A+     | A+     | SA     | 7.20 |
| 125 | 19761A04C5 | A      | A+     | B+     | A+<br>17EC32 | A+<br>17EC36 | A<br>17NP13  | A+<br>17EC92 | O      | O      | O      | SA     | 8.68 |
| 126 | 19761A04C6 | A      | B+     | A      | A<br>17EC32  | B+<br>17EC36 | B+<br>17IT80 | B<br>17EC92  | A      | A+     | A+     | SA     | 7.52 |
| 127 | 19761A04C7 | A      | A      | A+     | A<br>17EC32  | A<br>17EC36  | A<br>17IT80  | B+<br>17EC92 | A+     | O      | A+     | SA     | 8.20 |
| 128 | 19761A04C8 | A      | A      | A      | A<br>17EC32  | A<br>17EC36  | A+<br>17IT80 | B<br>17EC92  | O      | O      | O      | SA     | 8.20 |
| 129 | 19761A04C9 | F      | B+     | B      | B+<br>17EC32 | B<br>17EC36  | B<br>17IT80  | B<br>17EC92  | A      | O      | A      | SA     | 5.92 |
| 130 | 19761A04D0 | B+     | A      | A      | B+<br>17EC33 | C<br>17EC35  | B+<br>17IT80 | B+<br>17EC92 | A+     | A+     | A+     | SA     | 7.32 |
| 131 | 19761A04D1 | A      | A      | B      | B+<br>17EC33 | B<br>17EC35  | B+<br>17IT80 | B+<br>17EC92 | A      | A      | O      | SA     | 7.32 |
| 132 | 19761A04D2 | A+     | O      | A      | A<br>17EC33  | B<br>17EC35  | A+<br>17NP13 | A<br>17EC92  | A+     | A+     | O      | SA     | 8.48 |
| 133 | 19761A04D3 | A      | A+     | A+     | B+<br>17EC33 | A<br>17EC35  | A<br>17NP13  | B+<br>17EC92 | A+     | A+     | O      | SA     | 8.24 |
| 134 | 19761A04D4 | A+     | A+     | A      | A<br>17EC33  | B+<br>17EC35 | A<br>17NP13  | B+<br>17EC92 | A      | A+     | O      | SA     | 8.20 |
| 135 | 19761A04D5 | B+     | A      | A      | B<br>17EC33  | B<br>17EC35  | A<br>17IT80  | B+<br>17EC92 | A      | A      | B+     | SA     | 7.20 |
| 136 | 19761A04D6 | A+     | A      | A      | B+<br>17EC33 | B<br>17EC35  | B+<br>17IT80 | B<br>17EC92  | A      | A+     | A+     | SA     | 7.52 |
| 137 | 19761A04D7 | A+     | A      | A+     | A<br>17EC33  | B+<br>17EC35 | A<br>17IT80  | B+<br>17EC92 | A      | A+     | A+     | SA     | 8.12 |
| 138 | 19761A04D8 | A      | B+     | A+     | B+<br>17EC33 | B<br>17EC35  | A<br>17NP13  | B<br>17EC92  | A+     | O      | B+     | SA     | 7.44 |
| 139 | 19761A04D9 | A+     | A+     | B+     | B+<br>17EC33 | F<br>17EC35  | A<br>17NP13  | C<br>17EC92  | A+     | A+     | O      | SA     | 6.92 |

Date : 4 JAN 2023 Verified by 1: k. karavane 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*Upachand*  
CONTROLLER OF EXAMINATIONS

*P. S. S.*  
PRINCIPAL



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Electronics and Communication Engineering

Exam Month & Year : Dec 2022

|     |            | 17EC27 | 17EC28 | 17EC29 | EC-PE3       | EC-PE4       | EC-OE2       | EC-AC3       | 17EC71 | 17EC72 | 17PD09 | 17PD10 | SGPA |
|-----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 140 | 19761A04E0 | A+     | A      | A+     | A<br>17EC33  | B+<br>17EC35 | A<br>17NP13  | A<br>17EC92  | A+     | A+     | A+     | SA     | 8.28 |
| 141 | 19761A04E1 | O      | O      | O      | A+<br>17EC33 | A+<br>17EC35 | A<br>17NP13  | A<br>17EC92  | A+     | A+     | O      | SA     | 9.20 |
| 142 | 19761A04E2 | B+     | B      | B      | B+<br>17EC33 | B<br>17EC35  | B+<br>17IT80 | B<br>17EC92  | B+     | A      | B+     | SA     | 6.56 |
| 143 | 19761A04E3 | A+     | A      | A+     | B+<br>17EC33 | B+<br>17EC35 | A<br>17NP13  | A<br>17EC92  | A      | A+     | A+     | SA     | 8.12 |
| 144 | 19761A04E4 | O      | A+     | O      | A+<br>17EC33 | A+<br>17EC35 | A<br>17NP13  | A+<br>17EC92 | A+     | O      | O      | SA     | 9.24 |
| 145 | 19761A04E5 | A+     | A+     | A      | A<br>17EC33  | B+<br>17EC35 | A<br>17NP13  | A<br>17EC92  | A      | A+     | O      | SA     | 8.32 |
| 146 | 19761A04E6 | A+     | A      | A      | A<br>17EC33  | B+<br>17EC35 | A+<br>17NP13 | A<br>17EC92  | A      | O      | A+     | SA     | 8.28 |
| 147 | 19761A04E7 | A+     | A+     | A+     | A<br>17EC33  | A<br>17EC35  | A<br>17NP13  | A<br>17EC92  | A+     | A+     | A+     | SA     | 8.52 |
| 148 | 19761A04E8 | A+     | A+     | A      | B+<br>17EC33 | B<br>17EC35  | A<br>17NP13  | B+<br>17EC92 | A+     | A+     | A+     | SA     | 7.92 |
| 149 | 19761A04E9 | F      | A      | B+     | F<br>17EC33  | B+<br>17EC35 | B<br>17IT80  | A<br>17EC92  | A+     | A+     | A+     | SA     | 5.76 |
| 150 | 19761A04F0 | B+     | A+     | B+     | B<br>17EC33  | B<br>17EC35  | B<br>17IT80  | B<br>17EC92  | A      | A+     | A+     | SA     | 7.04 |
| 151 | 19761A04F1 | B+     | A      | A      | B+<br>17EC33 | B<br>17EC35  | A<br>17NP13  | A<br>17EC92  | A      | A+     | A+     | SA     | 7.64 |
| 152 | 19761A04F2 | A+     | A+     | A      | A+<br>17EC33 | A<br>17EC35  | B+<br>17NP13 | A<br>17EC92  | A+     | A+     | A+     | SA     | 8.40 |
| 153 | 19761A04F3 | B+     | A      | A      | A<br>17EC33  | B<br>17EC35  | B+<br>17NP13 | B+<br>17EC92 | A      | A+     | A+     | SA     | 7.52 |
| 154 | 19761A04F5 | A+     | A      | A+     | A<br>17EC33  | A<br>17EC35  | A<br>17NP13  | A+<br>17EC92 | A+     | O      | O      | SA     | 8.64 |
| 155 | 19761A04F6 | B      | C      | B+     | C<br>17EC33  | P<br>17EC35  | A<br>17NP13  | B<br>17EC92  | A+     | A      | B+     | SA     | 6.16 |

Date : 4 JAN 2023 Verified by 1: K. Karayana 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Karayana*  
CONTROLLER OF EXAMINATIONS

*K. Pavani*  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Electronics and Communication Engineering

Exam Month & Year : Dec 2022

|     |            | 17EC27 | 17EC28 | 17EC29 | EC-PE3       | EC-PE4       | EC-OE2       | EC-AC3       | 17EC71 | 17EC72 | 17PD09 | 17PD10 | SGPA |
|-----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 156 | 19761A04F7 | A      | B+     | B+     | B+<br>17EC33 | B+<br>17EC35 | B+<br>17IT80 | B+<br>17EC92 | A      | A+     | A+     | SA     | 7.40 |
| 157 | 19761A04F8 | F      | B+     | B      | B<br>17EC33  | F<br>17EC35  | F<br>17IT80  | F<br>17EC92  | B+     | A+     | A+     | SA     | 3.64 |
| 158 | 19761A04F9 | A+     | B+     | A+     | B+<br>17EC33 | A<br>17EC35  | A<br>17IT80  | A<br>17EC92  | A      | A+     | A+     | SA     | 8.12 |
| 159 | 19761A04G0 | A      | B      | B+     | B<br>17EC33  | B<br>17EC35  | A<br>17IT80  | B+<br>17EC92 | A      | A+     | A      | SA     | 7.08 |
| 160 | 19761A04G1 | A+     | A      | O      | A<br>17EC33  | A<br>17EC35  | A<br>17NP13  | A<br>17EC92  | A      | A+     | A+     | SA     | 8.48 |
| 161 | 19761A04G2 | A+     | A      | A+     | B+<br>17EC33 | B+<br>17EC35 | A<br>17NP13  | A<br>17EC92  | A      | A+     | A+     | SA     | 8.12 |
| 162 | 19761A04G3 | A+     | B+     | A      | A<br>17EC33  | B+<br>17EC35 | A<br>17IT80  | B+<br>17EC92 | A      | A+     | A+     | SA     | 7.88 |
| 163 | 19761A04G4 | A+     | B      | B      | B<br>17EC33  | B<br>17EC35  | B<br>17IT80  | B<br>17EC92  | A      | A      | O      | SA     | 6.84 |
| 164 | 19761A04G5 | O      | A      | A+     | A<br>17EC33  | A+<br>17EC35 | B+<br>17NP13 | A+<br>17EC92 | A+     | O      | O      | SA     | 8.76 |
| 165 | 19761A04G6 | B+     | B+     | B+     | B<br>17EC33  | B<br>17EC35  | C<br>17IT80  | B<br>17EC92  | A      | A+     | A+     | SA     | 6.68 |
| 166 | 19761A04G7 | A+     | A+     | O      | B+<br>17EC33 | A+<br>17EC35 | A+<br>17IT80 | A+<br>17EC92 | A      | A+     | O      | SA     | 8.92 |
| 167 | 19761A04G8 | A+     | A+     | A+     | A<br>17EC33  | B+<br>17EC35 | A+<br>17NP13 | A<br>17EC92  | A      | A+     | A+     | SA     | 8.48 |
| 168 | 19761A04G9 | A+     | A      | A+     | A<br>17EC33  | B+<br>17EC35 | A<br>17IT80  | A+<br>17EC92 | A+     | A+     | A+     | SA     | 8.40 |
| 169 | 19761A04H0 | A+     | B+     | B      | B+<br>17EC33 | B<br>17EC35  | B<br>17IT80  | B+<br>17EC92 | A      | A+     | A+     | SA     | 7.16 |
| 170 | 19761A04H1 | A      | B+     | B      | A<br>17EC33  | B<br>17EC35  | B<br>17IT80  | B<br>17EC92  | A      | A      | A+     | SA     | 7.00 |
| 171 | 19761A04H2 | O      | O      | O      | A+<br>17EC33 | A<br>17EC35  | A<br>17NP13  | A+<br>17EC92 | A+     | A+     | O      | SA     | 9.20 |

Date : 4 JAN 2023 Verified by 1: K. Saravanan 2: K. Pavani

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Saravanan*  
CONTROLLER OF EXAMINATIONS

*K. Pavani*  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Electronics and Communication Engineering

Exam Month & Year : Dec 2022

|     |            | 17EC27 | 17EC28 | 17EC29 | EC-PE3       | EC-PE4       | EC-OE2       | EC-AC3       | 17EC71 | 17EC72 | 17PD09 | 17PD10 | SGPA |
|-----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 172 | 19761A04H3 | B      | B      | B      | B<br>17EC33  | F<br>17EC35  | B<br>17IT80  | F<br>17EC92  | A      | A      | A+     | SA     | 4.96 |
| 173 | 19761A04H4 | A      | A+     | A      | B<br>17EC33  | B+<br>17EC35 | B+<br>17NP13 | B+<br>17EC92 | A+     | A+     | A+     | SA     | 7.68 |
| 174 | 19761A04H5 | A+     | B+     | B      | B+<br>17EC33 | B<br>17EC35  | B+<br>17IT80 | B<br>17EC92  | A      | A+     | A+     | SA     | 7.16 |
| 175 | 19761A04H6 | A      | A      | B+     | B+<br>17EC33 | B<br>17EC35  | B+<br>17NP13 | B<br>17EC92  | A      | A      | O      | SA     | 7.32 |
| 176 | 19761A04H7 | O      | A+     | A+     | A+<br>17EC33 | A<br>17EC35  | B+<br>17NP13 | A+<br>17EC92 | A+     | A+     | O      | SA     | 8.84 |
| 177 | 19761A04H8 | A+     | A      | A+     | A<br>17EC33  | A<br>17EC35  | A<br>17NP13  | B+<br>17EC92 | A+     | A+     | O      | SA     | 8.36 |
| 178 | 19761A04H9 | O      | O      | A+     | A<br>17EC33  | A<br>17EC35  | A<br>17NP13  | A<br>17EC92  | A+     | O      | O      | SA     | 8.88 |
| 179 | 19761A04I0 | B      | F      | F      | B<br>17EC33  | P<br>17EC35  | B+<br>17IT80 | P<br>17EC92  | B+     | A+     | B+     | SA     | 4.44 |
| 180 | 19761A04I1 | B+     | A      | B      | B+<br>17EC33 | B<br>17EC35  | A<br>17IT80  | C<br>17EC92  | A      | A+     | A+     | SA     | 7.04 |
| 181 | 19761A04I2 | B+     | B+     | A      | B<br>17EC33  | B<br>17EC35  | A<br>17NP13  | A<br>17EC92  | A      | A+     | A      | SA     | 7.32 |
| 182 | 19761A04I3 | A      | B+     | A      | A<br>17EC33  | B<br>17EC35  | A<br>17NP13  | B+<br>17EC92 | A+     | A+     | O      | SA     | 7.76 |
| 183 | 19761A04I4 | A+     | B+     | A      | B+<br>17EC33 | B+<br>17EC35 | A<br>17NP13  | B+<br>17EC92 | A      | A+     | A+     | SA     | 7.76 |
| 184 | 19761A04I5 | A+     | A+     | A+     | A<br>17EC33  | B+<br>17EC35 | A+<br>17NP13 | A<br>17EC92  | O      | O      | O      | SA     | 8.68 |
| 185 | 19761A04I6 | B+     | B      | A      | F<br>17EC33  | C<br>17EC35  | B+<br>17NP13 | B+<br>17EC92 | A+     | O      | A+     | SA     | 6.28 |
| 186 | 19761A04I7 | A+     | A+     | A      | B+<br>17EC33 | A+<br>17EC35 | A+<br>17NP13 | B+<br>17EC92 | A      | A+     | A+     | SA     | 8.36 |
| 187 | 19761A04I8 | A+     | O      | A+     | A<br>17EC33  | A+<br>17EC35 | A<br>17NP13  | A+<br>17EC92 | A+     | A+     | O      | SA     | 8.96 |

Date : 4 JAN 2023 Verified by 1: K. Saravane 2: K. Pavani

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*Hyderabad*  
CONTROLLER OF EXAMINATIONS

*Pr. N. N.*  
PRINCIPAL



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Electronics and Communication Engineering

Exam Month & Year : Dec 2022

|     |            | 17EC27 | 17EC28 | 17EC29 | EC-PE3       | EC-PE4       | EC-OE2       | EC-AC3       | 17EC71 | 17EC72 | 17PD09 | 17PD10 | SGPA |
|-----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 188 | 19761A04I9 | A      | A+     | A+     | A<br>17EC33  | A+<br>17EC35 | A+<br>17IT80 | B+<br>17EC92 | A+     | A+     | O      | SA     | 8.60 |
| 189 | 19761A04J0 | O      | A+     | A+     | B+<br>17EC33 | A<br>17EC35  | A<br>17NP13  | B+<br>17EC92 | A+     | A+     | O      | SA     | 8.48 |
| 190 | 19761A04J1 | C      | P      | B+     | C<br>17EC33  | F<br>17EC35  | B+<br>17NP13 | F<br>17EC92  | B+     | A      | A+     | SA     | 4.68 |
| 191 | 19761A04J2 | A      | B+     | A      | B+<br>17EC33 | B<br>17EC35  | B+<br>17NP13 | C<br>17EC92  | A+     | A+     | B+     | SA     | 7.04 |
| 192 | 19761A04J3 | A+     | A      | A      | B+<br>17EC33 | B+<br>17EC35 | A<br>17NP13  | B<br>17EC92  | A+     | A+     | A+     | SA     | 7.80 |
| 193 | 20765A0401 | A+     | A+     | A+     | A<br>17EC32  | A<br>17EC34  | B+<br>17NP13 | B<br>17EC92  | O      | O      | A+     | SA     | 8.24 |
| 194 | 20765A0402 | O      | A+     | O      | A+<br>17EC32 | A+<br>17EC34 | A<br>17NP13  | B+<br>17EC92 | O      | O      | O      | SA     | 9.04 |
| 195 | 20765A0403 | A+     | A      | A      | A<br>17EC32  | B+<br>17EC34 | A+<br>17IT80 | B+<br>17EC92 | O      | A+     | A+     | SA     | 8.20 |
| 196 | 20765A0404 | A      | A      | B+     | B+<br>17EC32 | B<br>17EC34  | A<br>17NP13  | B+<br>17EC92 | A+     | A+     | A+     | SA     | 7.56 |
| 197 | 20765A0405 | A+     | A      | A      | A<br>17EC32  | B+<br>17EC34 | A<br>17NP13  | A<br>17EC92  | O      | O      | O      | SA     | 8.32 |
| 198 | 20765A0406 | A+     | A+     | A      | A+<br>17EC32 | A<br>17EC34  | A<br>17NP13  | A+<br>17EC92 | O      | O      | A+     | SA     | 8.72 |
| 199 | 20765A0407 | A+     | A      | A      | A<br>17EC32  | A<br>17EC36  | A<br>17NP13  | A<br>17EC92  | A+     | O      | A+     | SA     | 8.32 |
| 200 | 20765A0408 | A      | B      | B+     | A<br>17EC32  | B+<br>17EC36 | A<br>17NP13  | B<br>17EC92  | A+     | A+     | A+     | SA     | 7.44 |
| 201 | 20765A0409 | A+     | A      | A      | A<br>17EC32  | A<br>17EC36  | A<br>17IT80  | B+<br>17EC92 | A      | O      | A+     | SA     | 8.16 |
| 202 | 20765A0410 | A      | A      | B+     | A<br>17EC32  | A<br>17EC36  | A<br>17IT80  | B<br>17EC92  | A      | O      | A+     | SA     | 7.80 |
| 203 | 20765A0411 | O      | A+     | A      | A<br>17EC32  | A<br>17EC36  | B+<br>17NP13 | B+<br>17EC92 | A+     | O      | A+     | SA     | 8.32 |

Date : 4 JAN 2023 Verified by 1: Kiranrayana 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Venkatesh*  
CONTROLLER OF EXAMINATIONS

*K. Venkatesh*  
PRINCIPAL



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Electronics and Communication Engineering

Exam Month & Year : Dec 2022

|     |            | 17EC27 | 17EC28 | 17EC29 | EC-PE3       | EC-PE4       | EC-OE2       | EC-AC3       | 17EC71 | 17EC72 | 17PD09 | 17PD10 | SGPA |
|-----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 204 | 20765A0412 | A      | A+     | A      | A+<br>17EC32 | A+<br>17EC36 | A<br>17IT80  | B<br>17EC92  | A+     | A+     | A+     | SA     | 8.28 |
| 205 | 20765A0413 | O      | A+     | A+     | A<br>17EC33  | B+<br>17EC35 | A+<br>17IT80 | B+<br>17EC92 | A+     | O      | O      | SA     | 8.64 |
| 206 | 20765A0414 | B      | B+     | B      | C<br>17EC33  | B<br>17EC35  | A<br>17NP13  | C<br>17EC92  | A      | A+     | A+     | SA     | 6.56 |
| 207 | 20765A0415 | A+     | A      | B+     | B<br>17EC33  | B+<br>17EC35 | A<br>17IT80  | B<br>17EC92  | A+     | A+     | A+     | SA     | 7.56 |
| 208 | 20765A0416 | A      | A+     | A      | B+<br>17EC33 | B+<br>17EC35 | A+<br>17NP13 | B<br>17EC92  | A+     | O      | O      | SA     | 8.04 |
| 209 | 20765A0417 | A      | A      | B+     | B<br>17EC33  | B+<br>17EC35 | B+<br>17IT80 | C<br>17EC92  | A      | A+     | A+     | SA     | 7.16 |
| 210 | 20765A0418 | A      | A      | B+     | B<br>17EC33  | B<br>17EC35  | B<br>17IT80  | C<br>17EC92  | A      | A      | A+     | SA     | 6.88 |

Date : 4 JAN 2023 Verified by 1: *K. Narayana* 2: *K. Pavani*  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Narayana*  
CONTROLLER OF EXAMINATIONS

*g. r. d.*  
PRINCIPAL





LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

Result Sheet (Re-admitted Students)

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Electronics and Communication Engineering

Exam Month & Year : Dec 2022

Course code & Name (Theory)

- 01) 17EC27-Microwave Engineering
- 02) 17EC28-Optical Communications
- 03) 17EC29-Embedded System Design
- 04) EC-PE3- (P.Elec.-III) Satellite Communications(17EC32)
- 05) EC-PE4- (P.Elec.-IV) Medical Electronics(17EC34)
- 06) EC-PE4- (P.Elec.-IV) Mobile Computing(17EC36)
- 07) EC-OE2- (O.Elec.-II) Introduction to Database(17IT80)
- 08) EC-AC3- (Add on course-3) Communication Networks(17EC92)

Course code & Name (Lab)

- 1) 17EC71-Microwave and Optical Communications Lab
- 2) 17EC72-Embedded System Design Lab
- 3) 17PD09-Internship
- 4) 17PD10-Extra-curricular/Co-curricular Activities

| S.No. | H.T.No.    | 17EC27 | 17EC28 | 17EC29 | EC-PE3      | EC-PE4      | EC-OE2       | EC-AC3         | 17EC71 | 17EC72 | 17PD09 | 17PD10 | SGPA |
|-------|------------|--------|--------|--------|-------------|-------------|--------------|----------------|--------|--------|--------|--------|------|
| 1     | 18761A0462 | P      | F      | C      | F<br>17EC32 | C<br>17EC34 | F<br>17IT80  | -Ab-<br>17EC92 | B+     | B+     | A      | SA     | 2.88 |
| 2     | 19765A0408 | B      | A      | B+     | A<br>17EC32 | A<br>17EC36 | B+<br>17IT80 | P<br>17EC92    | A+     | A+     | A+     | SA     | 7.20 |

Date **4 JAN 2023** Verified by 1: *K. Saranyam* 2: *K. Pavani*  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*U. Srinivasan*  
CONTROLLER OF EXAMINATIONS

*P. R. S.*  
PRINCIPAL



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Electrical and Electronics Engineering

Exam Month & Year : Dec 2022

### Course code & Name (Theory)

- 01) 17EE21-Power System Protection
- 02) 17EE22-Power Systems Operation and Control
- 03) 17EE23-Solid State Drives
- 04) EE-PE3- (P.Elec.-III) Advanced Control Systems(17EE26)
- 05) EE-PE4- (P.Elec.-IV) Energy Conservation and Audit(17EE28)
- 06) EE-OE2- (O.Elec.-II) Air Pollution and Control(17NP23)
- 07) EE-OE2- (O.Elec.-II) Data Analytics with Python(17NP14)
- 08) EE-OE2- (O.Elec.-II) Java Programming(17CS80)

### Course code & Name (Theory)

- 09) EE-OE2- (O.Elec.-II) The Joy of Computing using Python(17NP13)
- 10) EE-AC3- (Add on course-3) High Voltage Engineering(17EE92)

### Course code & Name (Lab)

- 1) 17EE69-Power Electronics Lab
- 2) 17EE70-Power Systems Lab
- 3) 17PD09-Internship
- 4) 17PD10-Extra-curricular/Co-curricular Activities

| S.No. | H.T.No.    | 17EE21 | 17EE22 | 17EE23 | EE-PE3       | EE-PE4       | EE-OE2       | EE-AC3       | 17EE69 | 17EE70 | 17PD09 | 17PD10 | SGPA |
|-------|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 1     | 18761A0258 | B      | F      | B      | B+<br>17EE26 | A+<br>17EE28 | B<br>17CS80  | A<br>17EE92  | A      | B+     | A+     | SA     | 6.36 |
| 2     | 18761A0294 | F      | F      | P      | F<br>17EE26  | B+<br>17EE28 | F<br>17CS80  | B<br>17EE92  | C      | B+     | A+     | SA     | 3.24 |
| 3     | 19761A0201 | B+     | A      | B      | B<br>17EE26  | A<br>17EE28  | B+<br>17CS80 | B+<br>17EE92 | A      | A      | A+     | SA     | 7.24 |
| 4     | 19761A0202 | A      | A      | B+     | A<br>17EE26  | A+<br>17EE28 | B+<br>17CS80 | B+<br>17EE92 | A+     | B+     | O      | SA     | 7.92 |
| 5     | 19761A0203 | B+     | B+     | A      | B+<br>17EE26 | A+<br>17EE28 | B<br>17CS80  | B+<br>17EE92 | B+     | B+     | A+     | SA     | 7.40 |
| 6     | 19761A0204 | B      | B      | C      | B<br>17EE26  | A<br>17EE28  | B<br>17CS80  | B<br>17EE92  | A      | B+     | A+     | SA     | 6.48 |
| 7     | 19761A0205 | A+     | A      | A+     | O<br>17EE26  | A+<br>17EE28 | B+<br>17NP23 | A+<br>17EE92 | O      | A+     | O      | SA     | 8.88 |
| 8     | 19761A0206 | A+     | A      | B+     | A<br>17EE26  | A+<br>17EE28 | B+<br>17CS80 | B+<br>17EE92 | A      | A+     | O      | SA     | 8.08 |
| 9     | 19761A0207 | B      | B      | P      | B<br>17EE26  | A<br>17EE28  | B<br>17CS80  | B<br>17EE92  | B      | A      | A+     | SA     | 6.32 |
| 10    | 19761A0209 | A      | B+     | B      | A<br>17EE26  | A<br>17EE28  | B+<br>17NP13 | B+<br>17EE92 | A      | A      | A+     | SA     | 7.48 |
| 11    | 19761A0211 | C      | B+     | B+     | B+<br>17EE26 | A<br>17EE28  | B+<br>17CS80 | B<br>17EE92  | A+     | B+     | A      | SA     | 6.92 |

Date: **4 JAN 2023** Verified by 1: *K. Saravanya* 2: *K. Pavani*  
Note: Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*H. K. K. K.*  
CONTROLLER OF EXAMINATIONS

*g. s. s.*  
PRINCIPAL



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Electrical and Electronics Engineering

Exam Month & Year : Dec 2022

|    |            | 17EE21 | 17EE22 | 17EE23 | EE-PE3       | EE-PE4       | EE-OE2       | EE-AC3       | 17EE69 | 17EE70 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 12 | 19761A0212 | B+     | A+     | A      | A<br>17EE26  | A+<br>17EE28 | B+<br>17CS80 | B+<br>17EE92 | A      | A      | A+     | SA     | 7.96 |
| 13 | 19761A0213 | F      | F      | F      | F<br>17EE26  | B<br>17EE28  | F<br>17CS80  | C<br>17EE92  | C      | B+     | A+     | SA     | 2.52 |
| 14 | 19761A0214 | B      | F      | B      | F<br>17EE26  | A+<br>17EE28 | F<br>17CS80  | B<br>17EE92  | B+     | A      | A      | SA     | 4.48 |
| 15 | 19761A0215 | C      | F      | B      | F<br>17EE26  | A+<br>17EE28 | C<br>17CS80  | B+<br>17EE92 | C      | B      | A      | SA     | 4.92 |
| 16 | 19761A0216 | B+     | A      | A      | A<br>17EE26  | A+<br>17EE28 | B+<br>17CS80 | B+<br>17EE92 | A      | A      | A      | SA     | 7.76 |
| 17 | 19761A0218 | B+     | B      | B+     | B<br>17EE26  | A+<br>17EE28 | B<br>17CS80  | B<br>17EE92  | C      | B+     | A+     | SA     | 6.84 |
| 18 | 19761A0219 | B      | A      | B+     | A<br>17EE26  | A+<br>17EE28 | F<br>17CS80  | B+<br>17EE92 | A+     | A+     | A+     | SA     | 6.84 |
| 19 | 19761A0220 | B      | B+     | A      | B+<br>17EE26 | A<br>17EE28  | B+<br>17CS80 | B<br>17EE92  | B      | B+     | O      | SA     | 7.20 |
| 20 | 19761A0221 | B+     | A      | A      | A<br>17EE26  | A+<br>17EE28 | B+<br>17CS80 | A<br>17EE92  | A      | A+     | A+     | SA     | 8.00 |
| 21 | 19761A0223 | A      | A      | A      | A<br>17EE26  | O<br>17EE28  | B+<br>17CS80 | A+<br>17EE92 | A      | A      | A+     | SA     | 8.32 |
| 22 | 19761A0224 | F      | F      | F      | F<br>17EE26  | B<br>17EE28  | F<br>17CS80  | F<br>17EE92  | F      | A      | A+     | SA     | 1.76 |
| 23 | 19761A0225 | A      | A      | B      | A<br>17EE26  | A+<br>17EE28 | B<br>17CS80  | B+<br>17EE92 | A      | A      | A+     | SA     | 7.60 |
| 24 | 19761A0226 | A      | A+     | A      | A+<br>17EE26 | A+<br>17EE28 | B+<br>17CS80 | A<br>17EE92  | A+     | A+     | A+     | SA     | 8.40 |
| 25 | 19761A0227 | A+     | A+     | A      | A<br>17EE26  | O<br>17EE28  | B+<br>17CS80 | A<br>17EE92  | A+     | A      | A+     | SA     | 8.48 |
| 26 | 19761A0228 | F      | F      | F      | F<br>17EE26  | B+<br>17EE28 | F<br>17CS80  | C<br>17EE92  | B      | A      | B+     | SA     | 2.56 |
| 27 | 19761A0229 | A      | A      | B+     | O<br>17EE26  | A<br>17EE28  | A<br>17NP13  | A+<br>17EE92 | A+     | B+     | A+     | SA     | 8.32 |

Date : 4 JAN 2023 Verified by 1: K. Saravane 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Saravane*  
CONTROLLER OF EXAMINATIONS

*K. Saravane*  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Electrical and Electronics Engineering

Exam Month & Year : Dec 2022

|    |            | 17EE21 | 17EE22 | 17EE23 | EE-PE3       | EE-PE4       | EE-OE2       | EE-AC3       | 17EE69 | 17EE70 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 28 | 19761A0230 | B      | A      | B+     | A<br>17EE26  | A<br>17EE28  | B<br>17CS80  | A<br>17EE92  | A      | A      | A      | SA     | 7.40 |
| 29 | 19761A0231 | B      | B      | B      | A+<br>17EE26 | A+<br>17EE28 | A<br>17CS80  | A<br>17EE92  | A      | A      | A+     | SA     | 7.60 |
| 30 | 19761A0232 | A      | A+     | A+     | A+<br>17EE26 | O<br>17EE28  | A<br>17NP13  | A+<br>17EE92 | O      | A+     | O      | SA     | 9.00 |
| 31 | 19761A0233 | F      | B      | P      | F<br>17EE26  | A<br>17EE28  | F<br>17CS80  | B<br>17EE92  | B+     | B+     | A+     | SA     | 4.16 |
| 32 | 19761A0234 | F      | F      | C      | F<br>17EE26  | F<br>17EE28  | F<br>17CS80  | F<br>17EE92  | F      | A      | A+     | SA     | 1.64 |
| 33 | 19761A0235 | F      | P      | F      | F<br>17EE26  | B<br>17EE28  | F<br>17CS80  | F<br>17EE92  | C      | B+     | A      | SA     | 2.32 |
| 34 | 19761A0236 | B+     | A      | B+     | B+<br>17EE26 | A+<br>17EE28 | B+<br>17NP13 | B+<br>17EE92 | B+     | A      | A      | SA     | 7.48 |
| 35 | 19761A0237 | B      | A      | B+     | B+<br>17EE26 | A<br>17EE28  | B<br>17CS80  | B+<br>17EE92 | A      | A      | A+     | SA     | 7.24 |
| 36 | 19761A0238 | F      | F      | F      | F<br>17EE26  | F<br>17EE28  | F<br>17CS80  | F<br>17EE92  | F      | -Ab-   | A+     | SA     | 0.72 |
| 37 | 19761A0239 | A      | A      | B+     | A+<br>17EE26 | A<br>17EE28  | A<br>17CS80  | A+<br>17EE92 | A      | A+     | A+     | SA     | 8.24 |
| 38 | 19761A0240 | F      | B      | C      | B<br>17EE26  | A<br>17EE28  | B<br>17CS80  | B+<br>17EE92 | A+     | A      | A+     | SA     | 5.96 |
| 39 | 19761A0241 | A      | B+     | B+     | A+<br>17EE26 | O<br>17EE28  | A<br>17NP13  | A+<br>17EE92 | A+     | A+     | A+     | SA     | 8.40 |
| 40 | 19761A0242 | B      | B+     | B+     | F<br>17EE26  | A<br>17EE28  | B<br>17CS80  | B<br>17EE92  | C      | A      | A+     | SA     | 6.04 |
| 41 | 19761A0243 | F      | B+     | B      | C<br>17EE26  | A+<br>17EE28 | B<br>17CS80  | B<br>17EE92  | B      | A      | A      | SA     | 5.88 |
| 42 | 19761A0244 | B+     | A+     | A      | A<br>17EE26  | A+<br>17EE28 | A<br>17CS80  | B+<br>17EE92 | A+     | A      | O      | SA     | 8.20 |
| 43 | 19761A0245 | P      | B      | B      | C<br>17EE26  | A<br>17EE28  | B+<br>17NP13 | C<br>17EE92  | A+     | B+     | A      | SA     | 6.20 |

Date : 4 JAN 2023 Verified by 1: K. Saravane 2: K. Pavani

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Saravane*  
CONTROLLER OF EXAMINATIONS

*K. Saravane*  
PRINCIPAL



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Electrical and Electronics Engineering

Exam Month & Year : Dec 2022

|    |            | 17EE21 | 17EE22 | 17EE23 | EE-PE3       | EE-PE4       | EE-OE2       | EE-AC3       | 17EE69 | 17EE70 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 44 | 19761A0246 | C      | B      | B      | F<br>17EE26  | B+<br>17EE28 | A<br>17NP13  | F<br>17EE92  | A      | A+     | A+     | SA     | 5.24 |
| 45 | 19761A0247 | F      | B      | F      | B<br>17EE26  | A<br>17EE28  | C<br>17CS80  | F<br>17EE92  | B+     | B      | A      | SA     | 4.16 |
| 46 | 19761A0248 | B      | A      | C      | A<br>17EE26  | A<br>17EE28  | B<br>17CS80  | B<br>17EE92  | A      | A      | B+     | SA     | 6.84 |
| 47 | 19761A0249 | C      | A      | A      | B+<br>17EE26 | O<br>17EE28  | A<br>17CS80  | B+<br>17EE92 | A      | B+     | A      | SA     | 7.60 |
| 48 | 19761A0250 | B+     | B+     | B+     | B+<br>17EE26 | A+<br>17EE28 | A<br>17NP13  | A<br>17EE92  | A      | A      | A      | SA     | 7.64 |
| 49 | 19761A0251 | A      | A+     | A+     | A<br>17EE26  | A+<br>17EE28 | A<br>17NP13  | A<br>17EE92  | A+     | A+     | O      | SA     | 8.60 |
| 50 | 19761A0252 | A      | A      | A+     | A+<br>17EE26 | O<br>17EE28  | A+<br>17CS80 | A<br>17EE92  | O      | A+     | O      | SA     | 8.88 |
| 51 | 19761A0253 | B+     | A      | B      | A<br>17EE26  | A+<br>17EE28 | B+<br>17CS80 | B+<br>17EE92 | A      | A+     | A+     | SA     | 7.64 |
| 52 | 19761A0254 | F      | -Ab-   | F      | F<br>17EE26  | B<br>17EE28  | F<br>17CS80  | F<br>17EE92  | B      | F      | B+     | SA     | 1.52 |
| 53 | 19761A0255 | A      | A+     | A      | A+<br>17EE26 | O<br>17EE28  | A<br>17NP13  | A<br>17EE92  | A+     | A+     | O      | SA     | 8.72 |
| 54 | 19761A0256 | A      | O      | A+     | A+<br>17EE26 | A+<br>17EE28 | B+<br>17CS80 | A+<br>17EE92 | O      | A+     | O      | SA     | 8.88 |
| 55 | 19761A0257 | F      | B      | B      | F<br>17EE26  | A<br>17EE28  | F<br>17CS80  | B<br>17EE92  | B+     | A      | O      | SA     | 4.52 |
| 56 | 19761A0258 | B+     | A+     | A+     | A+<br>17EE26 | A+<br>17EE28 | A+<br>17CS80 | A<br>17EE92  | O      | A+     | A+     | SA     | 8.68 |
| 57 | 19761A0259 | B      | A      | B+     | A+<br>17EE26 | A+<br>17EE28 | A<br>17NP13  | A<br>17EE92  | A+     | B+     | A+     | SA     | 7.96 |
| 58 | 19761A0260 | -Ab-   | P      | F      | F<br>17EE26  | F<br>17EE28  | F<br>17CS80  | F<br>17EE92  | F      | B+     | A      | SA     | 1.40 |
| 59 | 19761A0262 | A      | A      | A      | A+<br>17EE26 | A+<br>17EE28 | B+<br>17CS80 | A<br>17EE92  | O      | A+     | A+     | SA     | 8.32 |

Date : 4 JAN 2023 Verified by 1: K. Saranya 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Saranya*  
CONTROLLER OF EXAMINATIONS

*K. Saranya*  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Electrical and Electronics Engineering

Exam Month & Year : Dec 2022

|    |            | 17EE21 | 17EE22 | 17EE23 | EE-PE3         | EE-PE4       | EE-OE2         | EE-AC3       | 17EE69 | 17EE70 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|----------------|--------------|----------------|--------------|--------|--------|--------|--------|------|
| 60 | 19761A0263 | B      | C      | C      | B<br>17EE26    | A<br>17EE28  | F<br>17CS80    | B+<br>17EE92 | B      | A      | A      | SA     | 5.64 |
| 61 | 19761A0264 | A      | A      | A      | B<br>17EE26    | B+<br>17EE28 | B+<br>17CS80   | A<br>17EE92  | B+     | A      | A+     | SA     | 7.56 |
| 62 | 19761A0265 | A      | A      | A      | A<br>17EE26    | A<br>17EE28  | B+<br>17CS80   | A<br>17EE92  | A+     | A      | B+     | SA     | 7.84 |
| 63 | 19761A0266 | B+     | A+     | A+     | A<br>17EE26    | A<br>17EE28  | A<br>17NP13    | B+<br>17EE92 | O      | A      | O      | SA     | 8.24 |
| 64 | 19761A0267 | F      | P      | P      | -Ab-<br>17EE26 | B<br>17EE28  | P<br>17CS80    | B<br>17EE92  | B      | B      | B+     | SA     | 3.92 |
| 65 | 19761A0268 | A      | A+     | A+     | B+<br>17EE26   | A+<br>17EE28 | A<br>17CS80    | A+<br>17EE92 | A+     | A+     | O      | SA     | 8.60 |
| 66 | 19761A0269 | B+     | A+     | A+     | A+<br>17EE26   | O<br>17EE28  | A+<br>17CS80   | A<br>17EE92  | A+     | A+     | O      | SA     | 8.84 |
| 67 | 19761A0270 | F      | B+     | C      | B<br>17EE26    | A<br>17EE28  | -Ab-<br>17CS80 | F<br>17EE92  | B+     | A      | O      | SA     | 4.52 |
| 68 | 19761A0271 | F      | P      | F      | F<br>17EE26    | F<br>17EE28  | F<br>17CS80    | B<br>17EE92  | F      | F      | A+     | SA     | 1.92 |
| 69 | 19761A0272 | B      | A      | B+     | B+<br>17EE26   | A<br>17EE28  | F<br>17CS80    | B<br>17EE92  | A+     | A      | A+     | SA     | 6.44 |
| 70 | 19761A0273 | B+     | A+     | A+     | A<br>17EE26    | A<br>17EE28  | A<br>17NP13    | B+<br>17EE92 | A+     | A+     | A+     | SA     | 8.16 |
| 71 | 19761A0274 | A      | A+     | A      | A+<br>17EE26   | A<br>17EE28  | A<br>17NP13    | B+<br>17EE92 | A+     | A+     | O      | SA     | 8.36 |
| 72 | 19761A0275 | A      | A      | A+     | A+<br>17EE26   | A+<br>17EE28 | A+<br>17CS80   | A+<br>17EE92 | A+     | A+     | A+     | SA     | 8.76 |
| 73 | 19761A0276 | B+     | A      | A      | B+<br>17EE26   | A<br>17EE28  | B<br>17CS80    | B+<br>17EE92 | A+     | A      | O      | SA     | 7.60 |
| 74 | 19761A0277 | O      | A+     | A+     | A<br>17EE26    | A+<br>17EE28 | A+<br>17CS80   | A+<br>17EE92 | O      | O      | A+     | SA     | 9.08 |
| 75 | 19761A0278 | A+     | A+     | A+     | A+<br>17EE26   | O<br>17EE28  | A+<br>17NP13   | A+<br>17EE92 | A+     | A+     | A+     | SA     | 9.12 |

Date : 4 JAN 2023 Verified by 1: K. Borayana 2: K. Pavani

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Pavani*  
CONTROLLER OF EXAMINATIONS

*K. Pavani*  
PRINCIPAL



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Electrical and Electronics Engineering

Exam Month & Year : Dec 2022

|    |            | 17EE21 | 17EE22 | 17EE23 | EE-PE3         | EE-PE4       | EE-OE2       | EE-AC3       | 17EE69 | 17EE70 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|----------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 76 | 19761A0279 | B      | B+     | C      | B+<br>17EE26   | A+<br>17EE28 | B<br>17CS80  | A<br>17EE92  | A      | A      | A+     | SA     | 7.12 |
| 77 | 19761A0280 | B+     | A      | A      | A<br>17EE26    | A+<br>17EE28 | B+<br>17CS80 | B+<br>17EE92 | A+     | A+     | A+     | SA     | 7.92 |
| 78 | 19761A0281 | B      | B+     | B+     | B+<br>17EE26   | B+<br>17EE28 | B+<br>17CS80 | B+<br>17EE92 | A+     | A      | O      | SA     | 7.24 |
| 79 | 19761A0283 | B      | A      | B+     | B+<br>17EE26   | A+<br>17EE28 | B+<br>17CS80 | B<br>17EE92  | A+     | A      | O      | SA     | 7.48 |
| 80 | 19761A0284 | B+     | A+     | B+     | A+<br>17EE26   | A+<br>17EE28 | A<br>17CS80  | A<br>17EE92  | A      | A      | A+     | SA     | 8.20 |
| 81 | 19761A0285 | F      | C      | F      | -Ab-<br>17EE26 | B+<br>17EE28 | F<br>17CS80  | P<br>17EE92  | C      | B+     | A+     | SA     | 3.12 |
| 82 | 19761A0286 | P      | B+     | P      | B<br>17EE26    | B<br>17EE28  | B<br>17CS80  | B+<br>17EE92 | A      | A      | A+     | SA     | 6.16 |
| 83 | 19761A0287 | B+     | B      | A      | A<br>17EE26    | A+<br>17EE28 | B+<br>17CS80 | A<br>17EE92  | A+     | A+     | A+     | SA     | 7.80 |
| 84 | 19761A0288 | B+     | B+     | B+     | A<br>17EE26    | O<br>17EE28  | A<br>17CS80  | A<br>17EE92  | O      | A+     | A+     | SA     | 8.08 |
| 85 | 19761A0289 | F      | F      | B      | F<br>17EE26    | B<br>17EE28  | F<br>17CS80  | P<br>17EE92  | B      | B+     | A+     | SA     | 3.16 |
| 86 | 19761A0290 | A      | A      | A      | A<br>17EE26    | A<br>17EE28  | B+<br>17NP13 | A<br>17EE92  | O      | A      | A+     | SA     | 8.04 |
| 87 | 19761A0293 | B      | A      | A+     | B+<br>17EE26   | A+<br>17EE28 | B<br>17CS80  | A<br>17EE92  | A+     | A      | O      | SA     | 7.84 |
| 88 | 19761A0294 | P      | B+     | C      | P<br>17EE26    | B<br>17EE28  | F<br>17CS80  | F<br>17EE92  | B      | B+     | A      | SA     | 4.28 |
| 89 | 19761A0295 | B      | A      | B+     | B+<br>17EE26   | A<br>17EE28  | A<br>17NP13  | A<br>17EE92  | A+     | A      | O      | SA     | 7.72 |
| 90 | 19761A0296 | B      | A      | B+     | A<br>17EE26    | A<br>17EE28  | B<br>17CS80  | B+<br>17EE92 | B+     | A+     | O      | SA     | 7.44 |
| 91 | 19761A0298 | A      | B+     | A      | A<br>17EE26    | A+<br>17EE28 | B<br>17NP13  | A<br>17EE92  | A+     | A      | A+     | SA     | 7.88 |

Date : 4 JAN 2023 Verified by 1: K. Saravanan 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Saravanan*  
CONTROLLER OF EXAMINATIONS

*a.m.v*  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Electrical and Electronics Engineering

Exam Month & Year : Dec 2022

|     |            | 17EE21 | 17EE22 | 17EE23 | EE-PE3       | EE-PE4       | EE-OE2       | EE-AC3       | 17EE69 | 17EE70 | 17PD09 | 17PD10 | SGPA |
|-----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 92  | 19761A0299 | B      | B      | B      | B<br>17EE26  | B<br>17EE28  | B<br>17CS80  | B+<br>17EE92 | A      | A+     | O      | SA     | 6.64 |
| 93  | 19761A02A0 | B+     | B+     | B+     | B<br>17EE26  | B+<br>17EE28 | B<br>17CS80  | B+<br>17EE92 | A      | A      | O      | SA     | 7.08 |
| 94  | 19761A02A1 | B+     | A      | A      | A+<br>17EE26 | A+<br>17EE28 | A<br>17NP13  | A<br>17EE92  | O      | A+     | O      | SA     | 8.40 |
| 95  | 19761A02A2 | C      | B+     | B+     | B+<br>17EE26 | A<br>17EE28  | C<br>17CS80  | B+<br>17EE92 | O      | A      | O      | SA     | 7.04 |
| 96  | 19761A02A3 | B      | B+     | A      | B+<br>17EE26 | A<br>17EE28  | B+<br>17CS80 | B<br>17EE92  | A+     | B+     | A+     | SA     | 7.24 |
| 97  | 19761A02A4 | B+     | A      | B+     | A+<br>17EE26 | A<br>17EE28  | B+<br>17CS80 | F<br>17EE92  | A+     | A      | A+     | SA     | 6.92 |
| 98  | 19761A02A5 | B+     | A      | B+     | B+<br>17EE26 | A<br>17EE28  | B<br>17CS80  | B+<br>17EE92 | A+     | A+     | O      | SA     | 7.52 |
| 99  | 19761A02A6 | P      | B      | C      | B<br>17EE26  | B+<br>17EE28 | F<br>17CS80  | B<br>17EE92  | A+     | A+     | O      | SA     | 5.60 |
| 100 | 19761A02A7 | B+     | B+     | F      | B+<br>17EE26 | A<br>17EE28  | B<br>17CS80  | B<br>17EE92  | A      | A      | A+     | SA     | 6.28 |
| 101 | 19761A02A8 | B      | A      | B      | B<br>17EE26  | A+<br>17EE28 | B+<br>17NP13 | B<br>17EE92  | A      | A+     | O      | SA     | 7.24 |
| 102 | 19761A02A9 | A      | A      | B      | A+<br>17EE26 | A<br>17EE28  | A<br>17NP14  | A<br>17EE92  | A      | A      | O      | SA     | 8.04 |
| 103 | 20765A0201 | A      | A+     | A      | B+<br>17EE26 | O<br>17EE28  | B+<br>17CS80 | A<br>17EE92  | A+     | A      | B+     | SA     | 8.08 |
| 104 | 20765A0202 | B+     | A+     | A+     | A<br>17EE26  | A+<br>17EE28 | A<br>17NP13  | A<br>17EE92  | O      | A+     | A+     | SA     | 8.44 |
| 105 | 20765A0203 | A      | A+     | A+     | O<br>17EE26  | A+<br>17EE28 | A<br>17CS80  | A+<br>17EE92 | A      | A+     | A      | SA     | 8.76 |
| 106 | 20765A0204 | A      | A      | A+     | A+<br>17EE26 | A+<br>17EE28 | A<br>17CS80  | B+<br>17EE92 | A+     | A+     | A      | SA     | 8.32 |
| 107 | 20765A0205 | B+     | A      | A      | A<br>17EE26  | A+<br>17EE28 | A<br>17NP13  | A<br>17EE92  | A+     | A      | A+     | SA     | 8.12 |

Date : 4 JAN 2023 Verified by 1: K. Subrahmanya 2: K. Pavani

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*Handwritten signature*  
CONTROLLER OF EXAMINATIONS

*Handwritten signature*  
PRINCIPAL



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Electrical and Electronics Engineering

Exam Month & Year : Dec 2022

|     |            | 17EE21 | 17EE22 | 17EE23 | EE-PE3       | EE-PE4       | EE-OE2       | EE-AC3       | 17EE69 | 17EE70 | 17PD09 | 17PD10 | SGPA |
|-----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 108 | 20765A0206 | A      | A+     | A+     | O<br>17EE26  | O<br>17EE28  | A+<br>17CS80 | A+<br>17EE92 | A+     | A+     | A      | SA     | 9.04 |
| 109 | 20765A0207 | B      | C      | B      | B<br>17EE26  | A+<br>17EE28 | B<br>17CS80  | B<br>17EE92  | A+     | B+     | A+     | SA     | 6.64 |
| 110 | 20765A0208 | A      | A      | A+     | A+<br>17EE26 | A+<br>17EE28 | A<br>17NP13  | A+<br>17EE92 | O      | A+     | O      | SA     | 8.76 |
| 111 | 20765A0209 | A+     | A+     | O      | O<br>17EE26  | A+<br>17EE28 | A<br>17CS80  | A+<br>17EE92 | O      | A+     | O      | SA     | 9.24 |
| 112 | 20765A0210 | B+     | B+     | F      | B+<br>17EE26 | A+<br>17EE28 | B+<br>17CS80 | A<br>17EE92  | A+     | A      | O      | SA     | 6.88 |
| 113 | 20765A0211 | F      | C      | B      | C<br>17EE26  | B+<br>17EE28 | F<br>17CS80  | B<br>17EE92  | A+     | B+     | A+     | SA     | 4.84 |
| 114 | 20765A0212 | B+     | A+     | A+     | A+<br>17EE26 | O<br>17EE28  | B+<br>17CS80 | B+<br>17EE92 | O      | A+     | A+     | SA     | 8.44 |
| 115 | 20765A0213 | A      | A+     | A      | A+<br>17EE26 | A<br>17EE28  | B+<br>17CS80 | A<br>17EE92  | A+     | A+     | O      | SA     | 8.36 |
| 116 | 20765A0214 | A      | A+     | A      | A<br>17EE26  | A+<br>17EE28 | B<br>17CS80  | A+<br>17EE92 | A+     | A+     | O      | SA     | 8.36 |
| 117 | 20765A0215 | B+     | A+     | B+     | B+<br>17EE26 | B+<br>17EE28 | A<br>17NP13  | B<br>17EE92  | A+     | A+     | A+     | SA     | 7.56 |
| 118 | 20765A0216 | A+     | A      | B+     | A+<br>17EE26 | A+<br>17EE28 | B+<br>17CS80 | A<br>17EE92  | A+     | A      | A+     | SA     | 8.24 |
| 119 | 20765A0217 | A      | A+     | B+     | A<br>17EE26  | A+<br>17EE28 | B+<br>17CS80 | B+<br>17EE92 | A+     | A+     | O      | SA     | 8.12 |
| 120 | 20765A0218 | B+     | A+     | A      | A<br>17EE26  | A+<br>17EE28 | F<br>17CS80  | B+<br>17EE92 | A+     | A+     | O      | SA     | 7.28 |
| 121 | 20765A0219 | B      | A      | B      | B<br>17EE26  | O<br>17EE28  | B<br>17NP13  | B<br>17EE92  | A+     | A+     | A+     | SA     | 7.20 |
| 122 | 20765A0220 | A      | B+     | A      | B+<br>17EE26 | A+<br>17EE28 | B+<br>17CS80 | B+<br>17EE92 | A+     | A+     | A+     | SA     | 7.80 |
| 123 | 20765A0221 | B      | B+     | A      | B<br>17EE26  | B+<br>17EE28 | F<br>17CS80  | B<br>17EE92  | A+     | A      | A+     | SA     | 6.20 |

Date : 4 JAN 2023 Verified by 1: Kiranrajane 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Pavani*  
CONTROLLER OF EXAMINATIONS

*K. Pavani*  
PRINCIPAL





LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Electrical and Electronics Engineering

Exam Month & Year : Dec 2022

|     |            | 17EE21 | 17EE22 | 17EE23 | EE-PE3       | EE-PE4       | EE-OE2       | EE-AC3       | 17EE69 | 17EE70 | 17PD09 | 17PD10 | SGPA |
|-----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 124 | 20765A0222 | A      | A+     | A      | A+<br>17EE26 | A+<br>17EE28 | B+<br>17CS80 | B+<br>17EE92 | O      | A+     | A      | SA     | 8.24 |

Date : 4 JAN 2023 Verified by 1: K. Subramanyam 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Subramanyam*  
CONTROLLER OF EXAMINATIONS

*K. Pavani*  
PRINCIPAL



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Result Sheet (Re-admitted Student)

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Electrical and Electronics Engineering

Exam Month & Year : Dec 2022

### Course code & Name (Theory)

- 01) 17EE21-Power System Protection
- 02) 17EE22-Power Systems Operation and Control
- 03) 17EE23-Solid State Drives
- 04) EE-PE3- (P.Elec.-III) Advanced Control Systems(17EE26)
- 05) EE-PE4- (P.Elec.-IV) Energy Conservation and Audit(17EE28)
- 06) EE-OE2- (O.Elec.-II) Java Programming(17CS80)
- 07) EE-AC3- (Add on course-3) High Voltage Engineering(17EE92)

### Course code & Name (Lab)

- 1) 17EE69-Power Electronics Lab
- 2) 17EE70-Power Systems Lab
- 3) 17PD09-Internship
- 4) 17PD10-Extra-curricular/Co-curricular Activities

| S.No. | H.T.No.    | 17EE21 | 17EE22 | 17EE23 | EE-PE3      | EE-PE4       | EE-OE2      | EE-AC3      | 17EE69 | 17EE70 | 17PD09 | 17PD10 | SGPA |
|-------|------------|--------|--------|--------|-------------|--------------|-------------|-------------|--------|--------|--------|--------|------|
| 1     | 18761A0283 | P      | C      | C      | F<br>17EE26 | B+<br>17EE28 | F<br>17CS80 | B<br>17EE92 | F      | F      | A+     | SA     | 3.96 |

Date : 4 JAN 2023 Verified by 1: K. Srinivasan 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

  
CONTROLLER OF EXAMINATIONS

  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Electronics and Instrumentation Engineering

Exam Month & Year : Dec 2022

### Course code & Name (Theory)

- 01) 17EI15-PC Based Instrumentation
- 02) 17EI16-PLC and SCADA
- 03) 17EI17-Analytical Instrumentation
- 04) EI-PE3- (P.Elec.-III) Micro Electro Mechanical Systems(17EI18)
- 05) EI-PE4- (P.Elec.-IV) Instrumentation in Petro Chemical Industries(17EI23)
- 06) EI-OE2- (O.Elec.-II) Satellite Technology(17EC80)
- 07) EI-OE2- (O.Elec.-II) The Joy of Computing using Python(17NP13)
- 08) EI-AC3- (Add on course-3) Telemetry and Telemedicine(17EI92)

### Course code & Name (Lab)

- 1) 17EI65-Analytical instrumentation and PC Based Instrumentation Lab
- 2) 17EI66-Programmable Logic Controllers Lab
- 3) 17PD09-Internship
- 4) 17PD10-Extra-curricular/Co-curricular Activities

| S.No. | H.T.No.    | 17EI15 | 17EI16 | 17EI17 | EI-PE3       | EI-PE4       | EI-OE2       | EI-AC3       | 17EI65 | 17EI66 | 17PD09 | 17PD10 | SGPA |
|-------|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 1     | 19761A1001 | A+     | A+     | A+     | A+<br>17EI18 | A+<br>17EI23 | A+<br>17EC80 | A<br>17EI92  | O      | A+     | O      | SA     | 9.00 |
| 2     | 19761A1002 | A+     | A      | A+     | A+<br>17EI18 | A+<br>17EI23 | A<br>17NP13  | B+<br>17EI92 | O      | A+     | O      | SA     | 8.64 |
| 3     | 19761A1003 | A+     | A      | A      | A<br>17EI18  | A<br>17EI23  | B+<br>17NP13 | A<br>17EI92  | A+     | A+     | A      | SA     | 8.08 |
| 4     | 19761A1004 | A+     | A+     | A+     | A+<br>17EI18 | A+<br>17EI23 | B+<br>17NP13 | A+<br>17EI92 | O      | A+     | O      | SA     | 8.88 |
| 5     | 19761A1006 | O      | A+     | A      | A+<br>17EI18 | A+<br>17EI23 | B+<br>17NP13 | A<br>17EI92  | A+     | A+     | A+     | SA     | 8.64 |
| 6     | 19761A1007 | B+     | B      | B      | B+<br>17EI18 | B+<br>17EI23 | B+<br>17EC80 | B<br>17EI92  | A      | B+     | A      | SA     | 6.76 |
| 7     | 19761A1008 | A      | B+     | B+     | A<br>17EI18  | B+<br>17EI23 | B+<br>17NP13 | B+<br>17EI92 | A      | A      | O      | SA     | 7.56 |
| 8     | 19761A1009 | B      | B      | P      | B<br>17EI18  | B<br>17EI23  | B<br>17EC80  | B<br>17EI92  | B      | B      | B      | SA     | 5.76 |
| 9     | 19761A1011 | B+     | B      | B+     | B+<br>17EI18 | A<br>17EI23  | A<br>17EC80  | A<br>17EI92  | A      | A      | A      | SA     | 7.40 |
| 10    | 19761A1014 | B+     | B      | B      | B+<br>17EI18 | B+<br>17EI23 | B<br>17EC80  | B+<br>17EI92 | A      | B      | B+     | SA     | 6.64 |
| 11    | 19761A1015 | B+     | B+     | A      | B+<br>17EI18 | B<br>17EI23  | B+<br>17EC80 | B+<br>17EI92 | A      | A      | A      | SA     | 7.16 |

Date : 4 JAN 2023 Verified by 1: K. Saravanan 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Saravanan*  
CONTROLLER OF EXAMINATIONS

*K. Saravanan*  
PRINCIPAL



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Electronics and Instrumentation Engineering

Exam Month & Year : Dec 2022

|    |            | 17EI15 | 17EI16 | 17EI17 | EI-PE3       | EI-PE4       | EI-OE2       | EI-AC3       | 17EI65 | 17EI66 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 12 | 19761A1016 | B+     | B+     | A+     | A+<br>17EI18 | A<br>17EI23  | A+<br>17EC80 | A<br>17EI92  | A      | A      | A+     | SA     | 8.20 |
| 13 | 19761A1017 | B+     | B      | P      | B<br>17EI18  | B<br>17EI23  | C<br>17EC80  | B<br>17EI92  | B      | B+     | B      | SA     | 5.80 |
| 14 | 19761A1018 | B      | P      | B      | B<br>17EI18  | A<br>17EI23  | B<br>17EC80  | B+<br>17EI92 | A      | B+     | B+     | SA     | 6.32 |
| 15 | 19761A1019 | A      | A      | A      | B+<br>17EI18 | A<br>17EI23  | B+<br>17NP13 | B<br>17EI92  | A+     | A      | A      | SA     | 7.56 |
| 16 | 19761A1020 | A      | B+     | B+     | B<br>17EI18  | A<br>17EI23  | B<br>17EC80  | B+<br>17EI92 | B+     | A      | B      | SA     | 6.96 |
| 17 | 19761A1021 | A      | B+     | C      | F<br>17EI18  | B+<br>17EI23 | B+<br>17EC80 | B+<br>17EI92 | A      | B+     | A+     | SA     | 6.24 |
| 18 | 19761A1023 | B+     | B+     | B      | A<br>17EI18  | B+<br>17EI23 | A<br>17NP13  | B<br>17EI92  | A+     | A+     | A+     | SA     | 7.32 |
| 19 | 20765A1001 | B+     | B      | C      | B<br>17EI18  | B<br>17EI23  | B<br>17EC80  | B+<br>17EI92 | B+     | B+     | A      | SA     | 6.36 |
| 20 | 20765A1002 | B+     | B      | B      | B<br>17EI18  | A<br>17EI23  | B<br>17EC80  | A<br>17EI92  | A      | A      | A      | SA     | 6.92 |
| 21 | 20765A1003 | B      | B      | B      | B<br>17EI18  | B+<br>17EI23 | B+<br>17EC80 | B<br>17EI92  | B+     | B+     | B+     | SA     | 6.40 |
| 22 | 20765A1004 | A      | B      | B+     | A<br>17EI18  | A<br>17EI23  | B<br>17EC80  | B<br>17EI92  | A      | B+     | B+     | SA     | 7.04 |
| 23 | 20765A1005 | B      | B      | B      | B<br>17EI18  | B+<br>17EI23 | B+<br>17EC80 | B<br>17EI92  | B      | B+     | B      | SA     | 6.28 |
| 24 | 20765A1006 | B+     | B      | B      | B+<br>17EI18 | B+<br>17EI23 | B<br>17EC80  | B+<br>17EI92 | B+     | B+     | A      | SA     | 6.72 |
| 25 | 20765A1007 | A+     | A      | A      | B+<br>17EI18 | A<br>17EI23  | A<br>17EC80  | A<br>17EI92  | A+     | A      | A      | SA     | 8.04 |
| 26 | 20765A1008 | A+     | B+     | A      | A<br>17EI18  | A+<br>17EI23 | A<br>17EC80  | A<br>17EI92  | O      | A+     | O      | SA     | 8.40 |
| 27 | 20765A1009 | A+     | A      | A      | A<br>17EI18  | A<br>17EI23  | A+<br>17EC80 | A<br>17EI92  | O      | A+     | A+     | SA     | 8.44 |

Date : 4 JAN 2023 Verified by 1 : K. Saranyani 2 : K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Saranyani*  
CONTROLLER OF EXAMINATIONS

*K. Pavani*  
PRINCIPAL



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Electronics and Instrumentation Engineering

Exam Month & Year : Dec 2022

|    |            | 17EI15 | 17EI16 | 17EI17 | EI-PE3       | EI-PE4       | EI-OE2       | EI-AC3       | 17EI65 | 17EI66 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 28 | 20765A1010 | A      | B+     | B+     | B+<br>17EI18 | A<br>17EI23  | B+<br>17EC80 | B+<br>17EI92 | A+     | A      | A+     | SA     | 7.52 |
| 29 | 20765A1011 | A      | A      | A      | A<br>17EI18  | A<br>17EI23  | B<br>17EC80  | B+<br>17EI92 | A+     | A      | A      | SA     | 7.68 |
| 30 | 20765A1012 | A      | B+     | B      | B+<br>17EI18 | A<br>17EI23  | B<br>17EC80  | B+<br>17EI92 | A      | B+     | B      | SA     | 6.96 |
| 31 | 20765A1013 | A      | B+     | A+     | A+<br>17EI18 | A<br>17EI23  | A+<br>17EC80 | A<br>17EI92  | O      | A      | A+     | SA     | 8.40 |
| 32 | 20765A1014 | B      | C      | C      | B<br>17EI18  | B<br>17EI23  | B<br>17EC80  | C<br>17EI92  | A      | A+     | A+     | SA     | 6.08 |
| 33 | 20765A1015 | B+     | B+     | B      | B<br>17EI18  | B+<br>17EI23 | B<br>17EC80  | B<br>17EI92  | B+     | A      | B      | SA     | 6.48 |

Date : 4 JAN 2023 Verified by 1: K. Saravanan 2: K. Pavani

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Saravanan*  
CONTROLLER OF EXAMINATIONS

*K. Pavani*  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Result Sheet (Re-admitted Student)

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Electronics and Instrumentation Engineering

Exam Month & Year : Dec 2022

### Course code & Name (Theory)

- 01) 17EI15-PC Based Instrumentation
- 02) 17EI16-PLC and SCADA
- 03) 17EI17-Analytical Instrumentation
- 04) EI-PE3- (P.Elec.-III) Micro Electro Mechanical Systems(17EI18)
- 05) EI-PE4- (P.Elec.-IV) Instrumentation in Petro Chemical Industries(17EI23)
- 06) EI-OE2- (O.Elec.-II) Satellite Technology(17EC80)
- 07) EI-AC3- (Add on course-3) Telemetry and Telemedicine(17EI92)

### Course code & Name (Lab)

- 1) 17EI65-Analytical instrumentation and PC Based Instrumentation Lab
- 2) 17EI66-Programmable Logic Controllers Lab
- 3) 17PD09-Internship
- 4) 17PD10-Extra-curricular/Co-curricular Activities

| S.No. | H.T.No.    | 17EI15 | 17EI16 | 17EI17 | EI-PE3      | EI-PE4      | EI-OE2      | EI-AC3      | 17EI65 | 17EI66 | 17PD09 | 17PD10 | SGPA |
|-------|------------|--------|--------|--------|-------------|-------------|-------------|-------------|--------|--------|--------|--------|------|
| 1     | 18761A1006 | F      | C      | F      | F<br>17EI18 | B<br>17EI23 | F<br>17EC80 | F<br>17EI92 | B      | B      | B      | SA     | 2.28 |

Date : 4 JAN 2023 Verified by 1: K. Saravanan 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

  
CONTROLLER OF EXAMINATIONS

  
PRINCIPAL



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Information Technology

### Course code & Name (Theory)

- 01) 17CI18-Big Data Analytics
- 02) 17CI19-Internet of Things
- 03) 17CI29-Cloud Computing
- 04) IT-PE3- (P.Elec.-III) Software Requirements Engineering(17CI27)
- 05) IT-PE4- (P.Elec.-IV) Design Patterns(17IT12)
- 06) IT-OE2- (O.Elec.-II) Data Analytics with Python(17NP14)
- 07) IT-OE2- (O.Elec.-II) Social Networks(17NP22)
- 08) IT-OE2- (O.Elec.-II) Utilization of Electrical Energy(17EE81)

### Course code & Name (Theory)

- 09) IT-AC3- (Add on course-3) Bio-Informatics(17IT92)

### Course code & Name (Lab)

- 1) 17CI68-Big Data with HADOOP Lab
- 2) 17CI69-Internet of Things Lab
- 3) 17PD09-Internship
- 4) 17PD10-Extra-curricular/Co-curricular Activities

| S.No. | H.T.No.    | 17CI18 | 17CI19 | 17CI29 | IT-PE3       | IT-PE4       | IT-OE2       | IT-AC3       | 17CI68 | 17CI69 | 17PD09 | 17PD10 | SGPA |
|-------|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 1     | 19761A1201 | A+     | A+     | A+     | O<br>17CI27  | A+<br>17IT12 | A+<br>17EE81 | A<br>17IT92  | O      | O      | O      | SA     | 9.16 |
| 2     | 19761A1202 | A      | A      | A      | A+<br>17CI27 | B+<br>17IT12 | B<br>17NP14  | A+<br>17IT92 | A+     | A+     | O      | SA     | 8.12 |
| 3     | 19761A1203 | A      | A+     | A      | A+<br>17CI27 | A+<br>17IT12 | B<br>17NP22  | A<br>17IT92  | A+     | O      | A+     | SA     | 8.32 |
| 4     | 19761A1204 | B+     | A      | B+     | A+<br>17CI27 | A<br>17IT12  | A+<br>17EE81 | B+<br>17IT92 | A+     | O      | O      | SA     | 8.16 |
| 5     | 19761A1205 | A      | A+     | A      | A+<br>17CI27 | A<br>17IT12  | A+<br>17EE81 | A+<br>17IT92 | A+     | A+     | A+     | SA     | 8.64 |
| 6     | 19761A1207 | A      | A+     | B+     | A<br>17CI27  | A<br>17IT12  | A+<br>17EE81 | B+<br>17IT92 | A+     | A+     | O      | SA     | 8.24 |
| 7     | 19761A1208 | B+     | A+     | A      | A<br>17CI27  | B+<br>17IT12 | B<br>17NP22  | B+<br>17IT92 | A+     | A+     | O      | SA     | 7.76 |
| 8     | 19761A1209 | B      | A+     | A      | A+<br>17CI27 | B+<br>17IT12 | B<br>17NP14  | A<br>17IT92  | O      | A+     | O      | SA     | 7.92 |
| 9     | 19761A1210 | B+     | A      | A      | A+<br>17CI27 | B+<br>17IT12 | A<br>17EE81  | B+<br>17IT92 | A+     | A+     | A      | SA     | 7.84 |
| 10    | 19761A1211 | C      | B      | C      | B+<br>17CI27 | B<br>17IT12  | B<br>17NP22  | B<br>17IT92  | A      | A      | A      | SA     | 6.20 |
| 11    | 19761A1212 | A      | A+     | A+     | O<br>17CI27  | A<br>17IT12  | B+<br>17NP22 | A<br>17IT92  | O      | O      | O      | SA     | 8.68 |

Date: 4 JAN 2023

Verified by 1: K. Narayana 2: K. Pavani

CONTROLLER OF EXAMINATIONS

PRINCIPAL

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Information Technology

Exam Month & Year : Dec 2022

|    |            | 17CI18 | 17CI19 | 17CI29 | IT-PE3       | IT-PE4       | IT-OE2       | IT-AC3       | 17CI68 | 17CI69 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 12 | 19761A1213 | F      | C      | B      | B<br>17CI27  | B+<br>17IT12 | F<br>17EE81  | B+<br>17IT92 | A      | A      | A+     | SA     | 5.08 |
| 13 | 19761A1214 | B      | A      | A      | A+<br>17CI27 | B+<br>17IT12 | A<br>17EE81  | B+<br>17IT92 | A+     | A+     | A+     | SA     | 7.80 |
| 14 | 19761A1215 | B+     | A      | B+     | A<br>17CI27  | B+<br>17IT12 | A<br>17EE81  | B+<br>17IT92 | A+     | A+     | A+     | SA     | 7.68 |
| 15 | 19761A1216 | A      | A+     | A      | A<br>17CI27  | A<br>17IT12  | B<br>17NP22  | B+<br>17IT92 | A+     | A+     | A+     | SA     | 7.92 |
| 16 | 19761A1217 | B      | B+     | A      | A<br>17CI27  | B+<br>17IT12 | A<br>17EE81  | B<br>17IT92  | A+     | A      | A+     | SA     | 7.40 |
| 17 | 19761A1218 | B      | A      | A      | A<br>17CI27  | B+<br>17IT12 | A<br>17EE81  | B<br>17IT92  | A      | A+     | A+     | SA     | 7.52 |
| 18 | 19761A1219 | B+     | B+     | B      | B+<br>17CI27 | B<br>17IT12  | B+<br>17EE81 | B<br>17IT92  | A      | A      | A      | SA     | 6.80 |
| 19 | 19761A1220 | B      | A      | A      | A<br>17CI27  | B+<br>17IT12 | A<br>17EE81  | B<br>17IT92  | A      | A      | A      | SA     | 7.40 |
| 20 | 19761A1222 | A      | A      | A      | A+<br>17CI27 | B+<br>17IT12 | A+<br>17EE81 | A<br>17IT92  | A+     | A+     | A+     | SA     | 8.28 |
| 21 | 19761A1223 | B+     | A      | B      | A<br>17CI27  | B+<br>17IT12 | B<br>17NP22  | B+<br>17IT92 | A+     | A+     | A+     | SA     | 7.32 |
| 22 | 19761A1224 | B+     | A      | A      | A+<br>17CI27 | A<br>17IT12  | A<br>17EE81  | B+<br>17IT92 | A      | A+     | A+     | SA     | 8.00 |
| 23 | 19761A1225 | B+     | A      | C      | A<br>17CI27  | B+<br>17IT12 | B<br>17NP22  | F<br>17IT92  | A+     | A      | A      | SA     | 6.24 |
| 24 | 19761A1226 | B      | B      | B      | B+<br>17CI27 | B<br>17IT12  | B+<br>17EE81 | C<br>17IT92  | A      | A      | A      | SA     | 6.44 |
| 25 | 19761A1227 | F      | B      | B      | A<br>17CI27  | B<br>17IT12  | A<br>17EE81  | B<br>17IT92  | A      | A      | A+     | SA     | 6.16 |
| 26 | 19761A1228 | A      | A+     | A+     | A+<br>17CI27 | A<br>17IT12  | A<br>17EE81  | A<br>17IT92  | O      | A+     | O      | SA     | 8.64 |
| 27 | 19761A1229 | B      | B+     | B      | A<br>17CI27  | B+<br>17IT12 | A<br>17EE81  | C<br>17IT92  | A+     | A+     | A+     | SA     | 7.08 |

Date : 4 JAN 2023 Verified by 1: *K. Sarayana* 2: *K. Pavani*  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*H. K. S.*  
CONTROLLER OF EXAMINATIONS

*g. w. d.*  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Information Technology

|    |            | 17CI18 | 17CI19 | 17CI29 | IT-PE3       | IT-PE4       | IT-OE2       | IT-AC3       | 17CI68 | 17CI69 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 28 | 19761A1230 | C      | C      | F      | B<br>17CI27  | C<br>17IT12  | B+<br>17EE81 | F<br>17IT92  | B+     | A      | A      | SA     | 4.60 |
| 29 | 19761A1231 | B+     | A      | A      | A+<br>17CI27 | A<br>17IT12  | A+<br>17EE81 | B+<br>17IT92 | A+     | A+     | A+     | SA     | 8.16 |
| 30 | 19761A1232 | B+     | A      | A      | A+<br>17CI27 | A+<br>17IT12 | A+<br>17EE81 | B+<br>17IT92 | A+     | A+     | A+     | SA     | 8.28 |
| 31 | 19761A1233 | A      | A      | A      | O<br>17CI27  | A<br>17IT12  | B<br>17NP22  | A<br>17IT92  | A+     | O      | A+     | SA     | 8.20 |
| 32 | 19761A1234 | F      | C      | F      | F<br>17CI27  | F<br>17IT12  | B<br>17EE81  | F<br>17IT92  | B+     | A      | A      | SA     | 2.56 |
| 33 | 19761A1235 | B+     | A+     | B+     | A+<br>17CI27 | B+<br>17IT12 | B<br>17NP22  | B+<br>17IT92 | A      | O      | A+     | SA     | 7.68 |
| 34 | 19761A1236 | B      | B      | F      | A<br>17CI27  | B<br>17IT12  | B+<br>17EE81 | B+<br>17IT92 | A      | A      | A+     | SA     | 6.16 |
| 35 | 19761A1237 | B+     | A      | B+     | A+<br>17CI27 | B<br>17IT12  | A<br>17EE81  | B<br>17IT92  | O      | A+     | A      | SA     | 7.52 |
| 36 | 19761A1238 | C      | F      | F      | B+<br>17CI27 | B<br>17IT12  | B<br>17EE81  | C<br>17IT92  | A      | A      | A      | SA     | 4.76 |
| 37 | 19761A1239 | A      | A+     | A      | A+<br>17CI27 | B+<br>17IT12 | A<br>17NP22  | B+<br>17IT92 | A+     | O      | A+     | SA     | 8.20 |
| 38 | 19761A1240 | B      | A      | B      | B<br>17CI27  | F<br>17IT12  | B<br>17EE81  | F<br>17IT92  | A+     | A      | A      | SA     | 5.16 |
| 39 | 19761A1241 | F      | B      | B      | F<br>17CI27  | B<br>17IT12  | B+<br>17EE81 | B<br>17IT92  | B+     | A      | A      | SA     | 4.96 |
| 40 | 19761A1242 | B+     | B+     | A      | A<br>17CI27  | B+<br>17IT12 | A<br>17EE81  | B+<br>17IT92 | A      | A+     | A+     | SA     | 7.64 |
| 41 | 19761A1243 | A      | A+     | A      | A+<br>17CI27 | A<br>17IT12  | B+<br>17NP22 | A<br>17IT92  | O      | O      | A+     | SA     | 8.36 |
| 42 | 19761A1244 | B+     | A      | A      | A<br>17CI27  | A<br>17IT12  | B<br>17NP22  | A<br>17IT92  | A+     | A+     | A+     | SA     | 7.80 |
| 43 | 19761A1245 | F      | P      | P      | F<br>17CI27  | F<br>17IT12  | C<br>17EE81  | P<br>17IT92  | B+     | A      | A      | SA     | 3.28 |

Date : 4 JAN 2023 Verified by 1: K. Kobayashi 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Kobayashi*  
CONTROLLER OF EXAMINATIONS

*K. Pavani*  
PRINCIPAL



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Information Technology

Exam Month & Year : Dec 2022

|    |            | 17CI18 | 17CI19 | 17CI29 | IT-PE3       | IT-PE4       | IT-OE2       | IT-AC3       | 17CI68 | 17CI69 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 44 | 19761A1246 | A+     | A+     | A      | A+<br>17CI27 | A<br>17IT12  | B<br>17NP22  | A<br>17IT92  | O      | O      | O      | SA     | 8.44 |
| 45 | 19761A1247 | B+     | A      | B+     | A<br>17CI27  | B+<br>17IT12 | A<br>17EE81  | A<br>17IT92  | A+     | O      | A+     | SA     | 7.84 |
| 46 | 19761A1248 | A      | A+     | A+     | O<br>17CI27  | A<br>17IT12  | A<br>17NP14  | A+<br>17IT92 | O      | O      | O      | SA     | 8.92 |
| 47 | 19761A1249 | B      | B      | B+     | B+<br>17CI27 | B<br>17IT12  | B<br>17EE81  | B<br>17IT92  | A+     | A      | A+     | SA     | 6.68 |
| 48 | 19761A1251 | B+     | A+     | A      | A<br>17CI27  | B+<br>17IT12 | B+<br>17EE81 | B<br>17IT92  | A+     | A+     | A+     | SA     | 7.68 |
| 49 | 19761A1252 | A+     | A+     | A+     | O<br>17CI27  | A<br>17IT12  | B<br>17NP22  | A<br>17IT92  | O      | A+     | A+     | SA     | 8.56 |
| 50 | 19761A1253 | A      | A+     | A      | A<br>17CI27  | A<br>17IT12  | A<br>17EE81  | B<br>17IT92  | O      | O      | A+     | SA     | 8.12 |
| 51 | 19761A1254 | A+     | A+     | A+     | A+<br>17CI27 | A<br>17IT12  | B<br>17NP22  | A<br>17IT92  | O      | O      | O      | SA     | 8.56 |
| 52 | 19761A1256 | A      | A+     | A      | A+<br>17CI27 | A<br>17IT12  | A+<br>17EE81 | B<br>17IT92  | A+     | O      | A+     | SA     | 8.32 |
| 53 | 19761A1257 | B      | B+     | B      | B+<br>17CI27 | B+<br>17IT12 | B<br>17EE81  | C<br>17IT92  | A      | A      | A+     | SA     | 6.64 |
| 54 | 19761A1258 | B+     | A      | B      | A<br>17CI27  | B+<br>17IT12 | B+<br>17EE81 | C<br>17IT92  | A      | A      | A      | SA     | 7.04 |
| 55 | 19761A1259 | C      | B+     | B      | B+<br>17CI27 | C<br>17IT12  | C<br>17EE81  | P<br>17IT92  | A      | A      | A      | SA     | 5.96 |
| 56 | 19761A1261 | B+     | A+     | A+     | A+<br>17CI27 | B+<br>17IT12 | A<br>17EE81  | B+<br>17IT92 | A+     | O      | A+     | SA     | 8.20 |
| 57 | 19761A1262 | A      | A      | A      | A+<br>17CI27 | A<br>17IT12  | A+<br>17EE81 | B+<br>17IT92 | O      | A+     | A+     | SA     | 8.32 |
| 58 | 19761A1263 | A+     | A      | A      | A<br>17CI27  | B+<br>17IT12 | B<br>17NP14  | B+<br>17IT92 | A+     | O      | O      | SA     | 7.92 |
| 59 | 19761A1264 | A      | A      | A      | A<br>17CI27  | B+<br>17IT12 | B+<br>17NP14 | B+<br>17IT92 | O      | O      | O      | SA     | 7.96 |

Date : 4 JAN 2023 Verified by 1: K. Saravane 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Pavani*  
CONTROLLER OF EXAMINATIONS

*K. Saravane*  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Information Technology

|    |            | 17CI18 | 17CI19 | 17CI29 | IT-PE3       | IT-PE4       | IT-OE2       | IT-AC3       | 17CI68 | 17CI69 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 60 | 19761A1265 | B+     | A      | B+     | A<br>17CI27  | B<br>17IT12  | B<br>17NP22  | B+<br>17IT92 | O      | A+     | A+     | SA     | 7.36 |
| 61 | 19761A1266 | B      | B+     | B      | A<br>17CI27  | B+<br>17IT12 | B+<br>17EE81 | B<br>17IT92  | A+     | O      | A      | SA     | 7.04 |
| 62 | 19761A1267 | A      | A+     | A      | O<br>17CI27  | A+<br>17IT12 | B<br>17NP22  | A<br>17IT92  | O      | O      | A      | SA     | 8.40 |
| 63 | 19761A1268 | A      | A+     | A      | O<br>17CI27  | A+<br>17IT12 | B+<br>17NP22 | A+<br>17IT92 | O      | O      | A+     | SA     | 8.72 |
| 64 | 19761A1269 | B      | B+     | B      | B+<br>17CI27 | F<br>17IT12  | B+<br>17EE81 | A<br>17IT92  | A      | A+     | A      | SA     | 6.24 |
| 65 | 19761A1270 | B+     | A      | B+     | A<br>17CI27  | B+<br>17IT12 | B<br>17NP22  | B+<br>17IT92 | A+     | A+     | A      | SA     | 7.36 |
| 66 | 19761A1271 | B      | B+     | B      | B+<br>17CI27 | B<br>17IT12  | F<br>17EE81  | B<br>17IT92  | A+     | A+     | A      | SA     | 5.92 |
| 67 | 19761A1272 | B+     | B+     | B+     | A<br>17CI27  | B+<br>17IT12 | B+<br>17EE81 | B+<br>17IT92 | A+     | A+     | A+     | SA     | 7.44 |
| 68 | 19761A1273 | A      | A+     | A      | A+<br>17CI27 | A<br>17IT12  | B<br>17NP22  | B<br>17IT92  | O      | O      | A+     | SA     | 8.00 |
| 69 | 19761A1274 | B+     | A+     | A      | A<br>17CI27  | B<br>17IT12  | A<br>17EE81  | B<br>17IT92  | O      | O      | A+     | SA     | 7.76 |
| 70 | 19761A1275 | B+     | A      | A      | A+<br>17CI27 | A+<br>17IT12 | A<br>17EE81  | B+<br>17IT92 | A+     | A+     | A+     | SA     | 8.16 |
| 71 | 19761A1276 | A      | A+     | A+     | O<br>17CI27  | A<br>17IT12  | A<br>17EE81  | A<br>17IT92  | A+     | A+     | A+     | SA     | 8.64 |
| 72 | 19761A1277 | B+     | A      | A      | A+<br>17CI27 | A<br>17IT12  | B<br>17NP22  | B<br>17IT92  | O      | A+     | A+     | SA     | 7.72 |
| 73 | 19761A1278 | A+     | A+     | A+     | O<br>17CI27  | A<br>17IT12  | B+<br>17NP22 | A<br>17IT92  | O      | O      | A+     | SA     | 8.72 |
| 74 | 19761A1279 | B+     | A      | A      | A<br>17CI27  | A<br>17IT12  | A<br>17EE81  | B<br>17IT92  | O      | O      | A+     | SA     | 7.88 |
| 75 | 19761A1280 | B+     | A      | B+     | A<br>17CI27  | A<br>17IT12  | B+<br>17EE81 | B+<br>17IT92 | O      | O      | A      | SA     | 7.68 |

Date : 4 JAN 2023 Verified by 1: K. Narayana 2: K. Pavani

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Narayana*  
CONTROLLER OF EXAMINATIONS

*K. Pavani*  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Information Technology

|    |            | 17CI18 | 17CI19 | 17CI29 | IT-PE3       | IT-PE4       | IT-OE2       | IT-AC3       | 17CI68 | 17CI69 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 76 | 19761A1281 | A+     | A+     | A+     | A+<br>17CI27 | A<br>17IT12  | B+<br>17NP22 | A<br>17IT92  | O      | O      | A+     | SA     | 8.60 |
| 77 | 19761A1282 | B+     | B+     | A      | A+<br>17CI27 | A<br>17IT12  | A<br>17EE81  | B<br>17IT92  | A+     | O      | A      | SA     | 7.76 |
| 78 | 19761A1283 | A+     | A      | A+     | A+<br>17CI27 | A<br>17IT12  | O<br>17EE81  | A<br>17IT92  | O      | O      | A      | SA     | 8.76 |
| 79 | 19761A1284 | A      | A      | A      | A<br>17CI27  | F<br>17IT12  | A+<br>17EE81 | B+<br>17IT92 | A+     | O      | A+     | SA     | 7.24 |
| 80 | 19761A1285 | B+     | A      | A      | A<br>17CI27  | B+<br>17IT12 | B<br>17NP22  | B<br>17IT92  | A+     | O      | A+     | SA     | 7.48 |
| 81 | 19761A1286 | A      | A+     | A      | A<br>17CI27  | A<br>17IT12  | B<br>17NP14  | B+<br>17IT92 | O      | O      | O      | SA     | 8.08 |
| 82 | 19761A1287 | B+     | A+     | A      | A<br>17CI27  | A<br>17IT12  | A<br>17EE81  | B+<br>17IT92 | O      | O      | A+     | SA     | 8.12 |
| 83 | 19761A1288 | A+     | A+     | O      | O<br>17CI27  | A<br>17IT12  | B+<br>17NP22 | A<br>17IT92  | O      | O      | O      | SA     | 8.92 |
| 84 | 19761A1289 | A      | A+     | A      | A+<br>17CI27 | A<br>17IT12  | B+<br>17NP22 | B+<br>17IT92 | O      | O      | A+     | SA     | 8.24 |
| 85 | 19761A1290 | C      | B+     | B      | B<br>17CI27  | B<br>17IT12  | B<br>17EE81  | C<br>17IT92  | A      | A+     | A+     | SA     | 6.32 |
| 86 | 19761A1291 | B+     | A      | A+     | A+<br>17CI27 | A+<br>17IT12 | B+<br>17EE81 | B+<br>17IT92 | A+     | A+     | A+     | SA     | 8.16 |
| 87 | 19761A1292 | A      | A      | A      | A+<br>17CI27 | A<br>17IT12  | B<br>17NP22  | B<br>17IT92  | A+     | O      | A+     | SA     | 7.84 |
| 88 | 19761A1293 | A      | A+     | A      | A+<br>17CI27 | A<br>17IT12  | A+<br>17EE81 | B+<br>17IT92 | A+     | A+     | A+     | SA     | 8.40 |
| 89 | 19761A1294 | B      | A      | B+     | A<br>17CI27  | F<br>17IT12  | B+<br>17EE81 | C<br>17IT92  | A      | O      | A      | SA     | 6.28 |
| 90 | 19761A1295 | B+     | A      | B+     | A<br>17CI27  | B+<br>17IT12 | B<br>17NP22  | B<br>17IT92  | O      | O      | A+     | SA     | 7.40 |
| 91 | 19761A1296 | A+     | A+     | A      | O<br>17CI27  | A<br>17IT12  | A<br>17NP14  | B+<br>17IT92 | O      | O      | O      | SA     | 8.68 |

Date : 4 JAN 2023 Verified by 1: K. Saravanan 2: K. Pavani

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*H. V. S. S. S.*  
CONTROLLER OF EXAMINATIONS

*9.2.2*  
PRINCIPAL



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Information Technology

|     |            | 17CI18 | 17CI19 | 17CI29 | IT-PE3       | IT-PE4       | IT-OE2       | IT-AC3       | 17CI68 | 17CI69 | 17PD09 | 17PD10 | SGPA |
|-----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 92  | 19761A1297 | A+     | A+     | A      | A+<br>17CI27 | B+<br>17IT12 | B+<br>17NP22 | A<br>17IT92  | O      | O      | A      | SA     | 8.28 |
| 93  | 19761A1298 | A      | A      | A      | A+<br>17CI27 | A<br>17IT12  | B<br>17NP22  | A<br>17IT92  | O      | O      | A+     | SA     | 8.12 |
| 94  | 19761A1299 | A+     | A      | A      | A+<br>17CI27 | A<br>17IT12  | B<br>17NP22  | A<br>17IT92  | O      | O      | O      | SA     | 8.32 |
| 95  | 19761A12A0 | A+     | A      | B+     | A+<br>17CI27 | B<br>17IT12  | A<br>17EE81  | B+<br>17IT92 | A+     | A+     | A+     | SA     | 7.92 |
| 96  | 19761A12A1 | A+     | A      | A      | A+<br>17CI27 | B+<br>17IT12 | A+<br>17EE81 | A<br>17IT92  | A+     | O      | A+     | SA     | 8.44 |
| 97  | 19761A12A2 | A      | A      | A      | O<br>17CI27  | A+<br>17IT12 | B+<br>17NP22 | A<br>17IT92  | O      | O      | O      | SA     | 8.56 |
| 98  | 19761A12A3 | A+     | A+     | A      | O<br>17CI27  | A+<br>17IT12 | B+<br>17NP22 | A<br>17IT92  | O      | O      | A+     | SA     | 8.72 |
| 99  | 19761A12A4 | F      | B+     | B      | A<br>17CI27  | A<br>17IT12  | F<br>17EE81  | B<br>17IT92  | A      | A+     | A+     | SA     | 5.60 |
| 100 | 19761A12A5 | B+     | B+     | B+     | A+<br>17CI27 | A<br>17IT12  | A<br>17EE81  | B<br>17IT92  | A+     | A+     | A      | SA     | 7.60 |
| 101 | 19761A12A6 | A      | A+     | B+     | A+<br>17CI27 | A+<br>17IT12 | B<br>17NP22  | B<br>17IT92  | A+     | O      | A+     | SA     | 7.96 |
| 102 | 19761A12A7 | B+     | A      | B+     | A<br>17CI27  | A+<br>17IT12 | B+<br>17NP14 | B+<br>17IT92 | O      | O      | A+     | SA     | 7.88 |
| 103 | 19761A12A8 | A      | A+     | A      | A+<br>17CI27 | A+<br>17IT12 | B<br>17NP22  | A<br>17IT92  | O      | A+     | A+     | SA     | 8.32 |
| 104 | 19761A12A9 | B      | A+     | A      | O<br>17CI27  | A+<br>17IT12 | A+<br>17EE81 | A<br>17IT92  | O      | O      | A+     | SA     | 8.60 |
| 105 | 19761A12B0 | A+     | O      | A+     | O<br>17CI27  | A+<br>17IT12 | B+<br>17NP14 | A<br>17IT92  | O      | O      | O      | SA     | 9.04 |
| 106 | 19761A12B1 | A      | A      | A      | A+<br>17CI27 | A<br>17IT12  | A+<br>17EE81 | B+<br>17IT92 | A+     | A+     | A      | SA     | 8.20 |
| 107 | 19761A12B2 | A+     | A      | A      | A+<br>17CI27 | A<br>17IT12  | A+<br>17EE81 | B+<br>17IT92 | A+     | O      | A+     | SA     | 8.44 |

Date : 4 JAN 2023 Verified by 1: K. Subramanyam 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Subramanyam*  
CONTROLLER OF EXAMINATIONS

*K. Pavani*  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Information Technology

|     |            | 17CI18 | 17CI19 | 17CI29 | IT-PE3       | IT-PE4       | IT-OE2       | IT-AC3       | 17CI68 | 17CI69 | 17PD09 | 17PD10 | SGPA |
|-----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 108 | 19761A12B3 | A      | B+     | A+     | A+<br>17CI27 | A<br>17IT12  | A+<br>17EE81 | B+<br>17IT92 | A+     | A+     | A+     | SA     | 8.28 |
| 109 | 19761A12B4 | A      | A+     | A+     | A+<br>17CI27 | A<br>17IT12  | B<br>17NP14  | B+<br>17IT92 | O      | O      | A+     | SA     | 8.24 |
| 110 | 19761A12B5 | B+     | A      | B+     | A<br>17CI27  | A<br>17IT12  | A+<br>17EE81 | B<br>17IT92  | O      | O      | A+     | SA     | 7.88 |
| 111 | 19761A12B6 | A      | A      | A      | A+<br>17CI27 | A<br>17IT12  | B+<br>17NP14 | B+<br>17IT92 | O      | O      | A+     | SA     | 8.12 |
| 112 | 19761A12B7 | A      | A      | B+     | A<br>17CI27  | A<br>17IT12  | A<br>17EE81  | B<br>17IT92  | A+     | O      | A+     | SA     | 7.84 |
| 113 | 19761A12B8 | A      | A      | A+     | A+<br>17CI27 | A+<br>17IT12 | A+<br>17EE81 | B+<br>17IT92 | O      | O      | A+     | SA     | 8.60 |
| 114 | 19761A12B9 | A      | A+     | A      | A+<br>17CI27 | A<br>17IT12  | B+<br>17EE81 | B+<br>17IT92 | O      | A+     | O      | SA     | 8.28 |
| 115 | 19761A12C0 | B+     | A      | B+     | A<br>17CI27  | B+<br>17IT12 | A<br>17EE81  | B+<br>17IT92 | A+     | A+     | A+     | SA     | 7.68 |
| 116 | 19761A12C1 | B+     | A      | A      | A<br>17CI27  | A<br>17IT12  | B<br>17NP22  | B+<br>17IT92 | A+     | O      | A+     | SA     | 7.72 |
| 117 | 19761A12C2 | B+     | A      | A      | A<br>17CI27  | A<br>17IT12  | A+<br>17EE81 | B+<br>17IT92 | O      | O      | A+     | SA     | 8.12 |
| 118 | 19761A12C3 | B      | B+     | B      | A+<br>17CI27 | B+<br>17IT12 | B<br>17NP22  | B+<br>17IT92 | O      | A+     | A+     | SA     | 7.24 |
| 119 | 19761A12C4 | B+     | A      | A      | B+<br>17CI27 | A<br>17IT12  | A+<br>17EE81 | B+<br>17IT92 | A+     | O      | A+     | SA     | 7.96 |
| 120 | 19761A12C5 | A      | A      | A+     | A<br>17CI27  | A<br>17IT12  | A+<br>17EE81 | B+<br>17IT92 | O      | A+     | A+     | SA     | 8.32 |
| 121 | 19761A12C6 | B+     | A      | B+     | A<br>17CI27  | B+<br>17IT12 | A<br>17EE81  | B<br>17IT92  | O      | A+     | A      | SA     | 7.52 |
| 122 | 19761A12C7 | A+     | A+     | A+     | A+<br>17CI27 | A<br>17IT12  | B+<br>17NP14 | B+<br>17IT92 | O      | A+     | A+     | SA     | 8.44 |
| 123 | 19761A12C8 | A+     | A+     | A      | A+<br>17CI27 | A<br>17IT12  | B<br>17NP22  | A<br>17IT92  | O      | O      | O      | SA     | 8.44 |

Date : 4 JAN 2023 Verified by 1: K. Srinivasan 2: K. Pavani

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Srinivasan*  
CONTROLLER OF EXAMINATIONS

*K. Pavani*  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular  
Branch : Information Technology

Exam Month & Year : Dec 2022

|     |            | 17CI18 | 17CI19 | 17CI29 | IT-PE3       | IT-PE4       | IT-OE2       | IT-AC3       | 17CI68 | 17CI69 | 17PD09 | 17PD10 | SGPA |
|-----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 124 | 20765A1201 | B      | B+     | B      | B+<br>17CI27 | F<br>17IT12  | B+<br>17EE81 | B<br>17IT92  | A      | A+     | A+     | SA     | 6.08 |
| 125 | 20765A1202 | B      | A      | A      | B+<br>17CI27 | A<br>17IT12  | A<br>17EE81  | B+<br>17IT92 | A+     | A+     | A      | SA     | 7.60 |
| 126 | 20765A1203 | B+     | A      | B      | A<br>17CI27  | B+<br>17IT12 | B+<br>17EE81 | B<br>17IT92  | A      | A+     | A      | SA     | 7.20 |
| 127 | 20765A1204 | C      | B+     | B      | B+<br>17CI27 | B<br>17IT12  | B<br>17EE81  | C<br>17IT92  | A      | A      | A      | SA     | 6.32 |
| 128 | 20765A1205 | B      | B      | B      | B+<br>17CI27 | B+<br>17IT12 | B<br>17EE81  | C<br>17IT92  | A      | A      | A      | SA     | 6.44 |
| 129 | 20765A1206 | B+     | A      | B+     | A<br>17CI27  | A<br>17IT12  | A<br>17EE81  | B<br>17IT92  | A+     | A+     | A+     | SA     | 7.68 |
| 130 | 20765A1207 | A      | A      | B+     | A<br>17CI27  | B+<br>17IT12 | A<br>17EE81  | B+<br>17IT92 | A+     | A+     | A+     | SA     | 7.80 |
| 131 | 20765A1208 | B      | B      | B+     | A<br>17CI27  | A<br>17IT12  | B+<br>17EE81 | C<br>17IT92  | A      | A+     | A      | SA     | 6.96 |
| 132 | 20765A1209 | B+     | B+     | A      | A+<br>17CI27 | A<br>17IT12  | B+<br>17EE81 | B<br>17IT92  | A+     | A+     | A+     | SA     | 7.68 |
| 133 | 20765A1210 | B+     | A      | A      | O<br>17CI27  | A<br>17IT12  | B+<br>17EE81 | B+<br>17IT92 | A+     | O      | A+     | SA     | 8.08 |
| 134 | 20765A1211 | B+     | A      | A      | A+<br>17CI27 | A<br>17IT12  | B<br>17EE81  | B+<br>17IT92 | A+     | A+     | A+     | SA     | 7.80 |
| 135 | 20765A1212 | B      | B      | B+     | A<br>17CI27  | B+<br>17IT12 | B+<br>17EE81 | C<br>17IT92  | A+     | A+     | A+     | SA     | 6.96 |

Date : 4 JAN 2023 Verified by 1: K. Subramanyam 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*Handwritten signature*  
CONTROLLER OF EXAMINATIONS

*Handwritten signature*  
PRINCIPAL



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Result Sheet (Re-admitted Student)

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Information Technology

### Course code & Name (Theory)

- 01) 17CI18-Big Data Analytics
- 02) 17CI19-Internet of Things
- 03) 17CI29-Cloud Computing
- 04) IT-PE3- (P.Elec.-III) Software Requirements Engineering(17CI27)
- 05) IT-PE4- (P.Elec.-IV) Design Patterns(17IT12)
- 06) IT-OE2- (O.Elec.-II) Utilization of Electrical Energy(17EE81)
- 07) IT-AC3- (Add on course-3) Bio-Informatics(17IT92)

### Course code & Name (Lab)

- 1) 17CI68-Big Data with HADOOP Lab
- 2) 17CI69-Internet of Things Lab
- 3) 17PD09-Internship
- 4) 17PD10-Extra-curricular/Co-curricular Activities

| S.No. | H.T.No.    | 17CI18 | 17CI19 | 17CI29 | IT-PE3       | IT-PE4      | IT-OE2       | IT-AC3      | 17CI68 | 17CI69 | 17PD09 | 17PD10 | SGPA |
|-------|------------|--------|--------|--------|--------------|-------------|--------------|-------------|--------|--------|--------|--------|------|
| 1     | 18761A1233 | B      | C      | B      | B+<br>17CI27 | F<br>17IT12 | B+<br>17EE81 | B<br>17IT92 | B+     | A      | A      | SA     | 5.68 |

Date : 4 JAN 2023 Verified by 1: *K. Saravani* 2: *K. Pavani*  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Saravani*  
CONTROLLER OF EXAMINATIONS

*K. Saravani*  
PRINCIPAL



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Mechanical Engineering

### Course code & Name (Theory)

- 01) 17ME28-Refrigeration and Air Conditioning
- 02) 17ME29-Robotics
- 03) 17ME30-Metrology and Instrumentation
- 04) ME-PE3- (P.Elec.-III) Production Planning and Control(17ME33)
- 05) ME-PE4- (P.Elec.-IV) Power Plant Engineering(17ME34)
- 06) ME-PE4- (P.Elec.-IV) Total Quality Management(17ME36)
- 07) ME-OE2- (O.Elec.-II) Basic Civil Engineering(17CE80)
- 08) ME-OE2- (O.Elec.-II) The Joy of Computing using Python(17NP13)

### Course code & Name (Theory)

- 09) ME-OE2- (O.Elec.-II) Utilization of Electrical Energy(17EE81)
- 10) ME-AC3- (Add on course-3) Computer Integrated Manufacturing(17ME92)

### Course code & Name (Lab)

- 1) 17ME72-Robotics and Simulation Lab
- 2) 17ME73-Metrology and Instrumentation Lab
- 3) 17PD09-Internship
- 4) 17PD10-Extra-curricular/Co-curricular Activities

| S.No. | H.T.No.    | 17ME28 | 17ME29 | 17ME30 | ME-PE3       | ME-PE4       | ME-OE2       | ME-AC3       | 17ME72 | 17ME73 | 17PD09 | 17PD10 | SGPA |
|-------|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 1     | 18761A0301 | P      | F      | F      | P<br>17ME33  | C<br>17ME34  | P<br>17CE80  | F<br>17ME92  | B+     | B      | B      | SA     | 3.04 |
| 2     | 19761A0301 | O      | B+     | B+     | A+<br>17ME33 | A+<br>17ME36 | A<br>17NP13  | B+<br>17ME92 | O      | A+     | A+     | SA     | 8.32 |
| 3     | 19761A0302 | P      | F      | F      | C<br>17ME33  | B+<br>17ME36 | F<br>17CE80  | F<br>17ME92  | A      | B      | B      | SA     | 2.96 |
| 4     | 19761A0303 | A      | B      | B+     | A+<br>17ME33 | A+<br>17ME36 | B+<br>17CE80 | B<br>17ME92  | A+     | A+     | A      | SA     | 7.60 |
| 5     | 19761A0305 | A+     | B+     | B+     | A+<br>17ME33 | B+<br>17ME36 | B+<br>17CE80 | B+<br>17ME92 | A+     | A+     | A      | SA     | 7.72 |
| 6     | 19761A0307 | A      | B+     | F      | A<br>17ME33  | B+<br>17ME36 | B<br>17CE80  | B+<br>17ME92 | A+     | A      | A      | SA     | 6.48 |
| 7     | 19761A0308 | A      | A      | A      | A+<br>17ME33 | A+<br>17ME36 | B+<br>17CE80 | B+<br>17ME92 | A+     | A+     | A+     | SA     | 8.16 |
| 8     | 19761A0309 | A+     | B+     | A      | B+<br>17ME33 | A<br>17ME36  | A<br>17NP13  | B+<br>17ME92 | O      | A+     | A      | SA     | 7.88 |
| 9     | 19761A0310 | B+     | B+     | B+     | B<br>17ME33  | A<br>17ME36  | A<br>17NP13  | B+<br>17ME92 | A+     | A      | B+     | SA     | 7.24 |
| 10    | 19761A0311 | A+     | A      | A+     | A+<br>17ME33 | A<br>17ME36  | B+<br>17NP13 | B+<br>17ME92 | O      | A+     | A+     | SA     | 8.32 |
| 11    | 19761A0313 | A      | B      | B+     | A<br>17ME33  | A<br>17ME36  | B+<br>17NP13 | B+<br>17ME92 | O      | A+     | B+     | SA     | 7.44 |

Date : 4 JAN 2023 Verified by 1: K. Narayana 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Narayana*  
CONTROLLER OF EXAMINATIONS

*K. Narayana*  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Mechanical Engineering

|    |            | 17ME28 | 17ME29 | 17ME30 | ME-PE3       | ME-PE4       | ME-OE2       | ME-AC3       | 17ME72 | 17ME73 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 12 | 19761A0314 | A      | B      | B+     | B<br>17ME33  | B+<br>17ME36 | B<br>17CE80  | B<br>17ME92  | A+     | A      | B      | SA     | 6.68 |
| 13 | 19761A0315 | B+     | B      | B+     | B+<br>17ME33 | A<br>17ME36  | C<br>17CE80  | B<br>17ME92  | O      | A      | B+     | SA     | 6.80 |
| 14 | 19761A0316 | B      | B      | C      | B+<br>17ME33 | B+<br>17ME36 | C<br>17CE80  | F<br>17ME92  | B+     | A+     | B      | SA     | 5.44 |
| 15 | 19761A0317 | B+     | B      | A      | A<br>17ME33  | A<br>17ME36  | B+<br>17CE80 | B<br>17ME92  | A      | A      | B      | SA     | 7.12 |
| 16 | 19761A0318 | A      | A      | B+     | B+<br>17ME33 | A<br>17ME36  | A<br>17NP13  | B<br>17ME92  | A+     | A+     | B+     | SA     | 7.52 |
| 17 | 19761A0319 | B+     | B      | B      | B<br>17ME33  | B+<br>17ME36 | C<br>17CE80  | B<br>17ME92  | A+     | A      | B+     | SA     | 6.40 |
| 18 | 19761A0321 | B+     | B      | B      | B+<br>17ME33 | B<br>17ME36  | B<br>17EE81  | B+<br>17ME92 | A+     | A      | B+     | SA     | 6.64 |
| 19 | 19761A0322 | O      | A+     | A+     | A+<br>17ME33 | A<br>17ME36  | A<br>17NP13  | A<br>17ME92  | O      | A+     | A+     | SA     | 8.80 |
| 20 | 19761A0323 | A+     | A+     | A      | A+<br>17ME33 | A+<br>17ME36 | A<br>17NP13  | A+<br>17ME92 | O      | A+     | A+     | SA     | 8.80 |
| 21 | 19761A0324 | B      | B      | B      | B<br>17ME33  | B+<br>17ME36 | P<br>17EE81  | B+<br>17ME92 | A      | B+     | B+     | SA     | 6.20 |
| 22 | 19761A0326 | B+     | B+     | B+     | B+<br>17ME33 | A<br>17ME36  | B<br>17EE81  | B+<br>17ME92 | A+     | A+     | B+     | SA     | 7.16 |
| 23 | 19761A0327 | B      | B+     | C      | B+<br>17ME33 | B+<br>17ME36 | B<br>17CE80  | B<br>17ME92  | A+     | A      | B+     | SA     | 6.52 |
| 24 | 19761A0328 | A      | A      | A      | O<br>17ME33  | A<br>17ME36  | B+<br>17NP13 | A<br>17ME92  | O      | A+     | A      | SA     | 8.24 |
| 25 | 19761A0329 | A      | A      | B+     | A+<br>17ME33 | A+<br>17ME36 | B+<br>17CE80 | B+<br>17ME92 | O      | A+     | A      | SA     | 8.00 |
| 26 | 19761A0330 | A+     | A      | A      | A+<br>17ME33 | A+<br>17ME36 | A<br>17NP13  | A<br>17ME92  | A+     | A+     | A      | SA     | 8.44 |
| 27 | 19761A0331 | O      | A+     | A+     | A+<br>17ME33 | A+<br>17ME34 | B+<br>17CE80 | A<br>17ME92  | O      | A+     | A+     | SA     | 8.80 |

Date : 4 JAN 2023 Verified by 1: Kolavaranam 2: K. Pavani

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Pavani*  
CONTROLLER OF EXAMINATIONS

*K. Pavani*  
PRINCIPAL



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Mechanical Engineering

|    |            | 17ME28 | 17ME29 | 17ME30 | ME-PE3       | ME-PE4       | ME-OE2       | ME-AC3       | 17ME72 | 17ME73 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 28 | 19761A0332 | F      | B      | F      | C<br>17ME33  | B<br>17ME36  | F<br>17CE80  | B<br>17ME92  | B+     | B      | B      | SA     | 3.76 |
| 29 | 19761A0333 | A      | A+     | A      | A<br>17ME33  | A+<br>17ME36 | A<br>17CE80  | A+<br>17ME92 | O      | A+     | A      | SA     | 8.48 |
| 30 | 19761A0334 | A      | A      | B+     | B+<br>17ME33 | A<br>17ME36  | B<br>17EE81  | B+<br>17ME92 | A+     | A+     | A      | SA     | 7.48 |
| 31 | 19761A0335 | B+     | B+     | B+     | A<br>17ME33  | B+<br>17ME36 | A<br>17NP13  | B+<br>17ME92 | A+     | A+     | B+     | SA     | 7.40 |
| 32 | 19761A0336 | A      | F      | B+     | A<br>17ME33  | A<br>17ME36  | B+<br>17CE80 | B+<br>17ME92 | A+     | A+     | A      | SA     | 6.76 |
| 33 | 19761A0337 | A      | B      | A      | A+<br>17ME33 | A<br>17ME36  | A<br>17CE80  | A+<br>17ME92 | O      | A+     | A+     | SA     | 8.20 |
| 34 | 19761A0338 | A+     | B+     | B+     | A<br>17ME33  | A<br>17ME36  | B<br>17CE80  | B+<br>17ME92 | A+     | A+     | A      | SA     | 7.60 |
| 35 | 19761A0339 | A+     | A      | A      | A<br>17ME33  | B+<br>17ME36 | B+<br>17EE81 | B+<br>17ME92 | O      | A+     | A      | SA     | 7.88 |
| 36 | 19761A0340 | A+     | B+     | A      | A<br>17ME33  | A+<br>17ME34 | B<br>17CE80  | A<br>17ME92  | O      | A      | A      | SA     | 7.96 |
| 37 | 19761A0341 | A+     | A      | B+     | A+<br>17ME33 | B+<br>17ME36 | A<br>17NP13  | A<br>17ME92  | A+     | A+     | B+     | SA     | 8.00 |
| 38 | 19761A0342 | A      | B      | B+     | B+<br>17ME33 | A<br>17ME36  | B<br>17EE81  | B+<br>17ME92 | A      | A      | B+     | SA     | 7.08 |
| 39 | 19761A0343 | A+     | B+     | B+     | A<br>17ME33  | A<br>17ME34  | B<br>17CE80  | A<br>17ME92  | A+     | A+     | B+     | SA     | 7.64 |
| 40 | 19761A0344 | O      | A+     | A      | A+<br>17ME33 | A+<br>17ME36 | A+<br>17EE81 | A+<br>17ME92 | A+     | A+     | A      | SA     | 8.92 |
| 41 | 19761A0347 | A      | A      | B+     | A<br>17ME33  | A<br>17ME36  | A<br>17NP13  | A<br>17ME92  | O      | A      | A+     | SA     | 8.04 |
| 42 | 19761A0348 | A+     | A      | B+     | A+<br>17ME33 | A+<br>17ME34 | A<br>17EE81  | A<br>17ME92  | O      | O      | O      | SA     | 8.56 |
| 43 | 19761A0349 | O      | A      | B+     | A+<br>17ME33 | B+<br>17ME36 | B<br>17NP13  | A<br>17ME92  | O      | O      | A+     | SA     | 8.12 |

Date : 4 JAN 2023 Verified by 1: K. Sarayana 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Sarayana*  
CONTROLLER OF EXAMINATIONS

*K. Pavani*  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Mechanical Engineering

|    |            | 17ME28 | 17ME29 | 17ME30 | ME-PE3       | ME-PE4       | ME-OE2       | ME-AC3       | 17ME72 | 17ME73 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 44 | 19761A0350 | A+     | B+     | B+     | A<br>17ME33  | A<br>17ME34  | B+<br>17EE81 | B+<br>17ME92 | A+     | A+     | A+     | SA     | 7.80 |
| 45 | 19761A0351 | A+     | A      | B+     | A<br>17ME33  | B+<br>17ME36 | B+<br>17EE81 | B+<br>17ME92 | A+     | A+     | A+     | SA     | 7.80 |
| 46 | 19761A0352 | B+     | B+     | F      | B+<br>17ME33 | B+<br>17ME36 | B<br>17CE80  | B+<br>17ME92 | A      | A+     | A      | SA     | 6.24 |
| 47 | 19761A0354 | A+     | A      | A      | O<br>17ME33  | B+<br>17ME36 | A<br>17NP13  | A<br>17ME92  | O      | O      | O      | SA     | 8.56 |
| 48 | 19761A0355 | B+     | B      | B      | A<br>17ME33  | C<br>17ME34  | F<br>17CE80  | B<br>17ME92  | O      | A+     | A      | SA     | 5.96 |
| 49 | 19761A0356 | B      | B      | C      | B<br>17ME33  | B<br>17ME36  | F<br>17EE81  | C<br>17ME92  | B      | B      | C      | SA     | 4.96 |
| 50 | 19761A0357 | A+     | A      | B+     | A+<br>17ME33 | A<br>17ME36  | B<br>17CE80  | B+<br>17ME92 | A+     | A      | O      | SA     | 7.96 |
| 51 | 19761A0358 | B      | C      | B      | B<br>17ME33  | B+<br>17ME36 | B<br>17EE81  | P<br>17ME92  | A      | B+     | B+     | SA     | 5.96 |
| 52 | 19761A0359 | F      | F      | F      | F<br>17ME33  | F<br>17ME36  | F<br>17EE81  | F<br>17ME92  | B      | B      | B      | SA     | 0.96 |
| 53 | 19761A0360 | B      | C      | B      | B<br>17ME33  | B<br>17ME36  | C<br>17EE81  | C<br>17ME92  | A      | A      | B+     | SA     | 5.88 |
| 54 | 19761A0361 | B+     | B+     | C      | B<br>17ME33  | B+<br>17ME36 | C<br>17EE81  | B<br>17ME92  | A      | A      | A      | SA     | 6.44 |
| 55 | 19761A0363 | A+     | B+     | B      | A<br>17ME33  | B+<br>17ME36 | B+<br>17CE80 | B<br>17ME92  | A+     | A+     | O      | SA     | 7.52 |
| 56 | 19761A0364 | A      | A      | B      | A<br>17ME33  | B+<br>17ME36 | A<br>17NP13  | B+<br>17ME92 | A+     | A+     | A+     | SA     | 7.68 |
| 57 | 19761A0365 | A+     | A      | A      | A+<br>17ME33 | A+<br>17ME36 | A+<br>17EE81 | B+<br>17ME92 | O      | A+     | O      | SA     | 8.64 |
| 58 | 19761A0366 | C      | B      | F      | B<br>17ME33  | B<br>17ME36  | C<br>17EE81  | C<br>17ME92  | A      | B+     | B+     | SA     | 5.12 |
| 59 | 19761A0367 | B      | C      | C      | B<br>17ME33  | B<br>17ME36  | F<br>17CE80  | B<br>17ME92  | B+     | A      | O      | SA     | 5.48 |

Date : 4 JAN 2023 Verified by 1: K. Saravane 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Saravane*  
CONTROLLER OF EXAMINATIONS

*K. Saravane*  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Mechanical Engineering

|    |            | 17ME28 | 17ME29 | 17ME30 | ME-PE3       | ME-PE4       | ME-OE2       | ME-AC3       | 17ME72 | 17ME73 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 60 | 19761A0368 | A      | B+     | B      | B+<br>17ME33 | B+<br>17ME36 | B<br>17CE80  | B<br>17ME92  | A+     | A      | A+     | SA     | 7.04 |
| 61 | 19761A0369 | B      | B      | B      | B+<br>17ME33 | B+<br>17ME36 | C<br>17EE81  | B<br>17ME92  | B+     | B+     | A      | SA     | 6.36 |
| 62 | 19761A0370 | A      | C      | B+     | A<br>17ME33  | B+<br>17ME36 | B+<br>17EE81 | B<br>17ME92  | A      | A      | A      | SA     | 7.04 |
| 63 | 19761A0371 | A      | F      | B+     | A<br>17ME33  | A<br>17ME36  | B+<br>17EE81 | B<br>17ME92  | A+     | A+     | A+     | SA     | 6.72 |
| 64 | 19761A0372 | A      | B      | B+     | A+<br>17ME33 | A<br>17ME34  | A<br>17EE81  | B+<br>17ME92 | A+     | A+     | A+     | SA     | 7.80 |
| 65 | 19761A0373 | B+     | F      | B      | B+<br>17ME33 | B+<br>17ME34 | C<br>17CE80  | B+<br>17ME92 | A      | A      | A      | SA     | 5.96 |
| 66 | 19761A0374 | B      | C      | B      | A<br>17ME33  | B+<br>17ME36 | B+<br>17EE81 | B<br>17ME92  | A      | A      | A      | SA     | 6.68 |
| 67 | 19761A0375 | A      | B      | B+     | A<br>17ME33  | B+<br>17ME34 | B<br>17NP13  | B<br>17ME92  | A+     | B+     | A+     | SA     | 7.12 |
| 68 | 19761A0376 | A      | C      | B      | A<br>17ME33  | B+<br>17ME36 | B<br>17EE81  | B<br>17ME92  | B+     | A      | A      | SA     | 6.76 |
| 69 | 19761A0377 | A      | F      | B      | B+<br>17ME33 | B+<br>17ME36 | B+<br>17CE80 | B+<br>17ME92 | B+     | B+     | A      | SA     | 6.24 |
| 70 | 19761A0378 | A      | A+     | B      | O<br>17ME33  | A+<br>17ME36 | A<br>17EE81  | A<br>17ME92  | A+     | A+     | O      | SA     | 8.48 |
| 71 | 19761A0379 | A      | B+     | B+     | A+<br>17ME33 | A+<br>17ME34 | A<br>17EE81  | B+<br>17ME92 | O      | A+     | O      | SA     | 8.16 |
| 72 | 19761A0380 | A      | B+     | B      | B+<br>17ME33 | A<br>17ME36  | B+<br>17EE81 | C<br>17ME92  | A+     | A      | A      | SA     | 7.08 |
| 73 | 19761A0381 | B+     | B      | B      | C<br>17ME33  | B<br>17ME36  | C<br>17EE81  | C<br>17ME92  | A+     | B+     | B+     | SA     | 6.00 |
| 74 | 19761A0382 | A      | A      | B      | A<br>17ME33  | A+<br>17ME36 | B+<br>17EE81 | B<br>17ME92  | O      | A      | O      | SA     | 7.76 |
| 75 | 19761A0384 | C      | C      | F      | B+<br>17ME33 | B<br>17ME36  | B<br>17EE81  | F<br>17ME92  | A      | A      | A      | SA     | 4.76 |

Date : 4 JAN 2023 Verified by 1: K. Saranya 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Saranya*  
CONTROLLER OF EXAMINATIONS

*K. Saranya*  
PRINCIPAL



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Mechanical Engineering

|    |            | 17ME28 | 17ME29 | 17ME30 | ME-PE3       | ME-PE4       | ME-OE2       | ME-AC3         | 17ME72 | 17ME73 | 17PD09 | 17PD10 | SGPA |
|----|------------|--------|--------|--------|--------------|--------------|--------------|----------------|--------|--------|--------|--------|------|
| 76 | 19761A0385 | A+     | B+     | B+     | A+<br>17ME33 | B+<br>17ME34 | B+<br>17EE81 | B+<br>17ME92   | O      | A+     | A+     | SA     | 7.84 |
| 77 | 19761A0386 | A      | B      | C      | B+<br>17ME33 | A<br>17ME36  | B+<br>17EE81 | B<br>17ME92    | A+     | A      | O      | SA     | 7.12 |
| 78 | 19761A0387 | A      | B+     | B      | A+<br>17ME33 | A<br>17ME36  | B<br>17EE81  | F<br>17ME92    | A      | B+     | A      | SA     | 6.52 |
| 79 | 19761A0388 | A+     | A+     | A      | O<br>17ME33  | A+<br>17ME34 | A<br>17NP13  | A<br>17ME92    | O      | A+     | A+     | SA     | 8.80 |
| 80 | 19761A0389 | A+     | B+     | B+     | A<br>17ME33  | A<br>17ME36  | A<br>17EE81  | B<br>17ME92    | A+     | A      | A+     | SA     | 7.76 |
| 81 | 19761A0390 | P      | B      | F      | B<br>17ME33  | B<br>17ME34  | F<br>17EE81  | F<br>17ME92    | B+     | B+     | B+     | SA     | 3.76 |
| 82 | 19761A0391 | C      | C      | F      | B<br>17ME33  | C<br>17ME36  | F<br>17EE81  | C<br>17ME92    | A      | B+     | B+     | SA     | 4.28 |
| 83 | 19761A0393 | A+     | B+     | B+     | A<br>17ME33  | A<br>17ME36  | B<br>17EE81  | B+<br>17ME92   | O      | O      | O      | SA     | 7.84 |
| 84 | 19761A0394 | B+     | C      | C      | B+<br>17ME33 | B<br>17ME36  | P<br>17EE81  | -Ab-<br>17ME92 | A      | B+     | B+     | SA     | 5.24 |
| 85 | 19761A0396 | B      | B+     | B      | B<br>17ME33  | B+<br>17ME36 | B<br>17EE81  | B+<br>17ME92   | A+     | A+     | B      | SA     | 6.60 |
| 86 | 19761A0397 | P      | B      | B      | A<br>17ME33  | B<br>17ME36  | B<br>17EE81  | B+<br>17ME92   | A      | A      | A      | SA     | 6.44 |
| 87 | 19761A0398 | C      | B      | B      | B<br>17ME33  | B<br>17ME36  | P<br>17EE81  | B<br>17ME92    | B+     | A      | P      | SA     | 5.60 |
| 88 | 19761A0399 | B+     | B+     | B+     | A<br>17ME33  | B+<br>17ME36 | B+<br>17CE80 | B<br>17ME92    | B+     | A+     | B      | SA     | 7.00 |
| 89 | 19761A03A0 | C      | B      | B      | B<br>17ME33  | B<br>17ME36  | F<br>17EE81  | C<br>17ME92    | A+     | A      | B      | SA     | 5.24 |
| 90 | 19761A03A1 | B      | B      | B      | B+<br>17ME33 | B+<br>17ME36 | C<br>17CE80  | C<br>17ME92    | A      | A+     | B      | SA     | 6.20 |
| 91 | 19761A03A2 | C      | F      | B      | B+<br>17ME33 | A<br>17ME36  | C<br>17CE80  | C<br>17ME92    | A      | A      | B      | SA     | 5.44 |

Date : 4 JAN 2023 Verified by 1: K. Saravane 2: K. Pavani

CONTROLLER OF EXAMINATIONS

PRINCIPAL

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Mechanical Engineering

|     |            | 17ME28 | 17ME29 | 17ME30 | ME-PE3       | ME-PE4       | ME-OE2       | ME-AC3       | 17ME72 | 17ME73 | 17PD09 | 17PD10 | SGPA |
|-----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 92  | 19761A03A3 | C      | F      | F      | B+<br>17ME33 | B+<br>17ME36 | F<br>17CE80  | C<br>17ME92  | A      | A      | C      | SA     | 3.92 |
| 93  | 19761A03A4 | B+     | C      | B+     | B+<br>17ME33 | B<br>17ME34  | B<br>17CE80  | C<br>17ME92  | A+     | A+     | B      | SA     | 6.36 |
| 94  | 19761A03A5 | P      | F      | B      | P<br>17ME33  | B<br>17ME36  | P<br>17EE81  | F<br>17ME92  | B+     | A      | C      | SA     | 3.88 |
| 95  | 19761A03A6 | B      | B      | B+     | B+<br>17ME33 | A<br>17ME36  | B+<br>17EE81 | F<br>17ME92  | O      | A      | A      | SA     | 6.28 |
| 96  | 19761A03A7 | P      | F      | F      | C<br>17ME33  | B<br>17ME36  | F<br>17CE80  | B<br>17ME92  | A+     | A+     | C      | SA     | 3.64 |
| 97  | 19761A03A8 | B+     | B      | B+     | A<br>17ME33  | A<br>17ME36  | B<br>17CE80  | B+<br>17ME92 | A+     | A+     | A+     | SA     | 7.32 |
| 98  | 19761A03A9 | F      | F      | F      | B<br>17ME33  | B+<br>17ME36 | C<br>17EE81  | C<br>17ME92  | A      | A      | B      | SA     | 3.88 |
| 99  | 19761A03B0 | A+     | B+     | A      | A+<br>17ME33 | A<br>17ME34  | A<br>17NP13  | A<br>17ME92  | O      | A+     | O      | SA     | 8.40 |
| 100 | 19761A03B1 | B+     | B      | B+     | B+<br>17ME33 | B+<br>17ME36 | B+<br>17EE81 | B+<br>17ME92 | A+     | A+     | A+     | SA     | 7.20 |
| 101 | 19761A03B2 | A      | B      | B+     | A<br>17ME33  | A<br>17ME36  | B<br>17NP13  | B+<br>17ME92 | A+     | A+     | A+     | SA     | 7.44 |
| 102 | 19761A03B3 | B      | F      | B+     | P<br>17ME33  | A<br>17ME36  | B<br>17EE81  | B<br>17ME92  | A      | A+     | B+     | SA     | 5.68 |
| 103 | 19761A03B4 | A+     | B+     | A+     | A+<br>17ME33 | A<br>17ME34  | A<br>17NP13  | B<br>17ME92  | O      | A+     | O      | SA     | 8.28 |
| 104 | 19761A03B5 | B      | F      | B      | B<br>17ME33  | B+<br>17ME36 | B+<br>17NP13 | C<br>17ME92  | A+     | A      | B      | SA     | 5.60 |
| 105 | 19761A03B6 | B      | F      | B      | B<br>17ME33  | B<br>17ME36  | B<br>17EE81  | P<br>17ME92  | A      | A+     | A      | SA     | 5.40 |
| 106 | 19761A03B7 | C      | F      | B      | B+<br>17ME33 | A<br>17ME36  | B<br>17EE81  | F<br>17ME92  | A      | A      | A      | SA     | 5.12 |
| 107 | 19761A03B8 | B      | B      | B      | B+<br>17ME33 | A<br>17ME36  | B<br>17EE81  | F<br>17ME92  | A+     | A+     | B      | SA     | 5.88 |

Date : 4 JAN 2023 Verified by 1: K. Saravane 2: K. Pavani

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*Handwritten signature*  
CONTROLLER OF EXAMINATIONS

*Handwritten signature*  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Mechanical Engineering

|     |            | 17ME28 | 17ME29 | 17ME30 | ME-PE3       | ME-PE4       | ME-OE2       | ME-AC3       | 17ME72 | 17ME73 | 17PD09 | 17PD10 | SGPA |
|-----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 108 | 19761A03B9 | A+     | B+     | A+     | O<br>17ME33  | A+<br>17ME36 | A+<br>17CE80 | B+<br>17ME92 | O      | O      | A+     | SA     | 8.72 |
| 109 | 19761A03C0 | P      | F      | F      | B+<br>17ME33 | B<br>17ME36  | B<br>17EE81  | F<br>17ME92  | A+     | A      | P      | SA     | 3.76 |
| 110 | 19761A03C1 | B+     | B      | A      | A+<br>17ME33 | A+<br>17ME36 | A<br>17NP13  | B+<br>17ME92 | A+     | O      | A+     | SA     | 7.96 |
| 111 | 19761A03C2 | B      | B      | B      | A+<br>17ME33 | A<br>17ME36  | B+<br>17EE81 | B+<br>17ME92 | O      | A+     | B+     | SA     | 7.20 |
| 112 | 19761A03C3 | A+     | A      | A      | A+<br>17ME33 | A+<br>17ME36 | B+<br>17NP13 | A<br>17ME92  | O      | A+     | A+     | SA     | 8.44 |
| 113 | 19761A03C4 | B      | F      | F      | B<br>17ME33  | C<br>17ME36  | F<br>17EE81  | B<br>17ME92  | A+     | A+     | B      | SA     | 3.96 |
| 114 | 19761A03C5 | -Ab-   | C      | F      | P<br>17ME33  | B<br>17ME36  | B<br>17EE81  | P<br>17ME92  | C      | A      | C      | SA     | 3.92 |
| 115 | 19761A03C6 | B+     | B      | B+     | B+<br>17ME33 | B<br>17ME34  | C<br>17CE80  | B+<br>17ME92 | A      | A+     | A      | SA     | 6.72 |
| 116 | 19761A03C7 | A      | A      | A      | A<br>17ME33  | A+<br>17ME36 | B+<br>17CE80 | B+<br>17ME92 | A      | A+     | B+     | SA     | 7.84 |
| 117 | 19761A03C8 | B+     | B+     | B+     | B<br>17ME33  | B+<br>17ME36 | B<br>17CE80  | B<br>17ME92  | A+     | A+     | A      | SA     | 6.88 |
| 118 | 19761A03C9 | B+     | A      | A      | B+<br>17ME33 | B+<br>17ME36 | B+<br>17CE80 | B+<br>17ME92 | A+     | A+     | A      | SA     | 7.48 |
| 119 | 19761A03D0 | B+     | A      | A      | A+<br>17ME33 | A<br>17ME34  | B<br>17NP13  | A<br>17ME92  | A+     | O      | A      | SA     | 7.88 |
| 120 | 19761A03D1 | A+     | A+     | A+     | A+<br>17ME33 | B+<br>17ME36 | A<br>17NP13  | A<br>17ME92  | O      | O      | O      | SA     | 8.68 |
| 121 | 19761A03D2 | C      | F      | B      | B<br>17ME33  | B<br>17ME34  | C<br>17CE80  | B<br>17ME92  | A      | A+     | B+     | SA     | 5.32 |
| 122 | 19761A03D3 | A      | C      | B+     | B+<br>17ME33 | B+<br>17ME36 | B+<br>17EE81 | B+<br>17ME92 | A      | A+     | B+     | SA     | 7.00 |
| 123 | 19761A03D4 | B      | F      | B+     | B<br>17ME33  | B<br>17ME36  | C<br>17CE80  | C<br>17ME92  | A+     | A      | B+     | SA     | 5.44 |

Date : 4 JAN 2023 Verified by 1: Kiranarajana 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Pavani*  
CONTROLLER OF EXAMINATIONS

*S. N. V.*  
PRINCIPAL



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Mechanical Engineering

|     |            | 17ME28 | 17ME29 | 17ME30 | ME-PE3       | ME-PE4       | ME-OE2       | ME-AC3       | 17ME72 | 17ME73 | 17PD09 | 17PD10 | SGPA |
|-----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 124 | 19761A03D5 | A+     | B+     | A+     | O<br>17ME33  | A<br>17ME36  | A<br>17NP13  | A+<br>17ME92 | O      | A+     | O      | SA     | 8.76 |
| 125 | 19761A03D6 | B+     | B      | B+     | A<br>17ME33  | B<br>17ME36  | A<br>17NP13  | B+<br>17ME92 | O      | A+     | A      | SA     | 7.28 |
| 126 | 19761A03D7 | B+     | B      | B+     | A+<br>17ME33 | B+<br>17ME36 | A<br>17CE80  | B+<br>17ME92 | O      | A+     | A+     | SA     | 7.60 |
| 127 | 19761A03D8 | A+     | B      | B      | B+<br>17ME33 | B+<br>17ME36 | B<br>17CE80  | B+<br>17ME92 | A      | A+     | A+     | SA     | 7.16 |
| 128 | 19761A03D9 | A      | B      | A      | A<br>17ME33  | A+<br>17ME36 | A<br>17NP13  | B<br>17ME92  | A+     | O      | A+     | SA     | 7.84 |
| 129 | 19761A03E0 | O      | A      | A+     | O<br>17ME33  | A+<br>17ME36 | A<br>17NP13  | B+<br>17ME92 | A+     | O      | A+     | SA     | 8.80 |
| 130 | 20765A0301 | O      | B+     | B+     | A+<br>17ME33 | A<br>17ME36  | B+<br>17EE81 | A<br>17ME92  | A+     | A      | A      | SA     | 8.04 |
| 131 | 20765A0302 | O      | B+     | A      | A+<br>17ME33 | B+<br>17ME36 | A<br>17EE81  | A<br>17ME92  | O      | A+     | A      | SA     | 8.24 |
| 132 | 20765A0303 | O      | B+     | A+     | O<br>17ME33  | A+<br>17ME34 | A<br>17NP13  | A+<br>17ME92 | O      | A+     | A+     | SA     | 8.92 |
| 133 | 20765A0304 | O      | B+     | A+     | A+<br>17ME33 | B+<br>17ME36 | A+<br>17EE81 | A<br>17ME92  | O      | A+     | A+     | SA     | 8.56 |
| 134 | 20765A0305 | O      | A      | A+     | A+<br>17ME33 | A+<br>17ME34 | A+<br>17EE81 | A+<br>17ME92 | O      | A+     | A+     | SA     | 9.04 |
| 135 | 20765A0306 | A      | B+     | A+     | A<br>17ME33  | A<br>17ME34  | A<br>17EE81  | A<br>17ME92  | A+     | A+     | A+     | SA     | 8.16 |
| 136 | 20765A0307 | A+     | A      | A+     | O<br>17ME33  | A+<br>17ME34 | A<br>17EE81  | A<br>17ME92  | O      | A+     | A+     | SA     | 8.80 |
| 137 | 20765A0308 | A+     | A+     | A+     | A+<br>17ME33 | B+<br>17ME36 | A+<br>17EE81 | A+<br>17ME92 | O      | A+     | A+     | SA     | 8.80 |
| 138 | 20765A0309 | A+     | B+     | A+     | A+<br>17ME33 | A+<br>17ME36 | A+<br>17CE80 | A<br>17ME92  | O      | A+     | O      | SA     | 8.76 |
| 139 | 20765A0310 | A+     | A      | A      | A+<br>17ME33 | A<br>17ME36  | B+<br>17EE81 | A<br>17ME92  | A+     | A+     | A+     | SA     | 8.28 |

Date : 4 JAN 2023 Verified by 1: K. Karan Kumar 2: K. Pavani

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Karan Kumar*  
CONTROLLER OF EXAMINATIONS

*K. Pavani*  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Mechanical Engineering

|     |            | 17ME28 | 17ME29 | 17ME30 | ME-PE3       | ME-PE4       | ME-OE2       | ME-AC3       | 17ME72 | 17ME73 | 17PD09 | 17PD10 | SGPA |
|-----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 140 | 20765A0311 | A      | A      | A      | A<br>17ME33  | A+<br>17ME36 | B+<br>17EE81 | B+<br>17ME92 | O      | A+     | A      | SA     | 8.00 |
| 141 | 20765A0312 | A+     | A+     | O      | O<br>17ME33  | O<br>17ME36  | A+<br>17EE81 | A+<br>17ME92 | O      | A+     | O      | SA     | 9.48 |
| 142 | 20765A0313 | A+     | B+     | A      | A+<br>17ME33 | A+<br>17ME36 | A<br>17EE81  | A+<br>17ME92 | O      | A+     | A+     | SA     | 8.56 |
| 143 | 20765A0314 | O      | A+     | A      | A<br>17ME33  | A<br>17ME36  | B+<br>17EE81 | A+<br>17ME92 | O      | A+     | A+     | SA     | 8.56 |
| 144 | 20765A0315 | O      | A+     | A+     | A+<br>17ME33 | A+<br>17ME36 | A+<br>17NP13 | A<br>17ME92  | O      | A+     | O      | SA     | 9.12 |
| 145 | 20765A0316 | A+     | A+     | B+     | O<br>17ME33  | A<br>17ME36  | A+<br>17EE81 | A<br>17ME92  | O      | O      | O      | SA     | 8.80 |
| 146 | 20765A0317 | A      | B+     | B+     | B+<br>17ME33 | A<br>17ME34  | B+<br>17EE81 | B<br>17ME92  | O      | A      | A+     | SA     | 7.44 |
| 147 | 20765A0318 | A+     | A      | A      | A+<br>17ME33 | A+<br>17ME36 | A<br>17EE81  | B+<br>17ME92 | A+     | A+     | O      | SA     | 8.48 |
| 148 | 20765A0319 | A+     | B+     | A      | A+<br>17ME33 | A+<br>17ME34 | A+<br>17EE81 | B+<br>17ME92 | A+     | A+     | O      | SA     | 8.48 |
| 149 | 20765A0320 | A+     | B+     | B+     | B+<br>17ME33 | A<br>17ME34  | B+<br>17EE81 | B+<br>17ME92 | A+     | A+     | O      | SA     | 7.76 |
| 150 | 20765A0321 | A      | B      | B+     | A<br>17ME33  | A+<br>17ME34 | A+<br>17EE81 | B+<br>17ME92 | A+     | A+     | A+     | SA     | 7.92 |
| 151 | 20765A0322 | O      | B+     | A+     | A+<br>17ME33 | A+<br>17ME34 | A+<br>17EE81 | A<br>17ME92  | O      | A+     | O      | SA     | 8.88 |
| 152 | 20765A0323 | A      | B+     | B+     | A<br>17ME33  | A+<br>17ME36 | A<br>17NP13  | A<br>17ME92  | O      | A+     | O      | SA     | 8.16 |
| 153 | 20765A0324 | A      | C      | B+     | A<br>17ME33  | A<br>17ME36  | A<br>17EE81  | B+<br>17ME92 | A+     | A+     | A+     | SA     | 7.56 |
| 154 | 20765A0325 | A+     | B      | A      | A<br>17ME33  | A<br>17ME34  | B+<br>17EE81 | B+<br>17ME92 | A+     | A+     | A+     | SA     | 7.80 |
| 155 | 20765A0326 | O      | A      | A+     | O<br>17ME33  | A+<br>17ME34 | A+<br>17EE81 | A+<br>17ME92 | O      | A+     | O      | SA     | 9.24 |

Date : 4 JAN 2023 Verified by 1: K. Narayana 2: K. Pavani  
Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Narayana*  
CONTROLLER OF EXAMINATIONS

*K. Pavani*  
PRINCIPAL





# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Mechanical Engineering

|     |            | 17ME28 | 17ME29 | 17ME30 | ME-PE3       | ME-PE4       | ME-OE2       | ME-AC3       | 17ME72 | 17ME73 | 17PD09 | 17PD10 | SGPA |
|-----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 156 | 20765A0327 | A+     | B+     | A      | A<br>17ME33  | A<br>17ME34  | A<br>17EE81  | B+<br>17ME92 | A+     | A+     | A+     | SA     | 8.04 |
| 157 | 20765A0328 | A+     | B+     | F      | A<br>17ME33  | B+<br>17ME36 | A<br>17NP13  | A<br>17ME92  | O      | A+     | O      | SA     | 7.20 |
| 158 | 20765A0329 | O      | B+     | B+     | O<br>17ME33  | A+<br>17ME36 | A<br>17NP13  | A<br>17ME92  | O      | A+     | O      | SA     | 8.64 |
| 159 | 20765A0330 | A+     | B+     | A      | A+<br>17ME33 | O<br>17ME34  | A<br>17EE81  | A+<br>17ME92 | A+     | A+     | O      | SA     | 8.72 |
| 160 | 20765A0331 | A      | B      | B+     | A+<br>17ME33 | A+<br>17ME36 | B+<br>17EE81 | A<br>17ME92  | O      | A+     | A+     | SA     | 7.96 |
| 161 | 20765A0332 | B+     | B+     | F      | B+<br>17ME33 | B+<br>17ME36 | B<br>17EE81  | B+<br>17ME92 | O      | A+     | A      | SA     | 6.32 |
| 162 | 20765A0333 | A      | A      | B+     | A<br>17ME33  | A<br>17ME36  | A<br>17EE81  | A<br>17ME92  | A      | A+     | A+     | SA     | 8.00 |
| 163 | 20765A0334 | A+     | A+     | A      | A+<br>17ME33 | A<br>17ME34  | A<br>17NP13  | A+<br>17ME92 | O      | O      | A+     | SA     | 8.72 |
| 164 | 20765A0335 | B      | A      | A      | A+<br>17ME33 | B+<br>17ME36 | B+<br>17EE81 | B+<br>17ME92 | A      | A+     | A      | SA     | 7.56 |
| 165 | 20765A0336 | A      | A      | A      | A+<br>17ME33 | B+<br>17ME36 | A<br>17EE81  | A<br>17ME92  | A      | A+     | A+     | SA     | 8.12 |
| 166 | 20765A0337 | A      | A+     | A      | A<br>17ME33  | A<br>17ME36  | B+<br>17NP13 | B+<br>17ME92 | O      | O      | O      | SA     | 8.20 |
| 167 | 20765A0338 | A      | B+     | A      | A<br>17ME33  | B+<br>17ME36 | B+<br>17EE81 | A<br>17ME92  | A+     | O      | A+     | SA     | 7.84 |
| 168 | 20765A0339 | A+     | B+     | A      | A+<br>17ME33 | B+<br>17ME36 | A<br>17EE81  | A<br>17ME92  | A+     | O      | O      | SA     | 8.28 |
| 169 | 20765A0340 | A+     | A+     | A+     | A+<br>17ME33 | A<br>17ME36  | A+<br>17EE81 | A+<br>17ME92 | O      | O      | O      | SA     | 9.04 |
| 170 | 20765A0341 | A+     | A+     | A+     | A+<br>17ME33 | A+<br>17ME36 | A<br>17EE81  | A<br>17ME92  | A+     | O      | O      | SA     | 8.88 |
| 171 | 20765A0342 | A+     | A      | A+     | A+<br>17ME33 | B+<br>17ME36 | A<br>17EE81  | A<br>17ME92  | A+     | O      | O      | SA     | 8.52 |

Date : 4 JAN 2023 Verified by 1: k. narayana 2: k. Pavani

CONTROLLER OF EXAMINATIONS

PRINCIPAL

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.



LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

Results Sheet

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Mechanical Engineering

|     |            | 17ME28 | 17ME29 | 17ME30 | ME-PE3       | ME-PE4       | ME-OE2       | ME-AC3       | 17ME72 | 17ME73 | 17PD09 | 17PD10 | SGPA |
|-----|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 172 | 20765A0343 | A      | A+     | A      | A+<br>17ME33 | B+<br>17ME36 | B+<br>17EE81 | B+<br>17ME92 | A+     | A+     | A+     | SA     | 8.04 |
| 173 | 20765A0344 | A      | A      | A      | A+<br>17ME33 | B+<br>17ME36 | A<br>17EE81  | B<br>17ME92  | O      | A+     | O      | SA     | 8.04 |

Date : 4 JAN 2023 Verified by 1: K. Saravane 2: K. Pavani

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

*K. Saravane*  
CONTROLLER OF EXAMINATIONS

*K. Pavani*  
PRINCIPAL



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

L.B.REDDY NAGAR, MYLAVARAM-521230 :: NTR DT.:: A.P.:: INDIA

## Result Sheet (Re-admitted Students)

Programme : B.Tech. (VII Semester) (R17) Regular

Exam Month & Year : Dec 2022

Branch : Mechanical Engineering

### Course code & Name (Theory)

- 01) 17ME28-Refrigeration and Air Conditioning
- 02) 17ME29-Robotics
- 03) 17ME30-Metrology and Instrumentation
- 04) ME-PE3- (P.Elec.-III) Production Planning and Control(17ME33)
- 05) ME-PE4- (P.Elec.-IV) Power Plant Engineering(17ME34)
- 06) ME-PE4- (P.Elec.-IV) Total Quality Management(17ME36)
- 07) ME-OE2- (O.Elec.-II) Basic Civil Engineering(17CE80)
- 08) ME-OE2- (O.Elec.-II) Utilization of Electrical Energy(17EE81)
- 09) ME-AC3- (Add on course-3) Computer Integrated Manufacturing(17ME92)

### Course code & Name (Theory)

- 09) ME-AC3- (Add on course-3) Computer Integrated Manufacturing(17ME92)

### Course code & Name (Lab)

- 1) 17ME72-Robotics and Simulation Lab
- 2) 17ME73-Metrology and Instrumentation Lab
- 3) 17PD09-Internship
- 4) 17PD10-Extra-curricular/Co-curricular Activities

| S.No. | H.T.No.    | 17ME28 | 17ME29 | 17ME30 | ME-PE3       | ME-PE4       | ME-OE2       | ME-AC3       | 17ME72 | 17ME73 | 17PD09 | 17PD10 | SGPA |
|-------|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------|--------|--------|--------|------|
| 1     | 17761A03F0 | A      | B      | B+     | A+<br>17ME33 | A<br>17ME36  | F<br>17EE81  | B<br>17ME92  | A+     | A+     | B+     | SA     | 6.56 |
| 2     | 18761A0317 | A      | B      | B+     | B+<br>17ME33 | A<br>17ME36  | B+<br>17EE81 | B+<br>17ME92 | B+     | A+     | A      | SA     | 7.28 |
| 3     | 18761A03G1 | B      | P      | F      | P<br>17ME33  | C<br>17ME36  | P<br>17CE80  | F<br>17ME92  | A      | B+     | B+     | SA     | 3.92 |
| 4     | 18765A0323 | O      | A      | B+     | O<br>17ME33  | A+<br>17ME34 | A<br>17CE80  | A<br>17ME92  | O      | O      | O      | SA     | 8.80 |

Date : 4 JAN 2023 Verified by 1: K. Karanayana 2: K. Pavani

Note : Any discrepancy noted should be brought to the notice of C.o.E. immediately.

  
CONTROLLER OF EXAMINATIONS

  
PRINCIPAL